

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

JANUARY 1896.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of January 1896, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 4082 children, of whom 2145 were males and 1937 females. Of these 3762 were legitimate, and 320 illegitimate, being in the proportion of one illegitimate in every 12·7 Births, or the illegitimate Births constituted 7·8 per cent. of the whole. In Perth, 4·9 per cent. of the Births were illegitimate; in Greenock, 6·6; in Leith, 7·0; in Glasgow, 7·3; in Dundee, 7·5; in Paisley, 8·1; in Aberdeen, 8·3; and in Edinburgh, 10·4 per cent.

1655 Marriages were registered in these Towns during the month. Allowance being made for increase of the population, this is 67 above the average number for January during the last ten years.

The Deaths of 2569 persons were registered in these Towns during January, of whom 1269 were males, and 1300 females. Allowing for increase of the population, this is 487 below the average number for the month during the last ten years.

A comparison of the Deaths registered shows that during January the mortality was at the annual rate of 14·2 Deaths per thousand persons in Leith; 15·7 in Edinburgh; 19·0 in Perth; 20·9 in Aberdeen; 21·1 in Glasgow; 21·2 in Paisley; 21·6 in Greenock; and 23·2 in Dundee.

Of the 1263 Deaths registered in Glasgow, 252 were of children under one year of age, and 243 of persons over 60 years; of the 367 in Edinburgh, 67 were of children

under one year, and 115 of persons over 60 years; of the 317 in Dundee, 88 were of children under one year, and 65 of persons over 60 years; of the 241 in Aberdeen, 61 were under one, and 69 over 60; of the 89 in Leith, 21 were under one, and 27 over 60; of the 130 in Paisley, 19 were under one, and 43 over 60; of the 113 in Greenock, 27 were under one, and 17 over 60; and of the 49 in Perth, 7 were under one, and 24 over 60 years.

Of the whole 2569 Deaths, 924, or 36·0 per cent., were of children under five years of age. In Perth, 16·3 per cent. of the persons who died were under five years of age; in Paisley, 23·8; in Edinburgh, 28·9; in Glasgow, 36·2; in Aberdeen, 38·2; in Leith, 42·7; in Dundee, 44·2; and in Greenock, 46·0 per cent.

Miasmatic Diseases caused 249 Deaths, or 9·7 per cent. of the whole mortality. This rate was exceeded to the greatest extent in Greenock, in consequence of the presence of Measles in that Town.

18 Deaths were attributed to Fever, of which 3 (all in Glasgow) were from Typhus, and 15 from Enteric Fever.

Hooping-Cough was the most fatal epidemic, having caused 138 Deaths, or 5·4 per cent. of the whole. In Glasgow, 83 Deaths or 6·6 per cent., in Dundee, 25 or 7·9 per cent., and in Aberdeen, 21 or 8·7 per cent. of the Deaths in these towns respectively were caused by Hooping-Cough.

Measles caused 37 Deaths, or 1·4 per cent. of the whole. In Greenock, 15 deaths were caused by Measles, being at the rate of 13·3 per cent. of the deaths there.

Scarlatina caused 24 Deaths; Diphtheria, 19; and Puerperal Fever, 6.

13 Deaths were ascribed to Intemperance, of which 9 were from Chronic Alcoholism, and 4 from Delirium Tremens.

Apoplexy caused 80 Deaths; Paralysis, 58; Diseases of the Heart, 227; and Premature Birth Debility, 72.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 584, or 22·7 per cent. of the whole. Those from Consumption alone numbered 244, or 9·5 per cent. 15 Deaths resulted from Croup.

The Deaths from Violent Causes amounted to 94, of which 5 were Suicidal (2 by Gunshot Wounds, and one each by Cut-throat, Precipitation, and Hanging).

One male and four females were aged 90 years and upwards, the eldest being aged 92 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, JANUARY 1896.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1896.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, .	576,847	658,198	705,052	1080	981	2061	1910	151	849	645	618	1263
EDINBURGH, .	234,402	261,225	276,514	314	281	595	533	62	193	175	192	367
DUNDEE, . .	140,239	153,308	161,620	231	195	426	394	32	223	157	160	317
ABERDEEN, .	106,306	124,943	135,941	181	180	361	331	30	129	118	123	241
LEITH, . .	59,485	68,707	74,110	122	92	214	199	15	56	34	55	89
PAISLEY, . .	55,638	66,425	72,902	102	95	197	181	16	107	65	65	130
GREENOCK, .	66,704	63,423	61,781	80	87	167	156	11	62	57	56	113
PERTH, . .	28,980	29,919	30,427	35	26	61	58	3	86	18	31	49
TOTAL, .	1,268,601	1,426,148	1,500,435	2145	1937	4082	3762	320	1655	1269	1300	2569

JANUARY 1895, . . .	Mean Temp. 31°·7	2099	2024	4123	3810	313	1452	1530	1641	3171
JANUARY 1894, . . .	Mean Temp. 37°·6	2044	1996	4040	3703	337	1578	1398	1448	2846
JANUARY 1893, . . .	Mean Temp. 37°·4	2036	1948	3984	3657	327	1562	1576	1699	3275
JANUARY 1892, . . .	Mean Temp. 36°·5	1949	1757	3706	3434	272	1623	1429	1537	2966
JANUARY 1891, . . .	Mean Temp. 36°·6	1989	1860	3849	3552	297	1421	1435	1605	3040
JANUARY 1890, . . .	Mean Temp. 41°·8	1925	1883	3808	3488	320	1466	1599	1500	3099
JANUARY 1889, . . .	Mean Temp. 39°·6	1952	1746	3698	3394	304	1370	1229	1208	2537
JANUARY 1888, . . .	Mean Temp. 39°·0	1886	1738	3624	3318	306	1759	1308	1399	2707
JANUARY 1887, . . .	Mean Temp. 38°·6	1903	1779	3682	3315	367	1366	1357	1413	2770
JANUARY 1886, . . .	Mean Temp. 34°·9	1933	1821	3804	3480	324	1359	1118	1254	2372

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of JANUARY 1896.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton, .	0	7	5	17	2	8	0	1. St Peter, .	0	3	0	8	1	1	0
2. Camlachie, .	0	6	0	14	1	1	4	2. St Mary, .	0	1	0	5	1	0	6
3. Dennistoun, .	0	0	0	10	1	0	2	3. St Clement, .	0	0	1	1	0	0	1
4. Calton, .	0	0	0	17	0	0	2	4. St Andrew, .	0	0	0	10	0	0	3
5. Blackfriars, .	0	0	0	1	0	0	0	5. Lochee, .	0	0	0	0	0	0	1
6. St Rollox, .	0	0	9	6	0	0	2	Mains, .	0	0	0	1	0	0	0
7. Blythswood, .	0	0	0	1	0	0	0								
8. Milton, .	0	0	0	2	0	0	2	ABERDEEN—							
9. Kelvin, .	0	0	0	1	0	0	1	1. St Nicholas, .	0	0	2	11	2	1	4
10. Anderston, .	0	0	0	8	0	0	1	2. Aberdeen, .	0	0	0	10	1	0	3
11. Hutchesontown, .	0	0	0	1	0	1	0	3. Woodside, .	0	0	0	0	0	0	0
12. Gorbals, .	0	0	0	3	0	0	1	4. Old Aberdeen, .	0	0	0	0	0	0	0
13. Tradeston, .	0	1	0	0	0	0	0	E. Peterculter, .	0	0	0	0	0	0	0
14. Kinning Park, .	0	0	0	1	0	0	0	Nigg, .	0	0	0	0	0	0	0
Cathcart, .	0	0	0	0	0	1	0								
Eastwood, .	0	0	0	0	0	0	0	LEITH—							
Maryhill, .	0	3	0	1	0	0	0	1. North, .	0	0	3	0	2	1	0
Shettleston, .	0	0	0	0	0	0	0	2. South, .	0	0	0	1	1	0	0
Plantation, .	0	0	0	0	0	0	0								
Govan, .	0	0	0	0	0	0	0	PAISLEY, .	0	0	0	1	1	0	1
Partick, .	0	0	0	0	0	0	0								
EDINBURGH—								GREENOCK—							
1. St George, .	0	0	0	0	1	2	0	1. East, .	0	9	0	1	0	0	0
2. St Andrew, .	0	1	0	0	1	1	2	2. West, .	0	6	1	0	0	0	0
3. Canongate, .	0	0	3	2	4	1	0								
4. St Giles, .	0	0	0	0	0	0	2	PERTH, .	0	0	0	0	0	0	0
5. Newington, .	0	0	0	3	0	0	2								

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of JANUARY 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	2569	457	99	464	243	1263	106	19	127	115	367	140	22	90	65	317	92	16	64	69	241
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	326	122	15	24	7	168	21	3	7	3	34	44	-	4	-	48	29	3	2	2	36
II. PARASITIC DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC „	13	-	-	3	1	4	-	-	4	-	4	-	-	-	1	1	-	-	2	-	2
IV. CONSTITUTIONAL „	489	32	30	121	31	214	12	9	51	18	90	14	14	26	8	62	10	8	14	12	44
V. DEVELOPMENTAL „	171	35	-	-	38	73	14	-	-	10	24	10	-	-	7	17	12	-	-	9	21
VI. LOCAL „	1399	230	45	284	158	717	46	7	56	82	191	57	7	58	46	168	32	5	39	46	122
VII. VIOLENCE - -	94	8	8	25	6	47	3	-	8	2	13	8	1	2	2	13	-	-	7	-	7
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	77	30	1	7	2	40	10	-	1	-	11	7	-	-	1	8	9	-	-	-	9
I.																					
1. Miasmatic Diseases -	249	108	11	13	3	135	13	2	4	-	19	32	-	2	-	34	25	2	-	1	28
2. Diarrheal „ -	40	9	1	3	2	15	3	-	-	3	6	10	-	1	-	11	4	1	1	1	7
3. Malarial „ -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Zoogenous „ -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Venereal „ -	11	2	-	1	-	3	5	-	1	-	6	1	-	-	-	1	-	-	1	-	1
6. Septic „ -	25	3	3	7	1	14	-	1	2	-	3	1	-	1	-	2	-	-	-	-	-
II.																					
PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES - -	13	-	-	3	1	4	-	-	4	-	4	-	-	-	1	1	-	-	2	-	2
IV.																					
CONSTITUTIONAL DISEASES	489	32	30	121	31	214	12	9	51	18	90	14	14	26	8	62	10	8	14	12	44
V.																					
DEVELOPMENTAL DISEASES	171	35	-	-	38	73	14	-	-	10	24	10	-	-	7	17	12	-	-	9	21
VI.																					
1. Dis. of Nervous System -	288	60	7	49	27	143	6	-	13	19	38	10	4	6	10	30	5	1	8	13	27
2. „ Organs of Special Sense -	4	1	-	1	-	2	1	-	-	-	1	-	-	-	-	-	-	1	-	-	1
3. „ Circulatory System	227	4	6	57	40	107	1	2	13	19	35	2	-	17	7	26	1	2	11	13	27
4. „ Respiratory System	584	130	13	107	61	311	25	3	9	32	69	36	2	25	22	85	18	-	9	12	39
5. „ Digestive System -	174	32	8	33	15	88	13	1	12	8	34	7	1	3	6	17	8	1	3	3	15
6. „ Lymphatic System and Ductless Glands -	3	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
7. „ Urinary System -	69	1	2	24	11	38	-	-	5	4	9	2	-	3	1	6	-	-	2	4	6
8. „ Reproductive System :-																					
(a) Diseases of Organs of Generation -	11	-	1	2	1	4	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-
(b) Diseases of Parturition -	14	-	-	5	-	5	-	-	1	-	1	-	-	1	-	1	-	-	4	-	4
9. „ Organs of Locomotion -	18	2	8	2	1	13	-	1	-	-	1	-	-	-	-	-	-	-	1	1	2
10. „ Integumentary System -	7	-	-	3	2	5	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1

5

[illegible]

Registered during the Month of JANUARY 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	88	8	8	24	5	45	3	-	6	1	10	8	1	2	2	13	-	-	7	-	7
2. VIOLENCE OTHER THAN ACCIDENTAL - - -	6	-	-	1	1	2	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES	77	30	1	7	2	40	10	-	1	-	11	7	-	-	1	8	9	-	-	-	9
MIASMATIC DISEASES.																					
Small-pox { Vaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	37	17	-	-	-	17	1	-	-	-	1	4	-	-	-	4	-	-	-	-	-
Epidemic Rose Rash - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	24	7	7	-	-	14	-	2	1	-	3	1	-	-	-	1	1	1	-	-	2
Typhus - - -	3	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	13	-	-	4	2	6	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1
Hooping-Cough - - -	138	82	1	-	-	83	5	-	-	-	5	25	-	-	-	25	21	-	-	-	21
Mumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	19	1	1	1	1	4	6	-	-	-	6	2	-	-	-	2	3	-	-	-	3
Cerebro-spinal Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	15	1	2	5	-	8	1	-	3	-	4	-	-	1	-	1	-	1	-	-	1
Other Miasmatic Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																					
Simple Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery - - -	40	9	1	3	2	15	3	-	-	3	6	10	-	1	-	11	4	1	1	1	7
MALARIAL DISEASES.																					
Remittent Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																					
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																					
Syphilis - - -	9	2	-	-	-	2	5	-	1	-	6	1	-	-	-	1	-	-	-	-	-
Gonorrhoea Stricture of Urethra - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
SEPTIC DISEASES.																					
Phagedæna - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	8	1	-	1	1	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Pyæmia, Septicæmia - - -	11	2	2	3	-	7	-	1	-	-	1	1	-	1	-	2	-	-	-	-	-
Puerperal Fever - - -	6	-	1	3	-	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

7

Registered during the Month of JANUARY 1896.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																				
1. ACCIDENT OR NEGLIGENCE -	3	1	3	1	8	-	-	-	1	1	2	-	-	1	3	-	-	-	1	1
2. VIOLENCE OTHER THAN ACCIDENTAL - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
VIII.																				
ILL-DEFINED AND NOT SPECIFIED CAUSES - - -	1	-	-	-	1	1	-	1	-	2	6	-	-	-	6	-	-	-	-	-
MIASMATIC DISEASES.																				
Small-pox { Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - -	-	-	-	-	-	-	-	-	-	-	14	1	-	-	15	-	-	-	-	-
Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Rose Rash -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Scarlet Fever - - -	2	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	1	1	1	3	-	-	2	-	2	-	-	-	-	-
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hooping-cough - - -	1	-	-	-	1	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-
Mumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	3	-	-	-	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Miasmatic Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																				
Simple Cholera - - -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALARIAL DISEASES.																				
Remittent Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																				
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																				
Syphilis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gonorrhoea, Stricture of Urethra -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																				
Phagedæna - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	1	-	1	-	2	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Pyæmia, Septicæmia - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Puerperal Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																					
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Dis. from Veg. Parasites - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Dis. from Animal Par. - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DIETETIC DISEASES.																					
Starvation, Want of Breast Milk -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Intemp. { Chronic Alcoholism -	9	-	-	2	1	3	-	-	3	-	3	-	-	-	1	1	-	-	-	-	
{ Delirium Tremens -	4	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	2	-	2	
CONSTITUTIONAL DISEASES.																					
Rheumatic Fever, Rheu- matism of Heart - - -	15	-	2	3	2	7	-	-	2	-	2	-	1	1	-	2	1	-	-	1	
Rheumatism - - - - -	3	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Gout - - - - -	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rickets - - - - -	5	-	1	-	-	1	1	-	-	1	1	-	-	-	-	1	2	-	-	2	
Cancer - - - - -	119	-	2	25	24	51	-	16	12	28	-	-	1	5	6	-	-	6	11	17	
Tabes Mesenterica - - -	24	6	4	-	-	10	2	-	-	2	4	1	-	-	5	2	1	-	-	3	
Tubercular Meningitis (Acute Hydrocephalus) - - -	41	13	2	-	-	15	5	2	-	7	5	1	-	-	6	2	-	-	-	2	
Phthisis - - - - -	244	6	18	89	2	115	3	5	29	5	42	10	22	2	36	1	6	7	1	15	
Other forms of Tuber. Scrofula -	26	6	1	2	-	9	1	2	2	5	2	1	2	-	5	2	1	1	-	4	
Purp., Hæmorrhagic Diathesis -	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Anæmia, Chl., Leucocythæmia -	6	-	-	-	2	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Diabetes Mellitus - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
Other Constitutional Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DEVELOPMENTAL DISEASES.																					
Premature Birth - - - - -	72	29	-	-	-	29	14	-	-	14	8	-	-	-	8	7	-	-	-	7	
Atelectasis - - - - -	7	1	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	2	
Cyanosis - - - - -	3	2	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	
Spina Bifida - - - - -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	
Imperforate Anus - - - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cleft Palate, Harelip - - -	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	
Other Congenital Defects - - -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Old Age - - - - -	82	-	-	-	38	38	-	-	10	10	-	-	-	7	7	-	-	-	9	9	
DISEASES OF NERVOUS SYSTEM.																					
Inflammation of Brain or its Membranes - - - - -	53	26	5	2	-	33	1	-	1	2	5	3	1	-	9	1	-	-	-	1	
Apoplexy - - - - -	80	-	-	26	16	42	-	-	3	8	11	-	-	4	8	-	-	-	-	8	
Softening of Brain - - - - -	8	-	-	2	2	4	-	-	1	1	-	-	-	-	-	-	-	1	7	2	
Hemiplegia, Brain Paralysis -	46	-	-	8	8	16	-	-	2	5	7	-	-	-	6	6	-	1	1	5	
Paralysis Agitans - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Insanity, General Par. of Insane	14	-	-	1	-	1	-	-	6	1	7	-	-	-	-	-	-	5	-	5	
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Epilepsy - - - - -	4	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	1	-	-	-	
Convulsions - - - - -	44	26	-	-	-	26	5	-	-	5	3	-	-	-	3	4	1	1	-	2	
Laryngismus Stridulus - - -	9	7	-	-	-	7	-	-	-	-	2	-	-	-	2	-	-	-	-	4	
Idiopathic Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	
Paraplegia, Dis. of Spinal Cord	12	-	-	4	1	5	-	-	2	2	-	-	1	-	1	-	-	-	-	-	
Other Diseases of Ner. System	18	1	2	6	-	9	-	-	1	1	2	-	-	-	-	-	-	-	-	-	
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Otorrhœa - - - - -	3	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	1	-	-	1	
Epistaxis and Dis. of Nose - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ophthalmia and Dis. of Eye - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1896.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp.	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
{ Chronic Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Typhoid Fever, Rheumatism of	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart	-	-	-	-	-	-	1	-	1	2	-	-	1	-	1	-	-	-	-	-
Rheumatism	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scorbut	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	-	-	-	1	1	-	-	5	1	6	-	-	3	4	7	-	-	2	1	3
Typhoid Mesenterica	-	1	-	-	1	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-
Tubercular Meningitis (Acute	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrocephalus)	-	3	-	-	3	4	-	1	-	5	1	-	-	-	1	-	2	-	-	2
Erysipelas	-	-	-	6	3	9	-	7	11	18	-	4	2	-	6	-	1	2	-	3
Other forms of Tuberculosis, Scrofula	1	-	-	-	1	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-
Erysipelas, Hæmorrhagic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	1	-	1
Diabetes Mellitus	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth	-	6	-	-	6	5	-	-	-	5	2	-	-	-	2	1	-	-	-	1
Cleft Palate	-	1	-	-	1	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-
Cleft Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age	-	-	-	4	4	-	-	-	8	8	-	-	-	2	2	-	-	-	4	4
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Mem-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
branes	1	-	-	-	1	1	2	-	-	3	1	2	-	-	3	1	-	-	-	1
Apoplexy	-	-	-	1	1	-	-	1	3	4	-	-	1	1	2	-	-	-	4	4
Softening of Brain	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemiplegia, Brain Paralysis	-	-	1	2	3	-	-	-	5	5	-	1	-	-	1	-	-	1	2	3
Paralysis Agitans	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions	2	-	-	-	2	1	-	-	-	1	1	-	-	-	1	2	-	-	-	2
Laryngismus Stridulus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord	-	-	-	1	1	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-
Other Diseases of Nervous System	-	-	-	-	-	-	1	1	2	4	1	-	-	-	1	1	-	1	-	2
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of JANUARY 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.			
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Dis. -	185	1	3	49	33	86	-	2	9	13	4	1	-	13	6	20	-	2	11	13
Pericarditis -	4	-	2	-	1	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Hypertrophy of Heart -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	4	-	-	1	-	1	-	-	-	1	1	1	-	-	-	1	-	-	-	-
Syncope -	22	2	1	3	4	10	1	-	2	5	8	-	-	1	1	2	1	-	-	-
Aneurism -	6	-	-	3	1	4	-	-	1	-	1	-	-	1	-	1	-	-	-	-
Senile Gangrene -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis	4	1	-	1	1	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Phlebitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis -	9	2	-	3	-	5	1	1	-	-	2	-	1	-	-	1	-	-	-	-
Croup -	15	9	-	-	-	9	1	1	-	-	2	-	-	-	-	-	1	-	-	-
Other Dis. of Larynx & Trachea	3	1	-	1	-	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Emphysema, Asthma -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Bronchitis -	275	39	2	47	42	130	11	-	5	21	37	18	-	14	13	45	10	-	2	11
Pneumonia -	236	63	9	48	14	134	11	-	2	7	20	17	1	10	8	36	7	-	6	-
Pleurisy -	11	1	-	4	1	6	-	1	-	1	2	-	-	1	1	2	-	-	-	-
Other Diseases of Resp. System	34	15	2	4	4	25	1	-	2	3	6	-	-	-	-	-	-	-	-	1
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	15	13	-	-	-	13	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Sore-throat, Quinsy -	2	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Dyspepsia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	33	3	1	6	4	14	2	-	3	1	6	3	-	1	1	5	2	-	2	2
Enteritis -	36	9	2	3	1	15	7	-	-	1	8	3	-	-	-	3	4	-	-	-
Ulceration of Intestine -	2	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	14	3	-	2	3	8	-	1	1	1	3	-	-	-	2	2	-	-	-	-
Stricture or Strang. of Intestine	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Intussusception of Intestine -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Hernia -	5	-	-	2	-	2	-	-	-	1	1	-	-	-	1	1	-	-	-	1
Fistula -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	35	2	4	10	1	17	2	-	5	1	8	-	1	1	1	3	1	-	1	-
Ascites -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	2	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	5	1	-	-	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Other Diseases of Liver	17	1	1	6	3	11	-	-	-	2	2	-	-	1	-	1	-	1	-	-
Other Dis. of Digestive System	3	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Spleen -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Diseases of Lymphatics -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Suprarenal Capsules -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis -	21	1	1	12	-	14	-	-	1	-	1	1	-	1	-	2	-	-	1	-
Bright's Disease -	18	-	1	7	-	8	-	-	4	2	6	-	-	1	-	1	-	-	-	-
Uræmia -	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine -	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-
Calculus -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	13	-	-	1	6	7	-	-	-	2	2	-	-	-	-	-	-	-	-	3
Other Dis. of Urinary System	12	-	-	2	4	6	-	-	-	-	-	-	-	-	1	1	-	-	1	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1896.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60-etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease	-	-	2	5	7	-	-	4	2	6	-	1	3	2	6	-	-	3	7	10
Mitral Endocarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Aneurysm of Aorta Pectoris	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurysm of Thoracic Artery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Furunculæ Gangrene	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Eczema, Thrombosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pleurisy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Variatose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Croup	1	-	-	-	1	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	3	-	-	3	6	5	-	4	7	16	4	-	4	4	12	1	-	-	5	6
Pneumonia	6	-	1	2	9	4	-	2	3	9	8	2	3	-	13	2	-	-	-	2
Pleurisy	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Other Diseases of Respiratory System	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
DISEASES OF DIGESTIVE SYSTEM.																				
Gastritis	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Enteritis	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Sore-throat, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
hæmatemesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Helena	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
Enteritis	-	-	-	-	-	3	-	-	-	3	2	-	-	-	2	-	1	-	-	1
Ulceration of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis, Obstruction of Intestine	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Narrowing or Strangulation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis	-	-	-	-	-	-	-	2	2	4	-	1	-	-	1	-	-	-	-	-
Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Suprarenal Capsules	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Bright's Disease	-	1	-	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Uremia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Urinary System	-	-	1	-	1	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	4	-	1	-	1	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Diseases of Uterus and Vagina	5	-	-	2	-	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding -	6	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth	6	-	-	2	-	2	-	-	-	-	-	-	1	-	1	-	-	-	2	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	8	2	5	-	-	7	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Arthritis, Ostitis, Periostitis -	3	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locom.	7	-	2	1	1	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
Phlegmon, Cellulitis - - -	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and { Railways - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Veh. oth. than R'wys. - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses - - -	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, { Conflagrations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns & Scalds - - -	16	2	3	3	-	8	1	-	-	-	1	2	1	-	3	-	-	-	-	-	-
{ Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours - -	9	-	1	3	-	4	-	-	1	-	1	-	-	1	1	-	-	1	1	-	1
Drowning - - -	12	-	-	6	-	6	-	-	-	-	-	-	-	-	-	-	-	-	5	-	5
Suffocation { In Bed - - -	15	6	-	-	-	6	2	-	-	-	2	6	-	-	6	-	-	-	-	-	-
{ Otherwise - - -	5	-	-	2	1	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Falls - - -	5	-	1	1	1	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - -	19	-	3	6	1	10	-	-	3	-	3	-	-	2	-	2	-	-	1	-	1
Otherwise, or Not Stated - -	6	-	-	3	2	5	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	5	-	-	-	1	1	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	2	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition	61	27	1	2	-	30	8	-	-	-	8	6	-	-	6	8	-	-	-	-	8
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Other Ill-def. & not spec. Causes	12	3	-	3	2	8	1	-	1	-	2	-	-	1	1	1	-	-	-	-	1

13

13

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in selected Registration Districts ; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—JANUARY 1896.

DISTRICTS.	Estimated Population at Middle of 1896.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	23,542	59	20	31	0	0	0	3	0	0	0	0	0	12	2
Ayr,	28,373	80	16	47	0	0	1	1	0	2	0	0	0	10	7
Banff, with Macduff,	8,726	22	5	10	0	0	0	0	0	0	0	0	1	1	1
Blairgowrie,	4,329	5	1	7	0	0	0	0	0	1	0	0	0	1	0
Callander,	2,340	6	2	2	0	0	0	0	0	0	0	1	0	0	0
Campbeltown,	10,535	19	7	9	0	0	0	0	1	0	0	0	1	0	0
Cathcart (Landward),	5,557	8	7	10	0	0	0	0	0	0	0	0	0	1	2
Coatbridge,	36,540	120	34	59	0	0	0	3	0	4	0	0	1	7	8
Crieff,	5,542	11	2	9	0	0	0	0	0	0	0	0	0	1	1
Dumbarton,	20,001	48	13	30	0	9	1	0	1	0	0	0	0	4	5
Dumfries, with Troqueer,	24,535	33	16	47	0	2	0	0	0	1	0	2	0	7	7
Dunfermline	29,960	69	55	40	0	0	0	1	0	0	0	1	0	13	1
Dunoon,	7,544	10	1	15	0	0	0	0	0	0	0	0	0	2	2
Eastwood (Landward),	14,269	30	9	32	0	7	0	0	1	0	0	2	0	6	2
Elgin,	10,805	24	7	19	0	0	0	1	0	1	0	0	0	6	0
Falkirk,	29,499	97	31	44	0	0	1	1	0	1	0	0	0	10	3
Forfar,	13,260	32	19	20	0	0	0	0	0	0	0	0	0	2	3
Galashiels,	18,927	24	11	30	0	0	1	0	0	0	0	2	0	5	1
Govan—(1) Plantation (Land- ward),	25,215	78	9	35	0	0	0	0	0	1	0	1	2	12	2
(2) Govan (Landward),	45,789	127	50	93	0	0	1	3	2	2	0	2	1	20	5
(3) Partick (Landward),	42,490	131	43	62	0	1	0	1	0	0	0	2	3	23	5
Haddington,	4,997	9	1	9	0	0	0	0	0	0	0	0	0	0	2
Hawick, with Wilton,	22,342	31	10	32	0	0	0	0	0	0	0	1	1	8	5
Inverness,	25,377	64	24	56	0	0	2	4	0	0	0	0	3	11	6
Kilmarnock, with Riccarton,	32,726	78	38	54	0	2	1	1	0	2	0	2	0	16	9
Kilmore and Kilbride (Oban),	6,064	10	6	7	0	0	0	0	0	0	0	0	0	0	1
Kinning Park (Landward),	14,948	39	14	13	0	0	0	2	0	0	0	0	0	2	2
Kirkcaldy and Abbotshall,	19,209	45	32	29	0	0	0	0	0	3	0	0	0	7	3
Kirkcudbright,	3,476	4	0	9	0	0	0	0	0	0	0	0	0	2	0
Largs,	5,412	7	4	10	0	0	0	0	1	0	0	1	0	0	1
Logie (Bridge of Allan),	4,384	3	0	7	0	0	0	0	0	0	0	0	0	1	0
Moffat,	3,002	8	1	9	0	0	0	0	0	0	0	0	0	3	0
Montrose,	13,532	26	13	30	0	0	0	0	2	0	0	2	1	5	9
Moulin (Pitlochry),	2,230	2	1	1	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,178	12	1	6	0	0	0	0	0	0	0	0	0	0	1
New Monkland (Airdrie),	37,403	105	40	39	0	1	1	2	0	0	0	0	1	9	6
North Berwick,	3,239	4	1	4	0	0	0	0	0	0	0	0	0	1	1
Peterhead, with Boddam,	16,724	42	6	22	0	0	0	0	0	0	0	0	0	2	1
Rothsay	9,546	11	6	12	0	0	0	0	0	1	0	1	0	3	2
St Andrews and St. Leonards,	8,835	12	6	6	0	0	0	0	0	0	0	0	1	1	1
Shettleston (Landward),	17,481	48	15	19	0	0	0	0	0	0	0	1	0	3	4
Stirling,	15,508	47	19	29	0	0	0	0	0	0	0	1	2	2	5
Stranraer,	6,079	13	4	11	0	0	0	0	0	0	0	0	2	2	1
Wick,	12,243	32	4	18	0	0	0	3	0	0	0	1	1	2	2

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 139 feet above the sea-level,

For the month of JANUARY 1896.

Mean barometric pressure, 30.208 inches ; greater than the average for the same month of 1856-95 by 0.405 inch.

Barometric monthly range, 2.182 inches ; greater by 0.533 inch.

Mean temperature, $40^{\circ}5$; greater by $2^{\circ}8$.

Mean daily range of temperature, $9^{\circ}0$; being the average.

Mean humidity, 88 ; greater by 1.0.

Rain, number of days, 15 ; less by 2.

Rain, depth in inches, 1.54 ; less by 2.18 inches.

Wind, pressure on square foot, 1.26 lbs. ; less by 0.74 lb.

Wind, direction of, E. to W. as 5 to 15, and N. to S. as 4 to 6 ; the average being E. to W. as 6 to 13, and N. to S. as 4 to 8.

The weather of January 1896 was thus characterised by an unusually high barometric pressure, with a very large monthly range ; a high temperature, with the average mean daily range ; a humidity slightly above the average ; an excess of three days of westerly winds and a three days' deficiency of southerly winds ; a rainfall greatly under the average at all the large towns, and falling two days fewer than the average.

The mean barometric pressure of January has, during the past 40 years, been exceeded only in 1880, when the mean was 30.234 inches. The excess was greater in the west than in the east ; thus, while at Dundee it was 0.400 inch, it was 0.433 inch at Glasgow. From this distribution of the pressure resulted the shifting of the mean direction of the wind from a southerly to a more westerly direction. But the memorable meteorological feature of the month was the phenomenally great anti-cyclone when the barometer, at sea level on the morning of the 9th, was 31.094 inches at Paisley Observatory, and 31.072 inches at Edinburgh. The pressures which occurred at this time are the highest yet recorded in the British Islands. Pressure was also very high during the last three days of the month.

The mean temperature was $40^{\circ}5$, or $2^{\circ}8$ above the average, the excess being equally distributed between the days and the nights. Owing to the excess of westerly winds, the excess was greater at western than at eastern stations ; thus, while it was $3^{\circ}2$ at Glasgow and Paisley, it was only $1^{\circ}5$ at Perth and Dundee. The month was marked by an absence of very low temperatures. The absolutely highest temperature was $56^{\circ}9$ at Glasgow on the 2nd, and the lowest $20^{\circ}5$ at Perth on the 24th.

The smallest amount of rain collected was 0.69 inch at Aberdeen, and the largest 4.73 inches at Greenock, these amounts being 72 and 39 per cent. under their respective averages. At Greenock 1.99 inch fell on the two days, the 26th and 27th. A little snow fell on the 13th, 14th, and 15th. At this time barometric pressure fell 0.592 inch from 9 p.m. of the 14th to 9 a.m. of the 15th, and rose 0.526 inch by 9 p.m. of the 15th, and a storm of some violence occurred at the time. Very little rain fell from the 4th to the 10th, from the 18th to the 22nd, and on the last three days of the month.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS
Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH
During the Month of JANUARY 1896.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.					RAIN.		WINDS.									Mean Pres- sure on Sq. ft.
		Mean at Station and 32°.	Mean at Sea-level and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.										
																			N	NE	E	SE	S	SW	W	NW	Calm or Variable.	lbs.	
GLASGOW, J. B. RUSSELL, M.D., Medical Officer of Health, Glasgow.	54	30.168	30.230	2.080	56.9	21.7	41.7	35.2	9.8	19.1	°	39.8	37.8	.228	2.62	88	16	1.96	1	0	6	1	1	1	8	5	8	0.62	
EDINBURGH, R. C. LOSSMAN, F.R.S.E.	276	29.912	30.222	2.164	52.9	23.9	41.2	29.0	8.6	17.1	°	39.4	37.4	.223	2.58	87	17	0.84	3	0	2	0	0	2	20	3	1	0.65	
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.993	30.178	2.200	53.0	22.0	38.3	31.0	8.0	18.3	°	37.5	36.2	.213	2.50	92	14	0.84	1	4	0	2	0	7	8	9	0	1.22	
ABERDEEN, JAMES DALE, Gordon's Hospital.	66		30.167	2.308	51.8	28.5	38.9	23.3	9.3	20.7	°	37.0	34.9	.203	2.34	87	12	0.69	3	0	1	2	3	11	4	7	0	0.77	
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	70	30.135	30.214	2.218	53.8	25.9	42.0	27.9	7.4	16.4	°	41.8	40.0	.226	2.62	86	13	0.81	2	1	1	1	2	3	18	1	2	1.85	
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	30.135	30.231	2.133	53.7	24.0	41.8	29.7	8.7	16.9	°	41.2	39.8	.229	2.64	89	17	1.34	1	1	3	0	5	3	14	1	3	1.17	
GREENOCK, ROBERT GILMOUR, Greenock Water Works.	233	29.968	30.225	2.069	50.9	25.7	41.0	25.2	9.0	18.5	°	41.9	39.8	.224	2.57	85	19	4.73	0	0	1	5	0	7	13	2	3	2.56	
PERTH, A. GARDECKE, Gardener to James F. Pullar.	140	30.038	30.196	2.180	52.0	20.5	39.0	31.5	11.2	25.5	°	38.6	37.3	.209	2.43	90	14	1.09	2	2	10	1	2	13	0	1	0	...	
Means,	139	30.053	30.208	2.182	(*56.9)	(+20.5)	40.5	29.1	9.0	19.1	°	38.8	36.9	.219	2.54	88	15	1.54	2	1	3	2	2	6	10	3	2	1.26	

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute highest. † Absolute lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

FEBRUARY 1896.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of February 1896, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 3601 children, of whom 1858 were males and 1743 females. Of these, 3334 were legitimate, and 267 illegitimate, being in the proportion of one illegitimate in every 13·5 Births, or the illegitimate Births constituted 7·4 per cent. of the whole. In Leith, 1·8 per cent. of the Births were illegitimate; in Glasgow, 6·2; in Paisley, 6·3; in Greenock, 7·2; in Aberdeen, 8·7; in Edinburgh, 9·1; in Dundee, 12·1; and in Perth, 12·5 per cent.

709 Marriages were registered in these Towns during February, being 62 above the average number for the month during the last ten years, allowing for increase of the population.

The Deaths of 2299 persons were registered in these Towns during February, of whom 1172 were of males, and 1127 of females. Increase of the population being allowed for, this number is 435 below the average number for the month during the last ten years.

A comparison of the Deaths registered shows that during February the mortality was at the annual rate of 12·3 Deaths per thousand persons in Leith; 15·8 in Perth; 17·5 in Paisley; 18·8 in Edinburgh; 19·6 in Aberdeen; 19·8 in Glasgow; 20·0 in Dundee; and 20·6 in Greenock.

Of the 1107 Deaths registered in Glasgow, 223 were of children under one year of age, and 205 of persons over 60 years; of the 413 in Edinburgh, 64 were of children

under one year, and 110 of persons over 60 years; of the 256 in Dundee, 66 were under one, and 52 over 60 years; of the 211 in Aberdeen, 52 were under one, and 56 over 60; of the 72 in Leith, 20 were under one, and 22 over 60; of the 101 in Paisley, 21 were under one, and 26 over 60; of the 101 in Greenock, 22 were under one, and 18 over 60; and of the 38 in Perth, 8 were under one, and 18 over 60 years.

Of the whole 2299 Deaths, 824, or 35·8 per cent., were of children under five years of age. In Perth, 26·3 per cent. of the persons who died were under five years of age; in Edinburgh, 26·6; in Paisley, 31·7; in Glasgow, 36·8; in Dundee, 38·3; in Leith, 41·7; in Greenock, 42·6; and in Aberdeen, 44·5 per cent.

Miasmatic Diseases caused 231 Deaths, or 10·0 per cent. of the whole. No Deaths from these Diseases occurred in Perth, and in the other Towns, the rates varied from 6·9 per cent. in Leith, to 14·7 per cent. in Aberdeen.

22 Deaths were ascribed to Fever, of which 5 (4 in Glasgow, and 1 in Edinburgh) were from Typhus, and 17 from Enteric Fever.

Hooping-Cough was the most fatal epidemic, having caused 126 Deaths, or 5·5 per cent. of the whole. In Leith, 1·3 per cent. of the Deaths were from Hooping-Cough; in Edinburgh, 2·2; in Paisley, 5·0; in Dundee, 5·5; in Glasgow, 6·4; in Greenock, 6·9; and in Aberdeen, 9·0 per cent.

Scarlatina caused 24 Deaths; Measles, 22; Diphtheria, 22; and Puerperal Fever, 11.

To Intemperance were attributed 4 Deaths, 1 being from Chronic Alcoholism, and 3 from Delirium Tremens.

Apoplexy caused 96 Deaths; Paralysis, 45; Diseases of the Heart, 184; and Premature Birth Debility, 80.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 458, or 19·9 per cent. of the whole. Those from Consumption alone numbered 278, or 12·1 per cent. 13 Deaths resulted from Croup.

The Deaths from Violent Causes amounted to 101, of which 6 were Suicidal (2 by Cut-throat, 2 by Hanging, and 1 by Poison, while of 1 the means by which Death was accomplished was not stated).

Three males and four females were aged 90 years and upwards, the eldest of whom was a widow aged 95 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, FEBRUARY 1896.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1896.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, .	576,847	658,198	705,052	937	865	1802	1691	111	376	570	527	1107
EDINBURGH, .	234,402	261,225	276,514	288	261	549	499	50	121	197	216	413
DUNDEE, .	140,794	154,118	161,620	173	199	372	327	45	53	136	120	256
ABERDEEN, .	106,306	124,943	135,941	184	150	334	305	29	71	102	103	211
LEITH, .	59,485	68,707	74,110	93	74	167	164	3	21	42	30	72
PAISLEY, .	55,638	66,425	72,902	90	85	175	164	11	26	51	50	101
GREENOCK, .	66,704	63,423	61,781	63	75	138	123	10	22	50	51	101
PERTH, .	28,980	29,919	30,427	30	34	64	56	8	19	24	14	38
TOTAL, .	1,268,601	1,426,148	1,500,435	1858	1743	3601	3334	267	709	1172	1127	2299

FEBRUARY 1895, .	Mean Temp. 29°·7	1815	1747	3562	3339	223	616	1880	2231	4081
FEBRUARY 1894, .	Mean Temp. 39°·8	1772	1629	3401	3152	249	632	1144	1166	2310
FEBRUARY 1893, .	Mean Temp. 39°·3	1797	1680	3477	3225	252	651	1287	1250	2537
FEBRUARY 1892, .	Mean Temp. 37°·6	1891	1815	3706	3431	275	720	1294	1264	2558
FEBRUARY 1891, .	Mean Temp. 41°·8	1721	1628	3349	3053	296	616	1173	1173	2346
FEBRUARY 1890, .	Mean Temp. 37°·9	1664	1503	3167	2902	265	554	1415	1400	2815
FEBRUARY 1889, .	Mean Temp. 37°·6	1674	1519	3193	2952	241	626	1081	1145	2226
FEBRUARY 1888, .	Mean Temp. 36°·2	1782	1647	3429	3126	303	588	1164	1219	2383
FEBRUARY 1887, .	Mean Temp. 40°·1	1594	1599	3193	2902	291	563	1134	1091	2225
FEBRUARY 1886, .	Mean Temp. 34°·9	1750	1649	3399	3073	326	527	1119	1145	2264

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of FEBRUARY 1896.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhœa.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhœa.
GLASGOW—								DUNDEE—							
1. Bridgeton, .	0	2	2	18	3	8	0	1. St Peter, .	0	0	0	4	0	0	1
2. Camlachie, .	0	1	0	15	1	0	0	2. St Mary, .	0	0	0	2	1	0	0
3. Dennistoun, .	0	0	0	6	0	0	1	3. St Clement, .	0	0	0	1	1	1	2
4. Calton, .	0	0	0	5	0	0	1	4. St Andrew, .	0	0	1	3	0	0	4
5. Blackfriars, .	0	0	0	4	0	0	1	5. Lochee, .	0	0	1	3	0	0	1
6. St Rollox, .	0	0	7	6	1	0	0	Mains, .	0	0	0	1	0	0	0
7. Blythswood, .	0	0	0	0	0	0	1								
8. Milton, .	0	0	0	4	0	0	0	ABERDEEN—							
9. Kelvin, .	0	0	0	2	0	0	1	1. St Nicholas, .	0	0	5	14	3	1	1
10. Anderston, .	0	0	0	3	0	1	1	2. Aberdeen, .	0	0	0	5	2	0	4
11. Hutchesontown, .	0	0	0	5	0	1	0	3. Woodside, .	0	0	0	0	0	0	0
12. Gorbals, .	0	0	0	1	0	0	1	4. Old Aberdeen, .	0	0	0	0	0	0	0
13. Tradeston, .	0	0	0	0	0	1	0	E. Peterculter, .	0	0	0	0	0	0	0
14. Kinning Park, .	0	0	1	1	1	0	1	Nigg, .	0	0	0	0	0	0	0
Cathcart, .	0	0	0	1	0	0	0								
Eastwood, .	0	0	0	0	0	0	0	LEITH—							
Maryhill, .	0	8	0	0	0	0	0	1. North, .	0	0	1	0	1	1	0
Shettleston, .	0	0	0	0	0	0	0	2. South, .	0	0	1	1	0	0	0
Plantation, .	0	0	0	0	0	0	0								
Govan, .	0	0	0	0	0	0	0	PAISLEY, .	0	0	0	5	2	2	1
Partick, .	0	0	0	0	0	0	0								
EDINBURGH—								GREENOCK—							
1. St George, .	0	1	0	2	1	0	0	1. East, .	0	4	0	1	0	0	0
2. St Andrew, .	0	5	0	1	0	1	1	2. West, .	0	1	1	6	0	0	1
3. Canongate, .	0	0	4	2	5	5	0								
4. St Giles, .	0	0	0	2	0	0	0	PERTH, .	0	0	0	0	0	0	0
5. Newington, .	0	0	0	2	0	0	1								

Registered during the Month of FEBRUARY 1896.

21

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
L CAUSES - - - -	30	6	14	22	72	32	9	34	26	101	43	8	32	18	101	10	-	10	18	38
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	3	1	2	-	6	7	3	2	-	12	13	1	3	-	17	-	-	1	-	1
II. PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. CONSTITUTIONAL,, -	3	2	7	1	13	2	3	11	2	18	3	5	9	3	20	1	-	5	2	8
V. DEVELOPMENTAL,, -	9	-	-	5	14	4	-	-	4	8	4	-	-	1	5	2	-	-	4	6
VI. LOCAL -	13	2	3	16	34	15	3	19	18	55	18	2	16	13	49	4	-	3	12	19
VII. VIOLENCE - - -	1	-	1	-	2	-	-	2	2	4	1	-	3	1	5	-	-	1	-	1
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES -	1	-	1	-	2	4	-	-	-	4	4	-	1	-	5	3	-	-	-	3
I.																				
MIASMATIC DISEASES - -	3	1	1	-	5	6	2	2	-	10	12	1	1	-	14	-	-	-	-	-
DIARRHOEAL -	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-
MALARIAL -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
VENEREAL -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1
SEPTIC -	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
II.																				
PARASITIC DISEASES - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																				
DIETETIC DISEASES - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.																				
CONSTITUTIONAL DISEASES- -	3	2	7	1	13	2	3	11	2	18	3	5	9	3	20	1	-	5	2	8
V.																				
DEVELOPMENTAL DISEASES- -	9	-	-	5	14	4	-	-	4	8	4	-	-	1	5	2	-	-	4	6
VI.																				
DISEASES OF NERVOUS SYSTEM -	2	-	-	5	7	4	2	6	7	19	2	1	5	4	12	2	-	-	4	6
„ ORGANS OF SPECIAL SENSE - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
„ CIRCULATORY SYSTEM -	-	-	1	8	9	1	-	5	2	8	-	-	3	2	5	-	-	-	1	1
„ RESPIRATORY SYSTEM -	8	1	1	1	11	8	1	4	5	18	8	-	4	6	18	2	-	1	5	8
„ DIGESTIVE SYSTEM -	2	1	1	1	5	2	-	2	2	6	6	1	2	1	10	-	-	1	2	3
„ LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ URINARY SYSTEM -	-	-	-	1	1	-	-	1	2	3	-	-	1	-	1	-	-	-	-	-
„ REPRODUCTIVE SYSTEM :—																				
(a) DISEASES OF ORGANS OF GENERATION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) DISEASES OF PARTURITION -	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1
„ ORGANS OF LOCOMOTION - -	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
„ INTEGUMENTARY SYSTEM -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

23

Registered during the Month of FEBRUARY 1896.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																				
1. ACCIDENT OR NEGLIGENCE -	1	-	1	-	2	-	-	2	1	3	1	-	3	1	5	-	-	1	-	1
2. VIOLENCE OTHER THAN ACCIDENTAL - - -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
VIII.																				
ILL-DEFINED AND NOT SPECIFIED CAUSES - - -	1	-	1	-	2	4	-	-	-	4	4	-	1	-	5	3	-	-	-	3
MIASMATIC DISEASES.																				
Small-pox { Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	-	-	-	-	-	-	-	-	-	-	4	1	-	-	5	-	-	-	-	-
Epidemic Rose Rash -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	1	1	-	-	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza -	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Whooping-cough -	1	-	-	-	1	5	-	-	-	5	7	-	-	-	7	-	-	-	-	-
Mumps -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria -	1	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	-	-	1	-	1	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
Other Miasmatic Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHŒAL DISEASES.																				
Simple Cholera - - -	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-
Diarrhœa, Dysentery - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
MALARIAL DISEASES.																				
Remittent Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																				
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
VENEREAL DISEASES.																				
Syphilis - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1
Gonorrhœa, Stricture of Urethra -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																				
Phagedæna - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia, Septicæmia - - -	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Puerperal Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

25

Registered during the Month of FEBRUARY 1896.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Flesh - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fur Dis. from Vegetable Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fetid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fur Dis. from Animal Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drunkenness - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Comp. { Chronic Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Typhoid Fever, Rheumatism of	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glands - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	-	-	3	1	4	-	-	3	1	4	1	-	1	3	5	-	-	2	-	2
Acute Mesenterica - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1
Cerebral Meningitis (Acute	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrocephalus) - - - - -	3	1	-	-	4	1	-	-	-	1	1	5	8	-	-	-	-	4	-	4
Epilepsy - - - - -	-	1	4	-	5	-	3	8	1	12	1	-	-	-	14	-	-	-	-	-
Other forms of Tuberculosis, Scrofula	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Erysipelas, Hemorrhagic Diathesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth - - - - -	9	-	-	-	9	3	-	-	-	3	4	-	-	-	4	2	-	-	-	2
Cleft Palate - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhoids - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Bifid Tongue - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age - - - - -	-	-	-	5	5	-	-	-	4	4	-	-	-	1	1	-	-	-	4	4
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Mem-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1
Braines - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	-	3	3	-	1	2	5	8	-	-	3	3	6	-	-	-	2	2
Softening of Brain - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Brain Paralysis -	-	-	-	2	2	-	-	1	2	3	-	-	1	1	2	-	-	-	1	1
General Paralysis of Insane	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dementia, General Paralysis of Insane	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dementia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
Convulsions - - - - -	1	-	-	-	1	1	-	-	-	1	1	1	-	-	2	1	-	-	-	1
Tetanus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord	1	-	-	-	1	1	1	-	-	2	-	-	1	-	1	-	-	-	-	-
Other Diseases of Nervous System	-	-	-	-	-	1	-	2	-	3	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Otitis and Dis. of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.			
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Dis. -	146	1	2	34	33	70	-	2	13	18	33	-	1	7	5	13	-	1	5	8
Pericarditis -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	5	-	-	-	1	1	-	-	-	2	2	-	-	-	1	1	-	-	-	-
Angina Pectoris -	3	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Syncope -	13	1	-	3	1	5	-	-	-	3	3	1	-	-	2	3	-	-	1	-
Aneurism -	7	-	-	2	-	2	-	-	2	-	2	-	-	1	-	1	-	-	-	-
Senile Gangrene -	6	-	-	-	2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	1
Embolism, Thrombosis -	2	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
Phlebitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis -	3	1	-	1	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Croup -	13	5	-	-	-	5	3	-	-	-	3	-	-	-	-	-	2	-	-	-
Other Dis. of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	3	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	1
Bronchitis -	223	30	2	37	37	106	9	-	6	19	34	9	-	9	14	32	11	-	2	11
Pneumonia -	178	61	5	22	10	98	8	1	8	7	24	15	3	4	1	23	10	-	-	1
Pleurisy -	13	-	1	8	-	9	-	-	2	-	2	-	-	1	1	2	-	-	-	-
Other Diseases of Resp. System	25	9	-	2	7	18	2	-	-	-	2	-	-	-	1	1	-	-	-	1
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	15	10	-	-	-	10	-	-	-	-	-	1	-	-	-	1	1	-	-	-
Sore-throat, Quinsy -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Dyspepsia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-
Diseases of Stomach -	30	4	-	9	2	15	2	-	2	3	7	1	1	2	1	5	1	-	-	1
Enteritis -	38	15	1	4	2	22	3	-	1	-	4	3	-	-	-	3	3	-	1	-
Ulceration of Intestine -	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	12	3	-	2	1	6	-	-	1	-	1	1	-	-	-	1	1	-	-	-
Stricture or Strang. of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia -	4	1	-	1	-	2	-	-	-	1	1	-	-	-	-	-	-	-	1	-
Fistula -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	18	1	3	6	2	12	-	1	1	-	2	-	-	-	-	-	-	1	-	-
Ascites -	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Cirrhosis of Liver -	7	-	-	1	1	2	-	1	1	-	2	-	-	1	-	1	-	-	-	-
Other Diseases of Liver -	27	1	-	8	2	11	-	-	2	2	4	2	-	-	1	3	1	-	1	1
Other Dis. of Digestive System	5	1	-	-	2	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Spleen -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Suprarenal Capsules -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis -	20	1	-	8	1	10	2	-	4	-	6	-	-	1	-	1	-	-	-	-
Bright's Disease -	27	-	2	6	2	10	-	-	10	4	14	-	1	-	-	1	-	-	1	-
Uræmia -	2	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	5	-	-	1	1	2	-	-	1	-	1	-	-	1	-	1	-	-	-	1
Other Dis. of Urinary System	6	-	-	2	-	2	-	-	1	-	1	-	-	1	1	2	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1896.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of FEBRUARY 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	4	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1
Diseases of Uterus and Vagina -	7	-	-	6	-	6	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - -	3	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding -	3	-	-	-	-	-	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth	6	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	8	2	2	2	-	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Arthritis, Ostitis, Periostitis -	2	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locom.	6	-	-	2	-	2	-	1	-	-	1	-	2	-	-	2	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - -	5	3	1	-	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	3	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Eczema - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Vehicles { Railways -	6	-	-	4	-	4	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-
and { Veh. oth. than R'wys. -	4	-	2	-	-	2	-	1	-	-	1	-	-	-	-	-	1	-	-	-	1
Horses { Horses -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, { Conflagrations -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns & Scalds -	14	3	2	2	-	7	1	-	1	-	2	1	1	-	-	2	1	-	-	-	1
Scalds { Explosions - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours -	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Drowning - - -	11	1	2	4	2	9	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Suffocation { In Bed - -	14	3	-	-	-	3	4	-	-	-	4	3	-	-	-	3	2	-	-	-	2
Suffocation { Otherwise -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Falls - - -	5	1	-	-	2	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - -	25	2	4	7	1	14	-	1	4	-	5	-	-	1	-	1	-	-	1	1	2
Otherwise, or Not Stated -	9	-	3	3	1	7	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	6	-	-	1	-	1	-	-	2	1	3	-	-	-	-	-	-	-	1	-	1
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition	50	21	-	1	-	22	3	-	-	-	3	11	-	-	-	11	5	-	-	-	5
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-def. & not spec. Causes	12	2	-	8	-	10	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1896.

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—FEBRUARY 1896.

DISTRICTS.	Estimated Population at Middle of 1896.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	23,542	53	6	54	0	0	0	12	1	0	0	0	0	21	1
Ayr,	28,373	70	15	53	0	0	1	0	3	1	0	2	1	10	6
Banff, with Macduff, . .	8,726	24	1	18	0	0	1	1	0	0	0	0	0	2	3
Blairgowrie,	4,329	9	3	9	0	0	0	0	0	0	0	0	0	1	1
Callander,	2,340	4	0	1	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,535	27	6	16	0	0	0	0	1	0	0	2	0	4	3
Cathcart (Landward), . .	5,557	13	0	2	0	0	0	0	0	0	0	1	0	1	0
Coatbridge,	36,540	113	7	43	0	0	1	2	1	1	0	2	0	8	5
Crieff,	5,542	5	1	7	0	0	0	0	0	1	0	0	0	0	1
Dumbarton,	20,001	46	5	30	0	4	0	0	1	0	0	1	1	3	1
Dumfries, with Troqueer, .	24,535	64	9	50	0	0	0	0	0	1	0	2	1	6	1
Dunfermline	29,960	56	7	38	0	0	0	0	0	0	0	0	0	7	5
Dunoon,	7,544	12	3	5	0	0	0	0	0	0	0	0	0	1	1
Eastwood (Landward), . .	14,269	33	2	26	0	5	0	1	0	0	0	1	0	3	3
Elgin,	10,805	26	5	27	0	0	0	3	1	0	0	0	0	4	7
Falkirk,	29,499	86	7	54	0	0	2	6	0	1	0	2	0	6	6
Forfar,	13,260	34	1	22	0	0	0	2	2	2	0	0	0	1	1
Galashiels,	18,927	52	7	18	0	0	0	1	1	1	0	0	0	2	3
Govan—(1) Plantation (Land- ward),	25,215	64	9	34	0	0	0	5	1	0	0	1	0	3	2
(2) Govan (Landward), . .	45,789	118	19	74	0	0	0	5	1	0	0	1	2	22	9
(3) Partick (Landward), . .	42,490	132	10	42	0	2	0	0	2	0	0	0	1	5	5
Haddington,	4,997	7	1	4	0	0	0	0	0	0	0	0	0	0	0
Hawick, with Wilton, . .	22,342	48	5	26	0	1	0	0	0	0	0	1	0	11	1
Inverness,	25,377	46	19	38	0	1	0	2	0	0	0	1	0	10	4
Kilmarnock, with Riccarton, .	32,726	74	14	65	0	10	0	11	2	0	0	0	0	7	10
Kilmore and Kilbride (Oban), .	6,064	13	3	7	0	0	0	0	0	0	0	0	1	2	1
Kinning Park (Landward), .	14,948	46	5	23	0	0	0	1	0	0	0	0	0	9	0
Kirkcaldy and Abbotshall, .	19,209	44	8	28	0	0	1	0	0	2	0	1	2	5	3
Kirkcudbright,	3,476	11	1	3	0	0	0	0	0	0	0	0	0	1	0
Largs,	5,412	5	2	7	0	0	0	0	0	0	0	0	0	3	1
Logie (Bridge of Allan), . .	4,384	8	1	4	0	0	0	0	0	0	0	0	0	0	1
Moffat,	3,002	3	1	3	0	0	0	0	0	0	0	0	0	0	1
Montrose,	13,532	22	5	22	0	0	0	1	2	0	0	0	1	3	1
Moulin (Pitlochry), . . .	2,230	4	2	1	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,178	4	2	10	0	0	0	0	0	0	0	0	0	0	2
New Monkland (Airdrie), . .	37,403	108	13	57	0	0	0	9	0	0	0	2	1	14	9
North Berwick,	3,239	9	1	5	0	0	0	0	0	0	0	0	0	1	1
Peterhead, with Boddam, . .	16,724	42	7	11	0	0	0	0	0	0	0	0	0	5	1
Rothesay	9,546	19	2	7	0	0	0	0	1	0	0	0	0	0	2
St Andrews and St. Leonards, .	8,835	18	0	9	0	0	0	0	0	0	0	0	0	0	2
Shettleston (Landward), . .	17,481	47	6	18	0	4	0	0	0	0	0	0	0	3	3
Stirling,	15,508	36	5	24	0	0	1	0	0	0	0	1	1	4	1
Stranraer,	6,079	14	1	12	0	0	0	0	1	0	0	0	0	1	4
Wick,	12,243	24	1	20	0	0	0	1	2	0	0	0	0	3	0

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 139 feet above the sea-level,

For the month of FEBRUARY 1896.

Mean barometric pressure, 30·189 inches ; greater than the average for the same month of 1856–95 by 0·311 inch.

Barometric monthly range, 1·154 inch ; less by 0·303 inch.

Mean temperature, $42^{\circ}2$; greater by $3^{\circ}0$.

Mean daily range of temperature, $9^{\circ}5$; less by $0^{\circ}1$.

Mean humidity, 86 ; being the average.

Rain, number of days, 13 ; less by 2 days.

Rain, depth in inches, 1·50 ; less by 1·46 inch.

Wind, pressure on square foot, 1·29 lb. ; less by 0·69 lb.

Wind, direction of, E. to W. as 6 to 11, and N. to S. as 2 to 10 ; the average being E. to W. as 6 to 11, and N. to S. as 4 to 6.

Hence the weather of February 1896 was characterised by an unusually high barometric pressure, with an unusually small range ; an unusually high mean temperature, with the average mean daily range ; a humidity less than the average ; a rainfall about half the average of February, falling on two days fewer than the average ; and a greater excess of south-westerly winds than has been recorded since 1883.

The mean pressure was 30·189 inches, or 0·311 inch above the average, being higher than has occurred during the past 40 years, except in the Februarys of 1890 and 1891. Pressure was relatively a little higher at southern than at northern, and at eastern than at western stations, and from this distribution of the pressure south-westerly winds were markedly in excess of the average.

With the predominance of these winds, the mean temperature of the month rose to $3^{\circ}0$ above the average, an excess of temperature very equally distributed among the large towns. Except from the 22nd to the 27th, temperature was generally high throughout, and the minimum temperatures of the table will show the absence of any severe cold. The absolutely highest temperature was $54^{\circ}3$ at Aberdeen on the 7th, and the lowest $25^{\circ}2$ at Perth on the 27th.

The type of weather being chiefly anti-cyclonic, a low rainfall characterised the month, being similar to the small rainfall of January under like meteorological conditions. The smallest amount collected was 0·79 inch at Leith, and the largest 3·88 inches at Greenock, these amounts being respectively 52 and 39 per cent. under their averages. Nearly the whole of the rain fell from the 7th to the 12th, the 19th to the 21st, and the 25th to the end of the month. The greatest amount collected on any single day was 1·46 inch at Greenock on the 7th ; and as regards the other seven towns, the highest was 0·56 inch at Paisley on the same day. Snow was of occasional occurrence from the 25th to the end of the month.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH.

During the Month of FEBRUARY 1896.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.					RAIN.		WINDS.								Mean Pres- sure on Sq. ft.	
		Mean at Station and 32°.	Mean at Sea-level and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.										
																			N	NE	E	SE	S	SW	W	NW	Calm or Variable.		lbs.
GLASGOW, J. B. RUSSELL, M.D., Medical Officer of Health, Glasgow.	54	30·146	30·207	1·165	53·2	28·7	43·0	24·5	10·4	19·0	42·8	40·6	38·0	·229	2·64	83	16	2·28	0	1	4	2	2	4	4	3	9	0	0·34
EDINBURGH, R. C. MOSSMAN, F.R.S.E.	276	29·895	30·201	1·164	52·9	27·7	42·3	25·2	9·4	18·9	41·6	39·6	37·1	·222	2·56	85	9	0·85	1	0	3	2	3	3	15	2	0	0·98	
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29·995	30·179	1·090	53·5	26·6	40·8	26·9	9·3	23·4	39·9	38·9	37·8	·226	2·63	92	10	1·01	0	1	1	8	0	9	6	4	0	1·64	
ABERDEEN, JAMES DALE, Gordon's Hospital.	66	30·078	30·152	1·090	54·3	28·2	41·8	26·1	9·4	17·5	41·1	39·2	36·8	·218	2·53	85	10	0·91	0	1	0	3	12	6	4	3	0	0·61	
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	70	30·112	30·190	1·173	54·2	28·9	42·9	25·3	8·2	16·1	42·4	40·2	37·6	·225	2·60	83	10	0·79	0	0	2	6	1	5	11	1	3	1·85	
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	30·074	30·192	1·199	52·8	29·0	43·0	23·8	9·1	19·8	42·4	40·5	38·3	·231	2·66	86	19	1·30	1	2	4	1	8	3	7	1	2	0·77	
GREENOCK, ROBERT GILMOUR, Greenock Water Works.	233	29·935	30·192	1·159	51·4	27·8	41·9	23·6	9·5	22·0	42·1	40·2	37·9	·228	2·63	85	18	3·88	0	1	3	6	0	11	5	2	1	2·86	
PERTH, A. GAEDCKE, Gardener to James F. Pullar.	140	30·046	30·202	1·196	54·2	25·2	42·0	29·0	11·0	18·0	40·9	39·2	37·1	·220	2·57	87	11	0·99	0	1	4	9	2	13	0	0	0	...	
Means,	139	30·035	30·189	1·154	(54·3)	(25·2)	42·2	25·5	9·5	19·3	41·7	39·8	37·5	·225	2·61	86	13	1·50	0	1	3	4	4	7	6	2	2	1·29	

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute highest. † Absolute lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

MARCH 1896.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket-Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of March 1896, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 4260 children, of whom 2200 were males and 2060 females. Of these, 3938 were legitimate, and 322 illegitimate, being in the proportion of one illegitimate in every 13·2 Births, or the illegitimate Births constituted 7·6 per cent. of the whole. In Leith, 2·6 per cent. of the Births were illegitimate; in Paisley, 4·1; in Greenock, 5·9; in Glasgow, 7·6; in Aberdeen, 7·9; in Dundee, 8·4; in Perth, 8·5; and in Edinburgh 9·7 per cent.

806 Marriages were registered in these Towns during March, being 89 above the average for the month during the last ten years, increase of the population being allowed for.

The Deaths of 2466 persons were registered in these Towns during the month, of whom 1265 were males, and 1201 females. Allowing for increase of the population, this number is 602 below the March average of the last ten years.

A comparison of the Deaths registered shows that during March the mortality was at the annual rate of 16·4 Deaths per thousand persons in Paisley; 17·4 in Leith; 17·8 in Edinburgh; 18·5 in Greenock; 18·6 in Dundee; 19·9 in Glasgow; 20·9 in Aberdeen; and 23·3 in Perth.

Of the 1186 Deaths registered in Glasgow, 233 were of children under one year of age, and 196 of persons over 60 years; of the 418 in Edinburgh, 76 were of children under one year, and 109 of persons over 60 years; of the 254 in Dundee, 51 were of

children under one, and 56 of persons over 60 years; of the 241 in Aberdeen, 62 were under one, and 59 over 60; of the 109 in Leith, 23 were under one, and 27 over 60; of the 101 in Paisley, 15 were under one, and 28 over 60; of the 97 in Greenock, 20 were under one, and 21 over 60; and of the 60 in Perth, 7 were under one, and 26 over 60 years.

Of the whole 2466 Deaths, 870, or 35·3 per cent., were of children under five years of age. In Perth, 20·0 per cent. of the persons who died were under five years of age; in Paisley, 27·7; in Edinburgh, 29·4; in Dundee, 31·1; in Leith, 34·9; in Greenock, 38·1; in Aberdeen, 38·2; and in Glasgow, 38·9 per cent.

Miasmatic Diseases caused 247 Deaths, or 10·0 per cent. of the whole. This rate was exceeded in Glasgow and Aberdeen, chiefly in consequence of the prevalence of Hooping-Cough in these Towns.

Fevers caused 25 deaths, of which 3 (one each in Glasgow, Dundee, and Paisley) were from Typhus, and 22 from Enteric Fever.

Hooping-Cough was the most fatal epidemic, having caused 120 Deaths, or 4·9 per cent. of the whole. In Glasgow, 72 Deaths, or 6·1; and in Aberdeen, 26 Deaths, or 10·8 per cent., of the Deaths in these towns respectively were caused by Hooping-Cough.

Measles caused 38 Deaths; Scarlatina, 28; Diphtheria, 16; and Puerperal Fever, 4.

To Intemperance were ascribed 8 Deaths, 7 being from Chronic Alcoholism, and 1 from Delirium Tremens.

Apoplexy caused 102 Deaths; Paralysis, 50; Heart Diseases, 233; and Premature Birth Debility, 61.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 461, or 18·7 per cent. of the whole. Those from Consumption alone numbered 287, or 11·6 per cent. 6 Deaths were caused by Croup.

The Deaths from Violent Causes amounted to 97, of which 9 were Suicidal (6 by Hanging, and one each by Gunshot, Precipitation, and Drowning).

Four males and five females were aged 90 years and upwards, the eldest being two widows, aged respectively 96 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, MARCH 1896.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1896.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.
GLASGOW, .	576,847	658,198	705,052	1117	993	2110	1949	161	431	655	521	1186
EDINBURGH, .	234,402	261,225	276,514	334	360	694	627	67	128	197	221	418
DUNDEE, .	140,794	154,118	161,620	191	214	405	371	34	64	126	128	254
ABERDEEN, .	106,306	124,943	135,941	209	171	380	350	30	65	110	131	241
LEITH, .	59,485	68,707	74,110	118	110	228	222	6	40	61	48	109
PAISLEY, .	55,638	66,425	72,902	98	99	197	189	8	30	44	57	101
GREENOCK, .	66,704	63,423	61,781	102	85	187	176	11	86	39	58	97
PERTH, .	28,980	29,919	30,427	31	28	59	54	5	12	33	27	60
TOTAL, .	1,288,601	1,426,148	1,500,435	2200	2060	4260	3938	322	806	1265	1201	2466

MARCH 1895, . . .	Mean Temp. 41°·1	2135	1987	4122	3852	270	585	1962	2176	4138
MARCH 1894, . . .	Mean Temp. 43°·3	1995	1939	3934	3632	302	698	1305	1219	2524
MARCH 1893, . . .	Mean Temp. 43°·7	2068	1936	4004	3700	304	594	1336	1340	2726
MARCH 1892, . . .	Mean Temp. 37°·4	2023	1948	3973	3687	286	784	1421	1419	2840
MARCH 1891, . . .	Mean Temp. 38°·1	1866	1893	3759	3456	203	740	1486	1517	3003
MARCH 1890, . . .	Mean Temp. 42°·5	1848	1765	3613	3334	279	753	1451	1409	2860
MARCH 1889, . . .	Mean Temp. 40°·0	1880	1712	3592	3302	290	693	1202	1299	2501
MARCH 1888, . . .	Mean Temp. 36°·6	1857	1733	3590	3293	297	573	1243	1281	2524
MARCH 1887, . . .	Mean Temp. 39°·4	1995	1866	3861	3558	303	657	1357	1456	2813
MARCH 1886, . . .	Mean Temp. 38°·0	2081	1919	4000	3669	331	680	1454	1454	2908

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of MARCH 1896.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton, .	0	9	6	16	1	11	0	1. St Peter, .	0	2	0	0	0	1	2
2. Camlachie, .	0	3	0	9	0	0	0	2. St Mary, .	0	0	0	2	2	0	2
3. Dennistoun, .	0	0	0	7	0	1	0	3. St Clement, .	0	1	0	0	0	1	0
4. Calton, .	0	0	0	10	0	0	1	4. St Andrew, .	0	0	0	2	0	0	1
5. Blackfriars, .	0	0	0	1	0	0	0	5. Lochee, .	0	0	0	2	0	0	0
6. St Rollox, .	0	0	7	4	0	1	1	Mains, .	0	0	0	0	0	0	0
7. Blythswood, .	0	0	0	3	1	0	1								
8. Milton, .	0	1	0	1	1	1	0	ABERDEEN—							
9. Kelvin, .	0	0	0	3	1	1	0	1. St Nicholas, .	0	0	4	12	0	0	2
10. Anderston, .	0	2	0	1	0	0	2	2. Aberdeen, .	0	0	1	12	1	0	1
11. Hutchesontown, .	0	0	0	5	0	0	1	3. Woodside, .	0	0	0	0	0	0	0
12. Gorbals, .	0	0	0	3	0	0	2	4. Old Aberdeen, .	0	0	0	1	0	0	0
13. Tradeston, .	0	0	0	6	0	0	6	E. Peterculter, .	0	0	0	0	0	0	0
14. Kinning Park, .	0	0	0	0	0	0	1	Nigg, .	0	0	0	1	0	0	0
Cathcart, .	0	0	0	0	0	0	0								
Eastwood, .	0	0	0	0	0	0	0	LEITH—							
Maryhill, .	0	13	0	2	0	0	0	1. North, .	0	0	2	1	1	0	0
Shettleston, .	0	0	0	0	0	0	0	2. South, .	0	0	0	1	0	0	0
Plantation, .	0	0	0	0	0	0	0								
Govan, .	0	0	0	0	0	0	0	PAISLEY, .	0	0	0	5	0	2	0
Partick, .	0	0	0	1	0	0	0								
EDINBURGH—								GREENOCK—							
1. St George, .	0	0	2	2	2	0	2	1. East, .	0	4	0	2	0	0	0
2. St Andrew, .	0	3	0	1	0	0	1	2. West, .	0	0	0	1	0	1	0
3. Canongate, .	0	0	5	1	4	4	1								
4. St Giles, .	0	0	0	1	0	0	0	PERTH, .	0	0	0	0	2	0	0
5. Newington, .	0	0	1	1	0	1	0								

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of MARCH 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	2466	461	105	424	196	1186	123	35	151	109	418	79	20	99	56	254	92	22	68	59	241
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	297	120	20	20	3	163	26	9	8	4	47	17	1	1	-	19	28	5	2	3	38
II. PARASITIC DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC „	12	1	-	3	-	4	2	-	2	-	4	-	-	1	1	2	1	-	-	-	1
IV. CONSTITUTIONAL „	526	39	33	144	14	230	19	13	64	10	106	9	9	40	7	65	5	7	27	5	44
V. DEVELOPMENTAL „	157	33	-	-	35	68	9	-	-	10	19	10	1	-	7	18	9	-	-	13	22
VI. LOCAL „	1281	221	45	221	132	619	54	11	70	83	218	32	9	53	40	134	38	9	28	36	111
VII. VIOLENCE - -	97	6	5	26	8	45	5	2	7	2	16	5	-	4	1	10	2	1	7	1	11
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	96	41	2	10	4	57	8	-	-	-	8	6	-	-	-	6	9	-	4	1	14
I.																					
1. Miasmatic Diseases -	247	106	20	16	1	143	19	9	3	2	33	11	1	1	-	13	27	5	-	1	33
2. Diarrheal „ -	21	8	-	-	1	9	2	-	1	1	4	5	-	-	-	5	1	-	1	1	3
3. Malarial „ -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Zoogenous „ -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
5. Venereal „ -	14	5	-	-	-	5	5	-	2	-	7	1	-	-	-	1	-	-	-	-	-
6. Septic „ -	14	1	-	4	1	6	-	-	1	1	2	-	-	-	-	-	-	-	1	1	2
II.																					
PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES - -	12	1	-	3	-	4	2	-	2	-	4	-	-	1	1	2	1	-	-	-	1
IV.																					
CONSTITUTIONAL DISEASES	526	39	33	144	14	230	19	13	64	10	106	9	9	40	7	65	5	7	27	5	44
V.																					
DEVELOPMENTAL DISEASES	157	33	-	-	35	68	9	-	-	10	19	10	1	-	7	18	9	-	-	13	22
VI.																					
1. Dis. of Nervous System -	310	60	10	32	31	133	9	1	14	23	47	5	2	11	9	27	15	5	7	11	38
2. „ Organs of Special Sense -	3	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
3. „ Circulatory System	233	1	9	50	42	102	-	2	21	25	48	-	-	14	15	29	1	-	8	12	21
4. „ Respiratory System	461	111	9	74	49	243	28	2	22	20	72	19	5	19	15	58	15	1	6	10	32
5. „ Digestive System -	167	46	7	25	7	85	15	3	4	6	28	8	1	5	1	15	6	2	2	1	11
6. „ Lymphatic System and Ductless Glands -	3	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	1	1
7. „ Urinary System -	58	1	3	25	2	31	-	1	4	8	13	-	-	2	-	2	-	-	1	1	2
8. „ Reproductive System:—																					
(a) Diseases of Organs of Generation -	10	-	-	3	-	3	-	1	3	-	4	-	-	1	-	1	-	-	-	-	-
(b) Diseases of Parturition -	13	-	-	8	-	8	-	1	1	-	2	-	-	-	-	-	-	-	1	-	1
9. „ Organs of Locomotion -	17	1	7	3	-	11	-	-	-	1	1	-	1	-	-	1	-	1	2	-	3
10. „ Integumentary System -	6	1	-	1	1	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2

37

[illegible]

41

41

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Fish	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
er Dis. from Vegetable Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
atid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
er Dis. from Animal Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
vation, Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
vy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
mp. { Chronic Alcoholism	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
umatic Fever, Rheumatism of	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart	-	-	-	-	-	-	2	-	-	2	-	1	-	-	1	-	-	-	-	-
umatism	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
t	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
kets	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
cer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
es Mesenterica	-	-	1	4	5	-	-	3	2	5	-	-	3	3	6	-	-	3	2	5
ercular Meningitis (Acute	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
Hydrocephalus)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
hisis	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1
er forms of Tuberculosis, Scrofula	-	-	14	-	16	-	-	11	-	11	-	-	6	-	6	-	-	5	-	5
pura, Hæmorrhagic Diathesis	-	-	1	-	3	-	-	1	-	1	-	1	-	-	1	-	1	-	-	1
emia, Chlorosis, Leucocythæmia	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
abetes Mellitus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
er Constitutional Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
mature Birth	-	-	-	-	-	5	-	-	-	5	1	-	-	-	3	2	-	-	-	2
lectasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nosis	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
a Bifida	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
perforate Anus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
t Palate, Harelip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
er Congenital Defects	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age	-	-	-	1	1	-	-	-	9	9	-	-	-	3	3	-	-	-	4	4
DISEASES OF NERVOUS SYSTEM.																				
ammation of Brain or its Mem-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ranes	-	-	-	-	-	1	-	1	-	3	2	2	-	-	4	-	-	-	-	-
oplexy	-	-	2	2	4	-	-	1	2	3	-	-	3	4	7	-	1	3	6	10
ening of Brain	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1
iniplegia, Brain Paralysis	-	-	1	3	4	-	-	1	1	2	-	-	-	1	1	-	-	-	1	1
alysis Agitans	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
anity, General Paralysis of Insane	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
lepsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
avulsions	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
ryngismus Stridulus	-	-	-	-	-	3	2	-	-	2	-	-	-	-	-	1	-	-	-	1
opathic Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
aplegia, Diseases of Spinal Cord	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
er Diseases of Nervous System	-	1	-	-	1	1	-	1	1	3	2	-	4	-	6	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
tis, Otorrhœa	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
staxis and Dis. of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
phthalmia and Dis. of Eye-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

43

43

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MARCH 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	3	-	-	-	-	-	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina - -	6	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Pelvic Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - -	3	-	-	2	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Placenta Prævia, Flooding - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth	8	-	-	5	-	5	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	9	1	3	1	-	5	-	-	-	1	1	-	1	-	-	1	-	-	2	-	2
Arthritis, Ostitis, Periostitis -	3	-	2	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locom.	5	-	2	1	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - -	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bed sore - - -	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Eczema - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Other Dis. of Integ. System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Other Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and { Railways - -	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Horses { Veh. oth. than R'wys. -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Burns, { Conflagrations - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns & Scalds -	11	2	2	1	1	6	2	1	1	-	4	-	-	-	-	-	-	-	-	-	-
Explosions - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours -	4	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
Drowning - - -	14	-	3	7	-	10	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3
Suffocation { In Bed - -	6	1	-	-	-	1	1	-	-	-	1	2	-	-	-	2	1	-	-	-	-
Otherwise - -	6	2	-	-	-	2	-	-	1	-	1	3	-	-	-	3	-	-	-	-	-
Falls - - -	6	1	-	1	2	4	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - -	18	-	-	6	1	7	-	-	2	1	3	-	-	2	-	2	-	-	2	1	3
Otherwise, or Not Stated -	14	-	-	4	2	6	1	1	2	-	4	-	-	-	-	-	-	1	1	-	2
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Suicide - - -	9	-	-	4	1	5	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Debility, Atrophy, Inanition	68	33	1	2	-	36	7	-	-	-	7	5	-	-	-	5	7	-	3	-	10
Mortification - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Tumour - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	2	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Other Ill-def. & not spec. Causes	21	8	-	6	4	18	1	-	-	-	1	-	-	-	-	-	1	-	1	-	2

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MARCH 1896.

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—MARCH 1896.

DISTRICTS.	Estimated Population at Middle of 1896.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	23,542	51	15	35	0	0	0	9	0	0	0	0	0	11	1
Ayr,	28,373	70	18	38	0	0	2	0	0	0	0	0	0	9	6
Banff, with Macduff,	8,726	17	2	8	0	0	0	0	0	0	0	0	0	1	1
Blairstown,	4,329	8	1	8	0	0	0	0	0	0	0	0	0	2	2
Callander,	2,340	5	0	4	0	0	0	0	0	1	0	0	0	0	0
Campbeltown,	10,535	24	0	14	0	0	1	0	0	0	0	0	1	0	4
Cathcart (Landward),	5,557	21	2	7	0	1	0	0	0	0	0	0	0	2	0
Coatbridge,	36,540	114	18	57	0	0	0	3	0	3	0	3	0	9	5
Crief,	5,542	9	2	10	0	0	0	0	0	0	0	1	0	3	1
Dumbarton,	20,001	53	8	30	0	0	0	0	1	0	0	1	0	9	4
Dumfries, with Troqueer,	24,535	81	12	48	0	0	0	1	1	1	0	0	0	6	10
Dunfermline	29,960	74	9	38	0	0	0	0	0	0	0	3	1	10	1
Dunoon,	7,544	9	2	7	0	0	0	0	0	0	0	0	0	2	0
Eastwood (Landward),	14,269	43	10	21	0	3	0	0	0	0	0	0	0	3	3
Elgin,	10,805	22	5	24	0	0	0	3	0	0	0	0	0	7	1
Falkirk,	29,499	85	15	48	0	0	0	6	0	2	0	1	1	5	6
Forfar,	13,260	29	6	25	0	1	0	1	0	1	0	0	0	4	2
Galashiels,	18,927	41	7	17	0	0	1	0	0	0	0	0	0	4	3
Govan—(1) Plantation (Land- ward),	25,215	83	7	33	0	0	0	0	1	0	0	0	2	10	4
(2) Govan (Landward),	45,789	138	24	80	0	0	1	3	1	0	0	3	0	13	12
(3) Partick (Landward),	42,490	127	19	43	0	1	0	2	0	1	0	1	0	4	4
Haddington,	4,997	11	1	8	0	0	0	0	0	1	0	0	0	2	1
Hawick, with Wilton,	22,342	48	10	28	0	0	0	0	0	0	0	0	0	3	1
Inverness,	25,377	56	12	51	0	0	0	0	0	1	0	1	0	8	3
Kilmarnock, with Riccarton,	32,726	83	14	49	0	9	6	1	2	1	0	2	0	9	4
Kilmore and Kilbride (Oban),	6,064	10	4	9	0	0	1	0	0	0	0	0	0	0	2
Kinning Park (Landward),	14,948	43	4	23	0	0	0	3	0	0	0	0	0	8	1
Kirkcaldy and Abbotshall,	19,209	46	5	23	0	0	1	0	0	0	0	1	0	1	4
Kirkcudbright,	3,476	7	1	4	0	0	0	0	0	0	0	0	0	0	2
Largs,	5,412	10	0	3	0	0	0	0	0	0	0	0	0	1	0
Logie (Bridge of Allan),	4,384	8	1	3	0	0	0	0	0	0	0	0	0	0	1
Moffat,	3,002	4	1	5	0	0	0	0	0	0	0	0	0	1	1
Montrose,	13,532	30	6	27	0	0	0	1	0	0	0	1	0	2	3
Moulin (Pitlochry),	2,230	4	0	1	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,178	6	0	21	0	0	0	0	0	0	0	0	0	8	2
New Monkland (Airdrie),	37,403	117	17	30	0	0	0	0	0	1	0	0	0	4	5
North Berwick,	3,239	5	0	4	0	0	0	0	0	0	0	0	0	2	0
Peterhead, with Boddam,	16,724	42	11	24	0	0	0	0	0	0	0	1	0	6	1
Rothsay	9,546	23	3	15	0	0	0	0	0	0	0	0	0	1	2
St Andrews and St. Leonards,	8,835	24	1	14	0	0	0	0	1	0	0	0	0	0	0
Shettleston (Landward),	17,481	43	5	26	0	11	0	2	0	0	0	0	0	1	1
Stirling,	15,508	33	10	23	0	0	0	0	0	0	0	0	1	6	3
Stranraer,	6,079	16	3	15	0	0	0	0	0	0	0	0	1	2	2
Wick,	12,243	18	2	13	0	0	0	3	0	0	0	0	0	1	0

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 139 feet above the sea-level,

For the month of MARCH 1896.

Mean barometric pressure, 29·620 inches; less than the average for the same month of 1856–95 by 0·226 inch.

Barometric monthly range, 1·739 inch; greater by 0·307 inch.

Mean temperature, $42^{\circ}2$; greater by $2^{\circ}0$.

Mean daily range of temperature, $12^{\circ}9$; greater by $1^{\circ}3$.

Mean humidity, 82; less by 1·7.

Rain, number of days, 21; greater by 6 days.

Rain, depth in inches, 2·89; greater by 0·29 inch.

Wind, pressure on square foot, 1·96 lb.; less by 0·03 lb.

Wind, direction of, E. to W. as 3 to 14, and N. to S. as 4 to 8; the average being E. to W. as 7 to 12, and N. to S. as 5 to 6.

Hence the weather of March 1896 was characterised by an unusually low barometric pressure and high monthly range; a mean temperature two degrees above the average, with a mean daily range considerably above the average; a low humidity; a rainfall a little above the average, but falling on six days more than the average; and southerly and south-westerly winds six days in excess of the average.

Mean barometric pressure was 29·620 inches, pressure having been for the past 40 years, as regards March for the eight principal towns, only lower in 1861 and in 1876; in the latter year the mean was only 29·398 inches. The departures from their means were nearly the same at each of the large towns. But from the returns of the Society's other stations it is seen that pressure was relatively very much lower in the north than in the south, and in the west than in the east of the country, and from this manner of distribution of the pressure the unusual prevalence of southerly and south-westerly winds resulted.

With the prevalence of these winds the mean temperature was $2^{\circ}0$ above the average, accompanied with a mean daily range large for March; and further, while the mean temperature of the nights exceeded the average by $1^{\circ}3$, the excess of the temperature of the days was $2^{\circ}6$. This excess of temperature was equally distributed over the large towns. The absolutely highest temperature was $57^{\circ}4$ at Aberdeen on the 31st, and the lowest $27^{\circ}0$ at Perth on the 30th. This is an unusually high minimum temperature for March.

The type of weather during the month was eminently cyclonic, cyclone following cyclone in rapid succession, rendering the weather peculiarly broken and unsettled. Since the tracks of these cyclones were to the north of Scotland, the mean temperature of the month was in excess of the average. The number of these cyclones and the relatively low humidity at the time occasioned the very large number of rainy days, which in March for the past 40 years was exceeded only in 1861, when the number of days was 24; and the limitation of the accompanying rains to the western stations. The smallest rainfall, 1·20 inch, occurred at Dundee, and the largest, 7·54 inches, at Greenock, these amounts being respectively 39 per cent. under, and 71 per cent. above, their averages. At Glasgow the rainfall was 105 per cent. above its average, but it is remarkable that, notwithstanding these large rainfalls, the quantity that fell did not amount to an inch on any single day at any of the large towns. Snow fell at intervals during the first fortnight, and hail during the last week of the month.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH.

During the Month of MARCH 1896.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.					RAIN.		WINDS.									Mean Pres- sure on Sq. ft.
		Mean at Station and 32°.	Mean at Sea-level and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.										
																			N	NE	E	SE	S	SW	W	NW	Calm or Variable.	lbs.	
GLASGOW, J. B. RUSSELL, M.D., Medical Officer of Health, Glasgow.	54	29.580	29.640	1.755	55.4	29.0	42.8	26.4	13.3	19.3	42.6	40.0	36.8	.219	2.54	81	25	4.43	1	1	2	1	1	3	9	4	9	0.74	
EDINBURGH, R. C. MOSSEMAN, F.R.S.E.	276	29.381	29.633	1.780	56.1	29.4	42.4	26.7	12.8	18.8	42.2	39.4	35.9	.212	2.46	79	20	1.59	0	2	2	0	1	4	20	2	0	1.90	
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.435	29.618	1.810	57.0	27.3	41.3	29.7	14.2	20.4	40.3	38.6	36.4	.215	2.49	87	16	1.20	1	1	0	4	1	7	10	7	0	1.84	
ABERDEEN, JAMES DALE, Gordon's Hospital.	66	29.516	29.589	1.760	57.4	27.4	42.0	30.0	12.9	22.6	40.8	38.4	35.5	.207	2.40	81	25	2.16	1	0	1	0	8	5	9	7	0	0.77	
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	70	29.548	29.625	1.723	54.8	30.9	43.1	23.9	11.4	16.2	42.2	39.5	36.2	.214	2.48	81	19	1.49	1	0	3	1	2	5	18	1	0	2.99	
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	
GREENOCK, ROBERT GILMOUR, Greenock Water Works.	233	29.371	29.625	1.747	54.2	30.2	41.6	24.0	11.6	18.2	42.0	39.8	37.1	.221	2.56	84	23	7.54	0	2	1	2	0	9	10	7	0	3.69	
PERTH, A. GARDECKE, Gardener to James F. Pullar, F.R.S.E.	140	29.442	29.597	1.650	55.5	27.0	42.0	28.5	14.4	25.0	41.8	38.8	35.1	.205	2.38	79	16	1.84	1	1	1	2	5	18	1	2	0	...	
Means,	139	29.460	29.620	1.739	(57.4)	(27.0)	42.2	27.0	12.9	20.2	41.7	39.2	36.1	.213	2.47	82	21	2.89	1	1	1	2	3	7	11	4	1	1.96	

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

North Latitude.—Glasgow, 56° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 8'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute highest. † Absolute lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

APRIL 1896.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of April 1896, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 4346 children, of whom 2266 were males, and 2080 females. Of these, 4061 were legitimate, and 285 illegitimate, being in the proportion of one illegitimate in every 15·2 Births, or the illegitimate Births constituted 6·6 per cent. of the whole. In Greenock 3·2 per cent. of the Births were illegitimate; in Perth, 3·3; in Leith, 4·3; in Glasgow, 6·1; in Paisley, 7·4; in Aberdeen, 7·8; in Dundee, 7·9; and in Edinburgh, 8·4 per cent.

1166 Marriages were registered in these Towns during April. Allowance being made for increase of the population, this number is 211 above the average for the month during the last ten years.

The Deaths of 2462 persons were registered in these Towns during April, of whom 1238 were males, and 1224 females. Allowing for increase of the population, this number is 256 below the April average of the last ten years.

A comparison of the Deaths registered shows that during April the mortality was at the rate of 16·0 Deaths per thousand persons per annum in Leith; 18·0 in Greenock; 18·3 in Edinburgh; 18·5 in Aberdeen; 20·4 in Paisley; 20·5 in Dundee; 20·9 in Glasgow; and 21·2 in Perth.

Of the 1207 Deaths registered in Glasgow, 281 were of children under one year of age, and 211 of persons over 60 years; of the 414 in Edinburgh, 73 were of children under one year, and 121 of persons over 60 years; of the 272 in Dundee, 56 were

under one, and 61 over 60 years; of the 206 in Aberdeen, 31 were under one, and 61 over 60; of the 97 in Leith, 25 were under one, and 35 over 60; of the 122 in Paisley, 25 were under one, and 19 over 60; of the 91 in Greenock, 26 were under one, and 10 over 60; and of the 53 in Perth, 10 were under one, and 24 over 60 years.

Of the whole 2462 Deaths, 888, or 36·1 per cent., were of children under five years of age. In Perth, 22·6 per cent. of the persons who died were under five years of age; in Edinburgh, 26·8; in Aberdeen, 29·6; in Dundee, 33·8; in Leith, 36·1; in Paisley, 39·3; in Glasgow, 40·7; and in Greenock, 41·8 per cent.

Miasmatic Diseases caused 253 Deaths, or 10·3 per cent. of the whole mortality. The presence of Hooping-Cough in Glasgow, Aberdeen, and Paisley, and of Measles in Greenock, caused that rate to be exceeded in each of these Towns.

Fevers caused 34 deaths, or 1·4 per cent. of the whole mortality. Of these, 2 (both in Edinburgh) were caused by Typhus, 31 by Enteric, and 1 by Simple Continued Fever.

Hooping-Cough was the most fatal epidemic, having caused 115 Deaths, or 4·7 per cent. of the whole. In Glasgow, 69, or 5·7 per cent.; in Aberdeen, 17, or 8·3 per cent.; and in Paisley, 10, or 8·2 per cent., of the Deaths in these respective towns were caused by Hooping-Cough.

Measles caused 51 Deaths, of which 5, or 5·5 per cent., occurred in Greenock; Scarlatina, 29; Diphtheria, 12; and Puerperal Fever, 9.

From Intemperance there resulted 6 Deaths, 5 being from Chronic Alcoholism, and 1 from Delirium Tremens.

Apoplexy caused 100 Deaths; Paralysis, 51; Diseases of the Heart, 227; and Premature Birth Debility, 87.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 457, or 18·6 per cent. of the whole. Those from Consumption alone numbered 264, or 10·7 per cent. To Croup were attributed 11 Deaths.

The Deaths from Violent Causes amounted to 76, of which 11 were Suicidal (1 by Gunshot, 5 by Cut-Throat, and 5 by Hanging).

Two males and four females had passed the 90th year of life, the eldest of whom was the widow of a General Officer, and was aged 96 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, APRIL 1896.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1896.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, .	576,847	658,198	705,052	1111	1045	2156	2024	132	579	609	598	1207
EDINBURGH, .	234,402	261,225	276,514	361	333	694	636	58	190	207	207	414
DUNDEE, . .	140,794	154,118	161,620	230	189	419	386	33	156	133	139	272
ABERDEEN, .	106,306	124,943	135,941	191	182	373	344	29	70	105	101	206
LEITH, . .	59,485	68,707	74,110	121	114	235	225	10	51	40	57	97
PAISLEY, . .	55,638	66,425	72,902	100	88	188	174	14	56	68	54	122
GREENOCK, .	66,704	63,423	61,781	98	91	189	183	6	46	46	45	91
PERTH, . .	28,980	29,919	30,427	54	38	92	89	3	18	30	23	53
TOTAL, .	1,268,601	1,426,148	1,500,455	2266	2080	4346	4061	285	1166	1238	1224	2462

APRIL 1895, . . .	Mean Temp. 46°·3'	2175	2107	4282	3982	300	1121	1473	1460	2933
APRIL 1894, . . .	Mean Temp. 47°·4	1993	1981	3974	3712	262	981	1186	1219	2405
APRIL 1893, . . .	Mean Temp. 47°·8	2058	1935	3993	3730	263	990	1353	1300	2653
APRIL 1892, . . .	Mean Temp. 44°·0	2064	1951	4015	3740	275	885	1357	1309	2666
APRIL 1891, . . .	Mean Temp. 42°·1	2010	1948	3958	3666	292	951	1285	1348	2633
APRIL 1890, . . .	Mean Temp. 44°·5	1854	1914	3768	3492	276	968	1362	1405	2767
APRIL 1889, . . .	Mean Temp. 43°·3	1925	1862	3787	3575	212	895	1264	1298	2562
APRIL 1888, . . .	Mean Temp. 43°·1	1883	1802	3685	3389	296	855	1137	1166	2303
APRIL 1887, . . .	Mean Temp. 43°·1	1918	1734	3652	3366	286	690	1179	1224	2403
APRIL 1886, . . .	Mean Temp. 43°·8	2052	1832	3884	3563	321	656	1081	1193	2274

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of APRIL 1896.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton, .	0	5	2	10	4	11	0	1. St Peter, .	0	3	0	0	0	0	1
2. Camlachie, .	0	1	0	3	0	0	0	2. St Mary, .	0	2	1	1	1	0	2
3. Dennistoun, .	0	0	2	9	0	0	2	3. St Clement, .	0	3	0	1	0	1	2
4. Calton, .	0	0	1	4	1	0	0	4. St Andrew, .	0	5	3	0	0	1	3
5. Blackfriars, .	0	1	0	3	0	1	1	5. Lochee, .	0	0	0	0	0	0	1
6. St Rollox, .	0	0	6	4	0	0	6	Mains, .	0	0	0	0	0	0	0
7. Blythswood, .	0	0	0	0	0	1	1								
8. Milton, .	0	2	0	4	0	1	2	ABERDEEN—							
9. Kelvin, .	0	6	0	4	0	1	1	1. St Nicholas, .	0	0	2	10	1	0	1
10. Anderston, .	0	1	0	5	0	0	0	2. Aberdeen, .	0	0	2	5	0	0	1
11. Hutchesontown, .	0	3	0	6	0	0	0	3. Woodside, .	0	0	0	0	0	0	0
12. Gorbals, .	0	2	0	7	0	0	1	4. Old Aberdeen, .	0	0	0	0	1	0	0
13. Tradeston, .	0	0	0	2	0	0	0	E. Peterculter, .	0	0	0	0	0	0	0
14. Kinning Park, .	0	0	0	1	0	1	1	Nigg, .	0	0	0	2	0	0	0
Cathcart, .	0	1	0	0	0	0	0								
Eastwood, .	0	0	0	0	0	0	0	LEITH—							
Maryhill, .	0	7	0	6	0	0	1	1. North .	0	0	1	0	1	0	0
Shettleston, .	0	0	0	0	0	0	0	2. South, .	0	0	0	1	1	1	1
Plantation, .	0	0	0	0	0	0	0								
Govan, .	0	0	0	0	0	0	0	PAISLEY, .	0	1	1	10	0	3	2
Partick, .	0	0	0	0	0	0	0								
EDINBURGH—								GREENOCK—							
1. St George, .	0	0	0	5	1	0	2	1. East, .	0	0	0	1	0	0	1
2. St Andrew, .	0	2	0	2	0	0	1	2. West, .	0	0	1	1	0	2	2
3. Canongate, .	0	0	5	3	0	7	0								
4. St Giles, .	0	1	1	1	0	1	2	PERTH, .	0	0	0	0	1	1	9
5. Newington, .	0	0	1	3	0	1	1								

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of APRIL 1896.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of APRIL 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	64	6	3	13	3	25	3	1	6	1	11	2	-	4	-	6	-	4	2	1	7
2. VIOLENCE OTHER THAN ACCIDENTAL - - -	12	-	-	3	2	5	-	-	3	1	4	-	-	1	-	1	-	-	-	-	-
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES	116	51	3	11	5	70	7	-	2	-	9	10	-	-	-	10	4	-	3	-	7
MIASMATIC DISEASES.																					
Small-pox { Vaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	51	26	3	-	-	29	1	2	-	-	3	12	1	-	-	13	-	-	-	-	-
Epidemic Rose Rash - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	29	7	4	-	-	11	3	2	2	-	7	2	1	1	-	4	3	1	-	-	4
Typhus - - -	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	12	-	-	1	1	2	-	-	2	2	4	-	-	-	-	-	-	-	1	4	5
Hooping-Cough - - -	115	66	3	-	-	69	14	-	-	-	14	2	-	-	-	2	17	-	-	-	17
Mumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	12	5	-	-	-	5	1	-	-	-	1	1	-	-	-	1	1	1	-	-	2
Cerebro-spinal Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	31	-	4	11	-	15	-	4	3	-	7	-	-	2	-	2	-	-	-	-	-
Other Miasmatic Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																					
Simple Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery - - -	39	10	1	1	4	16	3	1	-	2	6	5	-	2	2	9	1	-	-	1	2
MALARIAL DISEASES.																					
Remittent Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																					
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																					
Syphilis - - -	5	1	-	1	-	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Gonorrhoea Stricture of Urethra - - -	3	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																					
Phagedæna - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	2	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia, Septicæmia - - -	4	-	-	1	-	1	1	-	2	-	3	-	-	-	-	-	-	-	-	-	-
Puerperal Fever - - -	9	-	1	4	-	5	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

55

Registered during the Month of APRIL 1896.

[illegible]

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																					
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Veg. Parasites - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Par. - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																					
Starvation, Want of Breast Milk -	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	5	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	1	-	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1
CONSTITUTIONAL DISEASES.																					
Rheumatic Fever, Rheumatism of Heart - -	7	-	-	4	-	4	-	1	-	1	-	-	-	-	-	-	-	-	1	1	2
Rheumatism - - - - -	6	-	-	1	2	3	1	-	1	-	2	-	-	1	1	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	3	1	-	-	-	1	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
Cancer - - - - -	94	-	-	35	20	55	-	-	5	9	14	-	6	1	7	-	-	8	2	10	-
Tabes Mesenterica - - - - -	28	10	4	-	-	14	1	2	1	-	4	1	1	-	2	1	1	-	-	2	-
Tubercular Meningitis (Acute Hydrocephalus) - -	50	20	3	-	-	23	10	1	-	-	11	5	4	1	10	3	1	-	-	4	-
Phthisis - - - - -	264	6	25	85	5	121	1	9	38	2	50	-	7	28	36	1	3	15	-	19	-
Other forms of Tuber. Scrofula - -	21	7	1	1	-	9	1	1	2	-	4	-	2	1	3	-	-	1	-	1	-
Purp., Hæmorrhagic Diathesis - -	3	1	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chl., Leucocythæmia - -	10	-	-	2	2	4	2	-	3	-	5	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - - - - -	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-
Other Constitutional Diseases - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																					
Premature Birth - - - - -	87	40	-	-	-	40	13	-	-	-	13	13	-	-	13	5	-	-	-	5	-
Atelectasis - - - - -	9	4	-	-	-	4	2	-	-	-	2	-	-	-	-	1	-	-	-	1	-
Cyanosis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	3	1	-	-	-	1	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-
Imperforate Anus - - - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	6	3	-	-	-	3	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-
Old Age - - - - -	87	-	-	-	36	36	-	-	-	18	18	-	-	8	8	-	-	-	8	8	-
DISEASES OF NERVOUS SYSTEM.																					
Inflammation of Brain or its Membranes - - - - -	48	20	10	1	-	31	5	1	-	-	6	1	2	-	3	-	-	-	-	-	-
Apoplexy - - - - -	100	-	1	28	21	50	-	-	3	13	16	-	-	3	9	12	-	-	5	7	12
Softening of Brain - - - - -	5	-	-	1	1	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Hemiplegia, Brain Paralysis - -	36	1	-	7	6	14	-	-	2	3	5	-	-	3	3	6	-	2	5	7	-
Paralysis Agitans - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Insanity, General Par. of Insane -	5	-	-	-	-	-	-	-	2	-	2	-	-	-	1	1	-	-	1	1	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-
Epilepsy - - - - -	4	-	-	1	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Convulsions - - - - -	54	31	-	-	-	31	9	-	-	-	9	3	-	-	-	-	-	-	-	-	-
Laryngismus Stridulus - - - - -	4	3	-	-	-	3	-	-	-	-	-	-	-	-	3	2	-	-	-	2	-
Idiopathic Tetanus - - - - -	3	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Paraplegia, Dis. of Spinal Cord -	14	-	-	1	3	4	-	-	2	-	2	-	-	1	-	-	-	1	1	2	-
Other Diseases of Ner. System - -	22	7	-	3	2	12	-	-	-	1	1	-	-	-	-	1	-	1	1	3	-
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Otorrhœa - - - - -	3	2	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Epistaxis and Dis. of Nose - - -	2	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

57

Registered during the Month of APRIL 1896.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Erysipelatous Dis. - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelatous Dis. from Vegetable Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelatous Dis. from Animal Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism { Chronic Alcoholism - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Delirium Tremens - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Typhoid Fever, Rheumatism of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	2	2	-	-	2	-	2	-	-	-	1	1	-	-	1	2	3
Typhoid Fever - - - - -	-	-	-	-	-	2	-	1	-	3	1	2	-	-	3	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-									

Registered during the Month of APRIL 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	190	-	7	38	22	67	-	5	17	23	45	-	1	11	8	20	-	2	10	8	20
Pericarditis -	2	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	4	-	-	-	-	-	-	-	-	1	1	-	-	2	-	2	-	-	-	-	-
Angina Pectoris -	3	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope -	12	2	-	2	1	5	-	-	2	2	4	-	-	-	-	-	-	-	-	-	-
Aneurism -	6	-	-	4	-	4	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Senile Gangrene -	6	-	-	-	3	3	-	-	-	1	1	-	-	-	2	2	-	-	-	-	-
Embolism, Thrombosis -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	2	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	2	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Croup -	11	5	-	-	-	5	2	-	-	-	2	1	-	-	-	1	1	-	-	-	1
Other Dis. of Larynx & Trachea	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Emphysema, Asthma -	3	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Bronchitis -	191	44	1	22	27	94	9	-	5	13	27	14	-	5	8	27	6	1	4	11	22
Pneumonia -	211	50	5	40	12	107	11	1	10	8	30	9	1	12	7	29	9	-	5	3	17
Pleurisy -	8	1	-	1	-	2	-	-	2	-	2	-	-	1	1	2	-	-	1	1	2
Other Diseases of Resp. System	30	13	2	3	2	20	3	-	-	1	4	-	-	2	1	3	-	1	-	-	1
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	18	13	-	-	-	13	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Sore-throat, Quinsy -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Dyspepsia -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	25	2	-	6	2	10	-	-	1	3	4	1	-	1	1	3	1	-	1	2	4
Enteritis -	27	10	-	4	1	15	1	-	1	-	2	1	-	1	1	2	2	-	-	-	2
Ulceration of Intestine -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	11	2	3	1	-	6	1	-	1	-	2	-	-	1	-	1	-	-	-	-	-
Stricture or Strang. of Intestine	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	4	-	-	-	2	2	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-
Hernia -	7	-	-	2	2	4	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-
Fistula -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	21	1	3	2	1	7	-	2	3	-	5	-	-	-	-	-	1	-	-	-	1
Ascites -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Gallstones -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	4	-	-	1	2	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver -	21	4	-	4	4	12	-	1	-	2	3	-	-	-	1	1	1	-	-	-	1
Other Dis. of Digestive System	6	1	1	1	-	3	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Spleen -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics -	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Diseases of Thyroid Body -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Suprarenal Capsules -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	22	2	2	8	2	14	-	-	2	-	2	-	-	-	-	-	-	-	1	1	2
Bright's Disease -	33	-	1	14	3	18	-	-	8	3	11	-	-	2	-	2	-	-	-	-	-
Uræmia -	3	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Suppression of Urine -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	5	-	-	-	3	3	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Other Dis. of Urinary System	6	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of APRIL 1896.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of APRIL 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina -	9	-	-	5	-	5	-	-	1	1	2	-	-	-	-	-	-	-	2	-	2
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis.of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Placenta Prævia, Flooding -	3	-	-	1	-	1	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth	8	-	-	5	-	5	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	8	1	3	-	-	4	-	1	1	-	2	-	1	-	-	1	-	-	-	-	-
Arthritis, Ostitis, Periostitis -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locom.	11	1	3	5	1	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1
Eczema - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Other Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses { Railways - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Veh.oth.than R'wys. -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, Scalds { Conflagrations - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns & Scalds -	6	-	-	1	-	1	1	1	-	-	2	1	-	1	-	2	-	-	-	-	-
Scalds { Explosions - -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Drowning - - -	6	1	-	3	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation { In Bed - -	6	3	-	-	-	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Suffocation { Otherwise - -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Falls - - -	6	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Weather Agencies - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - -	20	-	1	6	1	8	1	-	2	1	4	-	2	-	2	-	1	2	1	-	4
Otherwise, or Not Stated -	15	1	1	2	2	6	1	-	2	-	3	-	-	-	-	-	2	-	-	-	2
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	11	-	-	3	2	5	-	-	3	1	4	-	-	1	-	1	-	-	-	-	-
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	4	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition	85	45	1	3	-	49	7	-	1	-	8	9	-	-	-	9	2	-	1	-	3
Mortification - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	2	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-def. & not spec. Causes	21	5	2	7	1	15	-	-	-	-	-	1	-	-	-	1	2	-	2	-	4

DEATHS FROM ALL CAUSES at Four Periods of Life.

61

Registered during the Month of APRIL 1896.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Testes, Penis, Scrotum, &c. - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																				
Abortion, Miscarriage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis - - -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Arthritis, Ostitis, Periostitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locomotion - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integumentary System - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																				
Mines and Quarries { Coal Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses { Railways - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Veh. other than R'ways. - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drowning) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, Scalds { Conflagrations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns and Scalds - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - -	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
Suffocation { In Bed - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Suffocation { Otherwise - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Falls - - -	-	1	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - -	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Otherwise, or Not Stated - - -	-	1	1	-	2	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																				
Dropsy - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Debility, Atrophy, Inanition - - -	4	-	1	-	5	5	-	-	-	5	5	-	1	-	6	-	-	-	-	-
Mortification - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other ill-def. and not spec. Causes - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—APRIL 1896.

DISTRICTS.	Estimated Population at Middle of 1896.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	23,542	60	14	31	0	1	0	2	0	0	0	0	0	6	4
Ayr,	28,373	72	24	37	0	0	0	1	0	1	0	1	0	5	5
Banff, with Macduff,	8,726	15	2	7	0	0	0	0	0	0	0	0	0	1	1
Blairgowrie,	4,329	8	3	8	0	0	1	0	0	0	0	0	0	1	0
Callander,	2,340	7	0	3	0	0	0	0	0	0	0	0	0	0	1
Campbeltown,	10,535	25	1	10	0	0	0	0	0	0	0	0	0	1	0
Cathcart (Landward),	5,557	17	2	8	0	2	0	1	0	0	0	0	0	0	1
Coatbridge,	36,540	135	14	36	0	0	0	0	0	1	0	1	0	4	7
Crieff,	5,650	13	1	9	0	0	0	0	0	0	0	0	0	2	2
Dumbarton,	20,001	62	11	30	0	0	0	0	5	1	0	0	0	5	3
Dumfries, with Troqueer,	24,535	81	18	53	0	0	0	0	1	0	0	1	0	7	6
Dunfermline	29,960	63	18	36	0	1	0	0	0	0	0	1	0	3	3
Dunoon,	7,544	17	4	10	0	0	0	0	0	1	0	0	1	1	0
Eastwood (Landward),	14,269	38	10	32	0	0	0	1	0	2	0	1	0	5	3
Elgin,	10,805	22	0	17	0	0	0	0	0	0	0	0	0	4	1
Falkirk,	29,079	62	14	37	0	0	0	4	0	1	0	0	0	6	4
Forfar,	13,260	30	4	27	0	0	0	0	1	1	0	0	0	3	3
Galashiels,	18,927	40	6	19	0	0	0	0	0	1	0	0	0	4	4
Govan—(1) Plantation (Land- ward),	25,215	62	6	34	0	2	1	3	0	0	0	0	1	6	4
(2) Govan (Landward),	45,789	157	32	94	0	3	3	6	0	3	0	0	1	16	10
(3) Partick (Landward),	42,490	147	27	50	0	0	0	3	0	0	0	0	1	7	8
Haddington,	4,997	6	3	10	*1	0	0	0	0	0	0	0	0	1	0
Hawick, with Wilton,	22,342	44	15	24	0	0	0	0	0	0	0	0	0	2	4
Inverness,	25,377	78	19	57	0	2	0	4	0	0	0	1	0	7	10
Kilmarnock, with Riccarton,	32,726	101	22	56	0	3	0	2	1	1	0	4	0	5	13
Kilmore and Kilbride (Oban),	6,064	9	2	8	0	0	0	0	0	0	0	1	0	0	0
Kinning Park (Landward),	14,948	50	14	21	0	0	0	0	0	1	0	1	0	2	2
Kirkcaldy and Abbotshall,	19,209	58	8	23	0	0	0	2	0	0	0	2	0	2	2
Kirkcudbright,	3,476	7	0	7	0	0	0	0	0	0	0	0	0	0	1
Largs,	5,412	6	3	8	0	0	0	0	0	0	0	1	0	0	1
Logie (Bridge of Allan),	4,384	12	3	5	0	0	0	0	0	0	0	0	0	0	3
Moffat,	3,002	2	1	8	0	0	0	0	0	0	0	0	0	1	0
Montrose,	13,532	34	5	14	0	0	0	0	0	0	0	0	0	2	3
Moulin (Pitlochry),	2,230	6	0	4	0	0	0	0	0	0	0	0	0	1	0
Nairn,	5,178	15	3	10	0	0	0	0	0	0	0	0	0	2	1
New Monkland (Airdrie),	37,403	121	13	35	0	0	0	0	0	0	0	0	0	8	4
North Berwick,	3,239	5	2	6	0	0	0	0	0	0	0	0	0	1	2
Peterhead, with Boddam,	16,724	35	5	18	0	0	0	0	0	0	0	0	1	1	1
Rothsay	9,546	13	1	12	0	0	0	0	0	0	0	1	0	2	2
St Andrews and St Leonards,	8,835	21	3	13	0	0	0	0	1	0	0	0	0	1	4
Shettleston (Landward),	17,481	44	10	23	0	2	1	1	1	0	0	0	0	6	3
Stirling,	15,508	31	19	24	0	0	0	0	0	0	0	0	0	6	2
Stranraer,	6,079	13	3	9	0	0	0	0	1	0	0	0	0	0	0
Wick,	12,243	27	2	22	0	0	0	0	0	1	0	0	0	2	5

*Chicken-pox.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 139 feet above the sea-level,

For the month of APRIL 1896.

Mean barometric pressure, 30.053 inches; greater than the average for the same month of 1856-95 by 0.150 inch.

Barometric monthly range, 0.934 inch; less by 0.292 inch.

Mean temperature, $48^{\circ}5$; greater by $3^{\circ}6$.

Mean daily range of temperature, $14^{\circ}1$; greater by $0^{\circ}2$.

Mean humidity, 74; less by 5.9.

Rain, number of days, 13; being the average.

Rain, depth in inches, 1.40; less by 0.72 inch.

Wind, pressure on square foot, 1.82 lb.; greater by 0.14 lb.

Wind, direction of, E. to W. as 2 to 18, and N. to S. as 6 to 1; the average being E. to W. as 9 to 8, and N. to S. as 5 to 6.

Thus the weather of April 1896 was characterised by a mean barometric pressure considerably above, with a monthly range considerably under the average; a mean temperature hitherto unprecedented for April, with a mean daily range about the average; a very low humidity, having been only once lower, *viz.*, April 1858, when it was 73; a rainfall only half the average, falling, however, on the average number of days; and a prevalence of west winds absolutely unprecedented.

The mean barometric pressure was 30.053 inches, pressure having previously shewn in April a higher mean only in 1861, 1865, and 1893. The excess was unequally distributed over Scotland; thus, while at Aberdeen the excess was 0.120 inch, it was 0.177 inch at Paisley. Pressure being higher in the south than in the north, and in the west than in the east, it resulted that winds from S.W., W., and N.W., prevailed on 23 days, the excess above the averages of these directions being 1, 7, and 3 days respectively.

Owing to the unwonted prevalence of these winds, and the all but total absence of winds from easterly directions, and the anti-cyclonic character of the weather which prevailed, it followed that the mean temperature rose to a higher point than has yet been recorded for April, in connection with which it is remarkable that the excess of the days and the nights was the same. The excess was also pretty equally distributed over the eight large towns. The absolutely highest temperature was $65^{\circ}9$ at Edinburgh on the 24th, and the lowest $28^{\circ}3$ at Glasgow on the 15th. Again, as in March, the minimum temperatures were all unusually high for the month.

Little rain fell from the 1st to the 9th, and from the 17th to the 25th, and no heavy rains occurred at any time during the month. The largest fall on any day was 0.48 inch at Perth on the 10th. The smallest monthly amount was 0.74 inch at Paisley, and the largest 2.60 inches at Greenock. At Glasgow there fell 2.23 inches, which is 23 per cent. above the average; but at the other towns the fall was under the average, the deficiency varying from 22 to 64 per cent. Thunder, with hail, occurred from the 9th to the 12th, and again during the last three days of the month.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH

During the Month of APRIL 1896.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.					RAIN.		WINDS.								Mean Pres- sure on Sq. ft.	
		Mean at Station and 32°.	Mean at Sea-level and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.										
																			N	NE	E	SE	S	SW	W	NW	Calm or Variable.		lbs.
GLASGOW, J. B. RUSSELL, M.D., Medical Officer of Health, Glasgow.	54	30.015	30.075	0.936	65.5	28.3	48.7	37.2	14.0	30.5	48.4	44.6	40.5	.252	2.88	75	14	2.23	inch.	1	1	1	0	0	2	10	9	6	0.64
EDINBURGH, R. C. MOSSMAN, F.R.S.E.	276	29.752	30.054	0.922	65.9	34.5	48.8	31.4	13.8	27.6	47.8	43.9	39.6	.224	2.80	73	12	0.96	inch.	1	1	2	0	0	2	17	7	0	1.49
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.850	30.032	0.970	64.7	33.3	48.3	31.4	15.3	25.3	47.2	44.4	41.3	.260	3.00	81	14	0.93	inch.	2	2	0	2	1	6	9	7	0	2.31
ABERDEEN, JAMES DALE, Gordon's Hospital.	66	29.941	30.014	0.966	65.2	31.6	48.0	33.6	15.1	22.8	47.6	43.8	39.6	.244	2.80	74	19	1.39	inch.	4	0	1	1	7	6	4	7	0	0.74
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	70	29.977	30.054	0.931	64.9	36.1	49.4	28.8	12.0	25.2	48.4	44.3	40.1	.250	2.85	74	10	1.18	inch.	1	1	2	0	0	1	23	2	0	2.82
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29.961	30.077	0.937	63.3	31.1	49.0	32.2	14.5	25.7	48.4	44.6	40.5	.252	2.88	74	15	0.74	inch.	6	1	1	1	0	1	12	7	1	1.08
GREENOCK, ROBERT GILMOUR, Greenock Water Works.	233	29.817	30.070	0.920	62.2	32.8	47.1	29.4	12.3	24.7	48.2	44.3	40.0	.247	2.84	74	15	2.60	inch.	0	2	1	0	0	5	12	9	1	3.65
PERTH, A. GAEBECKE, Gardener to James F. Pullar, F.R.S.E.	140	29.891	30.045	0.890	64.2	32.0	48.8	32.2	16.1	26.0	48.2	44.0	39.4	.241	2.78	72	9	1.18	inch.	3	4	1	0	1	16	4	1	0	...
Means,	139	29.900	30.053	0.934	(+65.9)	(+28.3)	48.5	32.0	14.1	26.0	48.0	44.2	40.0	.246	2.85	74	13	1.40	inch.	2	2	1	0	1	5	12	6	1	1.82

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute highest. † Absolute lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

MAY 1896.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of May 1896, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 4107 children, of whom 2105 were males, and 2002 females. Of these, 3836 were legitimate, and 271 illegitimate, being in the proportion of one illegitimate in every 15·2 Births, or the illegitimate Births constituted 6·6 per cent. of the whole. In Greenock, 3·0 per cent. of the Births were illegitimate; in Leith, 3·6; in Paisley, 4·1; in Glasgow, and in Aberdeen, 6·7; in Perth, 6·9; in Edinburgh, 7·8; and in Dundee, 8·1 per cent.

502 Marriages were registered in these Towns during May, being 30 below the average number for the month during the last ten years, allowing for increase of the population.

The Deaths of 2373 persons were registered in these Towns during May, of whom 1222 were males, and 1151 females. Increase of the population being allowed for, this number is 299 below the average for May during the last ten years.

A comparison of the Deaths registered shows that during May the mortality was at the annual rate of 15·9 Deaths per thousand persons in Greenock; 16·6 in Edinburgh; 17·5 in Perth; 17·6 in Aberdeen; 17·8 in Leith, and in Paisley; 18·6 in Dundee; and 19·7 in Glasgow.

Of the 1177 Deaths registered in Glasgow, 242 were of children under one year of age, and 189 of persons over 60 years; of the 389 in Edinburgh, 83 were of children under one year, and 87 of persons over 60 years; of the 254 in Dundee, 48 were

of children under one, and 51 of persons over 60 years; of the 203 in Aberdeen, 47 were under one, and 48 over 60; of the 112 in Leith, 19 were under one, and 21 over 60; of the 110 in Paisley, 26 were under one, and 34 over 60; of the 83 in Greenock, 7 were under one, and 10 over 60; and of the 45 in Perth, 9 were under one, and 14 over 60 years.

Of the whole 2373 Deaths, 877, or 37·0 per cent., were of children under five years of age. In Perth, 24·4 per cent. of the persons who died were under five years of age; in Greenock, 28·9; in Leith, 29·5; in Edinburgh, 31·6; in Dundee, 32·3; in Paisley, 34·2; in Aberdeen, 35·0; and in Glasgow, 42·1 per cent.

Miasmatic Diseases caused 267 Deaths, or 11·3 per cent. of the whole mortality. This rate was exceeded in Glasgow and Aberdeen, in which towns Hooping-Cough to some extent prevailed.

Fevers caused 37 deaths, or 1·6 per cent. of the whole mortality. Of these, 5 (4 in Glasgow, and 1 in Edinburgh) were from Typhus, 30 from Enteric, and 2 from Simple Continued Fever.

Hooping-Cough was the most fatal epidemic, having caused 127 Deaths, or 5·4 per cent. of the whole. In Glasgow, 86 Deaths were from Hooping-Cough, or 7·3 per cent. of the deaths there; in Aberdeen, 19, or 9·4 per cent.; and in Paisley, 9, or 8·2 per cent.

Measles caused 64 Deaths, of which 53, or 4·5 per cent., occurred in Glasgow; Scarlatina, 18; Diphtheria, 12; and Puerperal Fever, 10.

To Intemperance were attributed 6 Deaths, 5 being from Chronic Alcoholism, and 1 from Delirium Tremens.

Apoplexy caused 74 Deaths; Paralysis, 44; Diseases of the Heart, 234; and Premature Birth Debility, 60.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 439, or 18·5 per cent. of the whole. Those from Consumption alone numbered 257, or 10·8 per cent. 6 Deaths were caused by Croup.

From Violent Causes there resulted 86 Deaths, of which 9 were Suicidal (3 by Poisoning, 2 by Gunshot wounds, 2 by Hanging, 1 by Cut-Throat, and 1 by Precipitation).

Three males and six females were aged 90 years and upwards, the eldest, being the widow of a carpenter, was aged 97 years

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, MAY 1896.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1896.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, .	576,847	658,198	705,052	1011	994	2005	1871	134	241	629	548	1177
EDINBURGH, .	234,402	261,225	276,514	353	324	677	624	53	90	202	187	389
DUNDEE, .	140,794	154,118	161,620	226	195	421	387	34	56	117	137	254
ABERDEEN, .	106,306	124,943	135,941	211	179	390	364	26	61	110	93	203
LEITH, .	59,485	68,707	74,110	101	94	195	188	7	10	61	51	112
PAISLEY, .	55,638	66,425	72,902	98	97	195	187	8	12	41	69	110
GREENOCK, .	66,704	63,423	61,781	74	92	166	161	5	26	42	41	83
PERTH, .	28,980	29,919	30,427	31	27	58	54	4	6	20	25	45
TOTAL, .	1,268,601	1,426,148	1,500,435	2105	2002	4107	3836	271	502	1222	1151	2373

MAY 1895,	Mean Temp. 52°·7	2192	2068	4260	3928	332	439	1347	1266	2613
MAY 1894,	Mean Temp. 47°·0	2055	1971	4026	3726	300	498	1235	1174	2409
MAY 1893,	Mean Temp. 53°·3	2221	2285	4456	4124	332	567	1378	1313	2691
MAY 1892,	Mean Temp. 50°·6	2160	2020	4180	3875	305	546	1346	1350	2696
MAY 1891,	Mean Temp. 47°·6	1885	1866	3751	3474	277	471	1342	1308	2650
MAY 1890,	Mean Temp. 51°·5	1945	1890	3835	3505	330	475	1285	1321	2606
MAY 1889,	Mean Temp. 52°·3	2100	1962	4062	3737	325	499	1231	1233	2469
MAY 1888,	Mean Temp. 49°·2	2046	1830	3876	3578	298	501	1119	1151	2270
MAY 1887,	Mean Temp. 49°·8	1959	1903	3862	3509	353	489	1174	1197	2371
MAY 1886,	Mean Temp. 47°·9	1924	1872	3796	3512	284	526	1185	1204	2389

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of MAY 1896.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton, .	0	8	4	18	0	17	1	1. St Peter, .	0	0	0	0	0	0	2
2. Camlachie, .	0	0	0	8	0	1	3	2. St Mary, .	0	0	0	1	1	0	1
3. Dennistoun, .	0	1	1	6	0	0	3	3. St Clement, .	0	3	1	1	0	3	0
4. Calton, .	0	0	0	4	0	0	3	4. St Andrew, .	0	4	0	4	0	0	3
5. Blackfriars, .	0	0	0	1	1	0	3	5. Lochee, .	0	0	0	0	0	0	0
6. St Rollox, .	0	2	3	9	0	0	1	Mains, .	0	0	0	0	0	0	0
7. Blythswood, .	0	0	0	3	0	0	1								
8. Milton, .	0	6	0	4	0	0	2	ABERDEEN—							
9. Kelvin, .	0	12	0	6	1	0	2	1. St Nicholas, .	0	0	2	14	0	2	1
10. Anderston, .	0	2	0	1	0	1	1	2. Aberdeen, .	0	0	0	5	0	0	5
11. Hutchesontown, .	0	14	0	8	1	1	1	3. Woodside, .	0	0	0	0	0	0	0
12. Gorbals, .	0	1	0	5	0	0	1	4. Old Aberdeen, .	0	0	0	0	0	0	0
13. Tradeston, .	0	1	0	5	1	0	0	E. Peterculter, .	0	0	0	0	0	0	0
14. Kinning Park, .	0	0	0	2	0	0	0	Nigg, .	0	0	0	0	0	0	0
Cathcart, .	0	0	0	0	0	0	0	LEITH—							
Eastwood, .	0	0	0	1	0	0	0	1. North .	0	0	0	1	2	1	1
Maryhill, .	0	3	1	5	0	1	0	2. South, .	0	0	1	0	0	0	0
Shettleston, .	0	0	0	0	0	0	0	PAISLEY, .	0	1	0	9	0	1	1
Plantation, .	0	0	0	0	0	0	0	GREENOCK—							
Govan, .	0	0	0	0	0	0	0	1. East, .	0	2	0	0	0	0	0
Partick, .	0	2	0	0	0	0	0	2. West, .	0	0	2	0	0	0	0
EDINBURGH—								PERTH, .	0	0	0	0	1	0	3
1. St George, .	0	0	0	0	0	1	1								
2. St Andrew, .	0	0	1	0	0	0	0								
3. Canongate, .	0	1	2	3	3	8	1								
4. St Giles, .	0	0	0	1	0	0	0								
5. Newington, .	0	0	0	2	1	0	3								

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of MAY 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	2373	495	109	384	189	1177	123	46	133	87	389	82	23	98	51	254	71	18	66	48	203
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	343	166	15	27	2	210	18	8	7	3	36	21	2	5	1	29	24	3	5	1	33
II. PARASITIC DISEASE	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
III. DIETETIC „	8	1	-	4	-	5	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-
IV. CONSTITUTIONAL „	491	46	42	114	19	221	19	18	49	8	94	12	10	36	5	63	4	8	19	6	37
V. DEVELOPMENTAL „	135	30	-	-	24	54	14	-	-	14	28	15	-	-	9	24	4	-	-	8	12
VI. LOCAL „	1212	205	45	204	137	591	49	17	73	59	198	26	11	53	33	123	29	6	38	33	106
VII. VIOLENCE - -	86	8	7	25	6	46	5	3	4	1	13	2	-	3	3	8	4	1	3	-	8
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	97	39	-	10	1	50	17	-	-	1	18	6	-	-	-	6	6	-	1	-	7
I.																					
1. Miasmatic Diseases -	267	144	14	17	-	175	12	8	4	2	26	15	2	2	-	19	19	3	2	-	24
2. Diarrhoeal „ -	45	17	1	3	1	22	3	-	2	1	6	6	-	-	-	6	3	-	2	1	6
3. Malarial „ -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Zoogenous „ -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Venereal „ -	10	2	-	1	1	4	2	-	-	-	2	-	-	-	-	-	2	-	-	-	2
6. Septic „ -	20	3	-	5	-	8	1	-	1	-	2	-	-	3	1	4	-	-	1	-	1
II.																					
PARASITIC DISEASES -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES - -	8	1	-	4	-	5	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-
IV.																					
CONSTITUTIONAL DISEASES	491	46	42	114	19	221	19	18	49	8	94	12	10	36	5	63	4	8	19	6	37
V.																					
DEVELOPMENTAL DISEASES	135	30	-	-	24	54	14	-	-	14	28	15	-	-	9	24	4	-	-	8	12
VI.																					
1. DIS. OF NERVOUS SYSTEM -	273	56	8	33	34	131	9	4	15	8	36	8	5	10	10	33	8	1	10	8	27
2. „ ORGANS OF SPECIAL SENSE -	2	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
3. „ CIRCULATORY SYSTEM	234	1	7	48	49	105	1	3	22	22	48	1	-	14	6	21	-	1	7	6	14
4. „ RESPIRATORY SYSTEM	439	117	15	63	39	234	26	2	16	19	63	11	5	15	10	41	11	1	14	9	35
5. „ DIGESTIVE SYSTEM -	151	27	7	23	9	66	12	4	7	1	24	6	1	8	3	18	10	2	4	4	20
6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	5	-	-	2	-	2	-	1	1	-	2	-	-	-	-	-	-	-	-	1	1
7. „ URINARY SYSTEM -	71	3	5	22	6	36	-	1	9	8	18	-	-	3	2	5	-	1	3	3	7
8. „ REPRODUCTIVE SYSTEM :-																					
(a) DISEASES OF ORGANS OF GENERATION -	9	-	-	3	-	3	-	1	1	1	3	-	-	2	-	2	-	-	-	1	1
(b) DISEASES OF PARTURITION -	15	-	-	7	-	7	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
9. „ ORGANS OF LOCOMOTION - -	10	1	3	3	-	7	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
10. „ INTEGUMENTARY SYSTEM - -	3	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	1	1

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of MAY 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	76	8	7	18	6	39	5	3	4	1	13	2	-	3	3	8	3	1	2	-	6
2. VIOLENCE OTHER THAN ACCIDENTAL - - -	10	-	-	7	-	7	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES	97	39	-	10	1	50	17	-	-	1	18	6	-	-	-	6	6	-	1	-	7
MIASMATIC DISEASES.																					
Small-pox { Vaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	64	51	2	-	-	53	1	-	-	-	1	7	-	-	-	7	-	-	-	-	-
Epidemic Rose Rash - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	18	6	3	-	-	9	1	2	-	-	3	1	-	-	-	1	1	-	1	-	2
Typhus - - -	5	-	1	3	-	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	9	1	-	1	-	2	1	-	-	2	3	-	1	-	-	1	-	-	1	-	1
Hooping-Cough - - -	127	81	5	-	-	86	6	-	-	-	6	6	-	-	-	6	17	2	-	-	19
Mumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	12	4	-	-	-	4	3	1	-	-	4	1	-	-	-	1	-	-	-	-	-
Cerebro-spinal Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Enteric Fever - - -	30	1	3	12	-	16	-	5	3	-	8	-	1	2	-	3	-	1	-	-	1
Other Miasmatic Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																					
Simple Cholera - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery - - -	44	17	1	3	1	22	3	-	1	1	5	6	-	-	-	6	3	-	2	1	6
MALARIAL DISEASES.																					
Remittent Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																					
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																					
Syphilis - - -	9	2	-	1	-	3	2	-	-	-	2	-	-	-	-	-	2	-	-	-	2
Gonorrhoea Stricture of Urethra - - -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																					
Phagedæna - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	4	2	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Pyæmia, Septicæmia - - -	6	1	-	-	-	1	1	-	-	-	1	-	-	1	1	2	-	-	1	-	1
Puerperal Fever - - -	10	-	-	5	-	5	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MAY 1896.

[illegible]

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																					
Thrush - - - - -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Dis. from Veg. Parasites - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Par. - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																					
Starvation, Want of Breast Milk - - - - -	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism - - - - -	5	-	-	3	-	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
{ Delirium Tremens - - - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																					
Rheumatic Fever, Rheumatism of Heart - - - - -	8	-	-	3	-	3	-	1	2	-	3	-	-	1	-	1	-	-	-	-	-
Rheumatism - - - - -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	89	-	1	22	14	37	-	-	18	6	24	1	-	6	3	10	-	-	3	4	7
Tabes Mesenterica - - - - -	43	15	5	2	-	22	6	4	1	-	11	4	-	-	-	4	2	1	1	-	4
Tubercular Meningitis (Acute Hydrocephalus) - - - - -	50	18	5	1	-	24	7	4	1	-	12	1	2	1	-	4	1	1	-	2	
Phthisis - - - - -	257	5	28	79	4	116	3	6	25	1	35	3	8	25	1	37	-	4	14	2	
Other forms of Tuber. Scrofula - - - - -	32	8	3	3	-	14	2	3	1	-	6	3	-	2	-	5	1	2	1	4	
Purp., Hæmorrhagic Diathesis - - - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
Anæmia, Chl., Leucocythæmia - - - - -	6	-	-	2	-	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	
Diabetes Mellitus - - - - -	4	-	-	2	-	2	-	-	-	-	-	-	-	1	1	2	-	-	-	-	
Other Constitutional Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DEVELOPMENTAL DISEASES.																					
Premature Birth - - - - -	60	23	-	-	-	23	13	-	-	-	13	14	-	-	-	14	3	-	-	3	
Atelectasis - - - - -	3	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cyanosis - - - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Spina Bifida - - - - -	2	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cleft Palate, Harelip - - - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Congenital Defects - - - - -	3	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	1	-	-	1	
Old Age - - - - -	65	-	-	-	24	24	-	-	-	14	14	-	-	-	9	9	-	-	8	8	
DISEASES OF NERVOUS SYSTEM.																					
Inflammation of Brain or its Membranes - - - - -	57	24	7	3	1	35	2	2	-	-	4	3	3	1	-	7	3	-	-	3	
Apoplexy - - - - -	74	2	-	14	18	34	-	-	4	4	8	-	-	4	7	11	3	1	2	6	
Softening of Brain - - - - -	4	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	3	-	
Hemiplegia, Brain Paralysis - - - - -	37	1	-	9	8	18	-	-	1	2	3	-	-	-	3	3	-	-	5	5	
Paralysis Agitans - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Insanity, General Par. of Insane - - - - -	9	-	-	-	1	1	-	-	3	1	4	-	-	-	-	-	-	-	-	4	
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Epilepsy - - - - -	7	1	-	2	-	3	-	1	1	-	2	-	-	-	-	-	-	-	1	1	
Convulsions - - - - -	46	25	-	1	-	26	7	-	1	-	8	3	-	-	-	3	5	-	-	5	
Laryngismus Stridulus - - - - -	2	1	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	
Idiopathic Tetanus - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Paraplegia, Dis. of Spinal Cord - - - - -	7	-	-	-	1	1	-	-	3	-	3	1	-	2	-	1	-	-	-	-	
Other Diseases of Ner. System - - - - -	28	2	1	2	5	10	-	1	2	1	4	1	1	3	-	5	-	3	-	3	
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Otorrhœa - - - - -	2	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	
Epistaxis and Dis. of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ophthalmia and Dis. of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

73

73

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Phrushi - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	-	-	6	2	8	-	-	1	-	1	-	-	-	-	-	-	1	1	2	-
Tabes Mesenterica - - - - -	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Tubercular Meningitis (Acute Hydrocephalus) - - - - -	3	1	-	-	4	1	-	-	-	1	3	-	-	-	3	-	-	-	-	-
Phthisis - - - - -	2	3	7	1	13	1	5	11	-	17	1	1	9	-	14	-	2	3	-	5
Other forms of Tuberculosis, Scrofula -	-	2	-	-	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Purpura, Hæmorrhagic Diathesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth - - - - -	4	-	-	-	4	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-
Atelectasis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age - - - - -	-	-	-	-	-	-	-	-	7	7	-	-	-	2	2	-	-	-	1	1
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes - - - - -	1	1	-	-	2	4	-	-	-	4	2	-	-	-	2	-	-	-	-	-
Apoplexy - - - - -	1	-	3	-	4	1	-	2	4	7	-	-	2	-	2	-	-	-	2	2
Softening of Brain - - - - -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Hemiplegia, Brain Paralysis -	-	-	1	-	1	-	-	-	5	5	-	-	1	1	2	-	-	-	-	-
Paralysis Agitans - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Convulsions- - - - -	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-	1	-	-	-	1
Laryngismus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord -	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Other Diseases of Nervous System -	1	-	-	1	2	-	-	1	2	3	-	-	-	-	-	1	-	-	-	1
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye- - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	191	-	7	41	39	87	1	2	17	19	39	-	-	11	5	16	-	1	5	6	12
Pericarditis -	2	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-
Hypertrophy of Heart -	7	-	-	1	1	2	-	-	1	1	2	-	-	1	-	1	-	-	1	-	-
Angina Pectoris -	2	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Syncope -	16	1	-	1	3	5	-	-	1	-	1	1	-	1	1	3	-	-	1	-	1
Aneurism -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senile Gangrene -	6	-	-	-	3	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis -	3	-	-	1	2	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Phlebitis -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	8	2	-	1	-	3	1	-	-	-	1	-	-	-	-	-	2	-	-	-	2
Croup -	6	2	-	-	-	2	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-
Other Dis. of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	5	-	-	1	-	1	-	-	1	3	4	-	-	-	-	-	-	-	-	-	-
Bronchitis -	165	41	2	10	23	76	13	-	3	10	26	6	1	2	8	17	5	-	6	6	17
Pneumonia -	211	55	13	42	9	119	11	1	10	5	27	5	3	12	2	22	4	-	6	3	13
Pleurisy -	11	-	-	4	2	6	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-
Other Diseases of Resp. System	33	17	-	5	5	27	-	1	1	1	3	-	-	-	-	-	-	1	-	-	1
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Dentition -	14	7	-	-	-	7	2	-	-	-	2	1	-	-	-	1	3	-	-	-	3
Sore-throat, Quinsy -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	20	2	1	2	3	8	-	1	3	1	5	-	-	3	-	3	3	-	-	1	1
Enteritis -	34	10	2	5	-	17	5	1	-	-	6	4	-	1	-	5	1	-	1	-	3
Ulceration of Intestine -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	9	1	1	1	1	4	-	-	1	-	1	-	-	2	1	3	-	1	-	-	1
Stricture or Strang. of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	3	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Hernia -	7	1	-	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula -	2	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Peritonitis -	26	1	3	2	1	7	1	2	1	-	4	-	1	1	1	3	-	1	2	2	5
Ascites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Cirrhosis of Liver -	5	-	-	4	-	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Diseases of Liver -	14	2	-	-	3	7	2	-	1	-	3	-	-	1	-	1	2	-	-	-	2
Other Dis. of Digestive System	6	2	-	3	-	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Spleen -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics -	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Suprarenal Capsules -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	20	3	1	6	1	11	-	-	2	-	2	-	-	1	2	3	-	1	-	2	3
Bright's Disease -	30	-	2	10	1	13	-	1	7	2	10	-	-	2	2	3	-	2	1	2	3
Uræmia -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	2	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	10	-	1	1	4	6	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Other Dis. of Urinary System	8	-	1	4	-	5	-	-	-	1	1	-	-	-	-	-	-	1	-	-	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MAY 1896.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of MAY 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1
Diseases of Uterus and Vagina - -	2	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Pelvic Abscess - - -	3	-	-	2	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - -	5	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth	6	-	-	2	-	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthritis, Ostitis, Periostitis - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locom.	6	1	2	2	-	5	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Eczema - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses { Railways - -	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Veh. oth. than R'wys. - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.)	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, Scalds { Conflagrations - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Burns & Scalds - -	11	4	1	-	1	6	2	1	-	-	3	-	-	-	-	-	1	-	-	-	1
{ Explosions - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours - -	2	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Drowning - - -	14	2	1	4	-	7	-	-	1	-	1	-	-	1	1	2	-	-	-	-	-
Suffocation { In Bed - -	7	-	-	-	-	-	3	-	-	-	3	2	-	-	-	2	1	-	-	-	1
{ Otherwise - -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
Falls - - -	2	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - -	18	1	1	7	1	10	-	-	3	1	4	-	-	-	-	-	-	1	-	-	1
Otherwise, or Not Stated - -	15	1	2	4	3	10	-	1	-	-	1	-	-	1	-	1	1	1	-	-	3
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Suicide - - -	9	-	-	7	-	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition - -	78	34	-	4	-	38	17	-	-	-	17	6	-	-	-	6	6	-	-	-	6
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	2	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-def. & not spec. Causes	12	3	-	5	-	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1

DEATHS FROM ALL CAUSES at Four Periods of Life

77

Registered during the Month of MAY 1896.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Testes, Penis, Scrotum, &c. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																				
Abortion, Miscarriage - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - -	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Phlegmasia Dolens - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Other Accidents of Childbirth - - -	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis - - - - -	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Arthritis, Ostitis, Periostitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locomotion - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integumentary System - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																				
Mines and Quarries { Coal Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses { Railways - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Veh. other than R'ways. - - -	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-
Horses { Horses - - -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drowning) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, { Conflagrations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns and Scalds - - -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Scalds { Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - - - -	-	-	1	1	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
Suffocation { In Bed - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Suffocation { Otherwise - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Falls - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - - - -	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Otherwise, or Not Stated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																				
Dropsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition - - - -	4	-	1	-	5	3	-	-	-	3	1	-	-	-	1	2	-	-	-	2
Mortification - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - - - -	-	-	-	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Sudden (Cause unascertained) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other ill-def. and not spec. Causes -	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—MAY 1896.

DISTRICTS.	Estimated Population at Middle of 1896.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	23,542	39	3	33	0	0	0	1	0	0	0	0	0	5	2
Ayr,	28,373	76	10	32	1	0	0	2	0	0	0	3	0	4	2
Eanff, with Macduff,	8,726	25	3	10	0	0	1	0	1	0	0	0	0	1	0
Blairstown,	4,329	4	1	7	0	0	0	0	0	1	0	0	0	0	0
Callander,	2,340	4	0	3	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,535	28	1	12	0	0	0	0	0	0	0	0	0	0	1
Cathcart (Landward),	5,557	15	1	4	0	0	0	1	0	0	0	0	0	1	1
Coatbridge,	36,540	132	8	52	0	0	0	1	0	0	0	2	0	6	6
Crieff,	5,650	9	0	7	0	0	0	0	0	0	0	0	0	1	1
Dumbarton,	20,001	54	2	36	0	3	0	0	1	0	0	0	1	8	5
Dumfries, with Troqueer,	24,535	75	11	57	0	1	0	0	0	1	0	1	1	10	11
Dunfermline	29,960	61	3	33	0	1	1	0	0	0	0	0	0	3	6
Dunoon,	7,544	16	2	10	0	0	0	0	0	0	0	1	0	1	1
Eastwood (Landward),	14,269	41	2	21	0	0	0	7	0	0	0	1	0	5	1
Elgin,	10,805	29	4	13	0	0	0	0	0	0	0	0	0	1	1
Falkirk,	29,079	79	11	33	0	0	0	2	0	0	0	0	0	6	1
Forfar,	13,260	30	3	18	0	0	0	0	0	0	0	0	1	1	4
Galashiels,	18,927	36	2	7	0	0	0	0	0	0	0	0	1	0	0
Govan—(1) Plantation (Land- ward),	25,215	87	2	38	0	1	0	5	0	0	0	0	0	8	3
(2) Govan (Landward),	45,789	133	10	98	0	5	1	6	0	2	0	0	0	12	11
(3) Partick (Landward),	42,490	122	18	61	0	0	2	9	0	0	0	1	0	11	6
Haddington,	4,997	13	2	9	0	0	0	0	0	0	0	0	0	2	0
Hawick, with Wilton,	22,342	42	2	21	0	0	0	0	0	0	0	2	1	3	0
Inverness,	25,377	51	9	40	0	2	0	0	0	1	0	4	0	5	3
Kilmarnock, with Riccarton,	32,726	94	7	46	0	1	6	2	0	2	0	0	0	6	5
Kilmore and Kilbride (Oban),	6,064	14	2	6	0	0	0	0	0	0	0	0	0	0	1
Kinning Park (Landward),	14,948	46	6	21	0	0	0	4	0	1	0	0	1	3	3
Kirkcaldy and Abbotshall,	19,209	49	5	27	0	1	0	1	0	0	0	3	0	3	8
Kirkcudbright,	3,476	12	1	6	0	0	0	0	0	0	0	0	0	0	0
Largs,	5,412	8	3	7	0	0	0	0	0	0	0	1	0	2	0
Logie (Bridge of Allan),	4,384	7	0	3	0	0	0	0	0	0	0	0	0	0	0
Moffat,	3,002	4	0	1	0	0	0	0	0	0	0	0	0	0	0
Montrose,	13,532	29	6	25	0	0	0	0	0	1	0	1	0	3	3
Moulin (Pitlochry),	2,230	6	0	2	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,178	10	3	6	0	0	0	0	0	0	0	0	0	1	0
New Monkland (Airdrie),	37,403	117	7	52	0	0	0	1	1	0	0	0	0	10	3
North Berwick,	3,239	6	2	3	0	0	0	0	0	0	0	0	0	2	0
Peterhead, with Boddam,	16,724	57	7	29	0	0	0	0	0	0	0	1	0	3	4
Rothsay,	9,546	20	0	14	0	0	1	0	0	0	0	0	0	2	3
St Andrews and St Leonards,	8,835	15	1	8	0	0	0	0	0	0	0	0	0	0	0
Shettleston (Landward),	17,481	38	2	22	0	0	0	5	0	1	0	0	0	1	2
Stirling,	15,508	46	1	24	0	0	1	0	0	0	0	0	0	5	4
Stranraer,	6,079	7	1	5	0	0	0	0	0	0	0	0	0	1	1
Wick,	12,243	25	2	22	0	0	0	2	0	0	0	2	1	1	1

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 139 feet above the sea-level,

For the month of MAY 1896.

Mean barometric pressure, 30·265 inches; greater than the average for the same month of 1856–95 by 0·319 inch.

Barometric monthly range, 0·764 inch; less by 0·315 inch.

Mean temperature, $54^{\circ}4$; greater by $4^{\circ}6$.

Mean daily range of temperature, $18^{\circ}8$; greater by $3^{\circ}8$.

Mean humidity, 71; less by 6·3.

Rain, number of days, 6; less by 7 days.

Rain, depth in inches, 0·73; less by 1·50 inch.

Wind, pressure on square foot, 1·15 lb.; less by 0·37 lb.

Wind, direction of, E. to W. as 8 to 11, and N. to S. as 7 to 4; the average being E. to W. as 9 to 9, and N. to S. as 5 to 6.

Thus the weather of May 1896 was characterised by a very high mean barometric pressure, considerably higher than any that has occurred during the past 40 years, with a very low monthly range, being the third lowest during the same years; a very high mean temperature, being the highest during the past 40 years, with a very large mean daily range, which in May was only exceeded in 1859; a very low humidity, a lower having occurred in 1859; a very small rainfall, smaller amounts having been collected in May 1859 and 1876, being respectively 0·36 inch and 0·55 inch; and a prevalence of north-westerly winds.

The mean barometric pressure was 30·265 inches, being the highest yet recorded by the Society's observers in the large towns, the next highest being 30·148 inches, in 1876. The weather during the month was strongly anti-cyclonic, with the usual high pressure, low humidity, clear atmosphere, strong sunshine, and unusually high temperature for May, the only exception being from the 18th to the 21st, when pressure fell a little, the wind rose at some places to the force of a gale, and showers of rain fell generally.

The mean temperature was $54^{\circ}4$, or $4^{\circ}6$ above the average, the next highest during the last 40 years being $53^{\circ}3$ in 1893. The mean temperature of the days was $6^{\circ}5$, while that of the nights was only $2^{\circ}7$ above the average, thus pointing to the extraordinary force of the sun's rays during this remarkable month. The excess of mean temperature was rather unequally distributed among the large towns. Thus, while at Aberdeen it was only $3^{\circ}5$, at the inland station of Paisley it was $5^{\circ}8$. The absolutely highest temperature was $79^{\circ}4$ at Paisley on the 12th; and the lowest $34^{\circ}5$ at Perth on the 4th. At Edinburgh on the 12th, about 11 a.m., temperature fell 10° in 20 minutes.

This is the fifth month in succession when high temperatures have ruled in Scotland. The excesses above the averages are $2^{\circ}8$ in January, $3^{\circ}0$ in February, $2^{\circ}0$ in March, $3^{\circ}6$ in April, and $4^{\circ}6$ in May, the mean excess of these five months being thus $3^{\circ}2$.

The rainfall of the month was much under the average, the extreme amounts being 1·43 inch at Aberdeen and 0·38 inch at Paisley, these being 28 and 83 per cent. under the respective averages. The largest amount collected on any day was 0·64 inch at Glasgow on the 18th. Slight showers fell generally on the 14th, 18th, and 19th, and at towns in the east on the 21st and 22nd, the rest of the month being all but rainless.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH

During the Month of MAY 1896.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.					RAIN.		WINDS.								Mean Pres- sure on Sq. ft.	
		Mean at Station and 32°.	Mean at Sea-level and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	lbs.	Number of Days it blew in certain Directions.									
																				N	NE	E	SE	S	SW	W	NW		Calm or Variable.
GLASGOW, J. B. RUSSELL, M.D., Medical Officer of Health, Glasgow.	54	30.214	30.274	0.724	77.9	35.2	55.2	42.7	21.6	36.3	54.6	49.8	45.2	.301	3.40	71	5	0.91	0.25	0	2	5	0	0	1	6	6	11	0
EDINBURGH, R. C. MOSSMAN, F.R.S.E.	276	29.965	30.266	0.768	78.1	37.4	54.8	40.7	18.3	33.2	53.8	49.5	45.3	.302	3.42	73	6	0.57	0.53	6	6	4	1	0	1	9	2	2	0
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	30.076	30.255	0.830	79.3	35.8	54.0	43.5	19.1	38.7	52.5	49.4	46.2	.314	3.57	79	6	0.76	0.63	1	2	1	16	0	3	2	6	0	0
ABERDEEN, JAMES DALE, Gordon's Hospital.	66	30.185	30.258	0.830	71.0	38.0	51.7	33.0	14.3	27.0	52.5	48.1	43.6	.284	3.27	72	13	1.43	1.54	10	3	2	2	2	1	5	6	0	0
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	70	30.189	30.266	0.792	74.9	38.9	54.7	36.0	16.2	30.0	53.6	49.3	45.1	.299	3.40	73	7	0.54	1.54	4	2	9	1	1	1	10	2	1	0
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	30.157	30.272	0.738	79.4	36.3	56.3	43.1	21.6	34.3	54.8	49.3	44.0	.289	3.28	68	5	0.38	0.81	2	3	4	0	1	1	16	2	2	0
GREENOCK, ROBERT GILMOUR, Greenock Water Works.	233	30.018	30.268	0.707	74.2	35.8	54.0	38.4	17.9	27.5	54.6	49.0	43.6	.283	3.24	67	4	0.71	2.78	0	5	1	3	0	2	12	8	0	0
PERTH, A. GAEDCKE, Gardener to James F. Pullar, F.R.S.E.	140	30.108	30.261	0.720	77.0	34.5	54.6	42.5	21.4	33.7	54.1	49.6	45.2	.300	3.40	72	6	0.51	...	4	0	6	6	4	9	0	2	0	0
Means,	139	30.114	30.265	0.764	(79.4)	(34.5)	54.4	40.0	18.8	32.6	53.8	49.2	44.7	.295	3.37	71	6	0.73	1.15	3	3	4	4	1	2	8	4	2	0

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute highest. † Absolute lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

JUNE 1896.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of June 1896, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 4372 children, of whom 2179 were males, and 2193 females. Of these, 4033 were legitimate, and 339 illegitimate, being in the proportion of one illegitimate in every 12·9 Births, or the illegitimate Births constituted 7·8 per cent. of the whole. In Greenock, 4·4 per cent. of the Births were illegitimate; in Paisley, 5·3; in Leith, 5·4; in Glasgow, 6·7; in Edinburgh, 9·1; in Aberdeen, 10·1; in Perth, 10·5; and in Dundee, 11·8 per cent.

2089 Marriages were registered in these Towns during June, being 437 above the average number for the month during the last ten years, increase of the population being allowed for.

The Deaths of 2402 persons were registered in these Towns during June, of whom 1219 were males, and 1183 females. Allowing for increase of the population this number is 11 below the average for the month during the last ten years.

A comparison of the Deaths registered shows that during June the mortality was at the annual rate of 15·6 Deaths per thousand persons in Edinburgh; 17·6 in Leith; 17·9 in Aberdeen; 18·1 in Paisley; 18·8 in Perth; 19·2 in Dundee; 19·4 in Greenock; and 21·4 in Glasgow.

Of the 1234 Deaths registered in Glasgow, 305 were of children under one year of age, and 205 of persons over 60 years; of the 353 in Edinburgh, 63 were of children under one year, and 96 of persons over 60 years; of the 255 in Dundee, 64 were

of children under one, and 54 of persons over 60 years; of the 200 in Aberdeen, 34 were under one, and 59 over 60; of the 107 in Leith, 26 were under one, and 23 over 60; of the 108 in Paisley, 26 were under one, and 21 over 60; of the 98 in Greenock, 20 were under one, and 16 over 60; and of the 47 in Perth, 8 were under one, and 17 over 60 years.

Of the whole 2402 Deaths, 942, or 39·2 per cent., were of children under five years of age. In Perth, 19·1 per cent. of the persons who died were under five years of age; in Aberdeen, 27·5; in Greenock, 27·6; in Edinburgh, 30·3; in Leith, 34·6; in Dundee, 40·0; in Glasgow, 45·1; and in Paisley, 45·4 per cent.

Miasmatic Diseases caused 288 Deaths, or 12·0 per cent. of the whole mortality. This rate was exceeded in Glasgow, and Paisley; in the former town from the prevalence of Measles and Hooping-Cough, and in the latter from that of Hooping-Cough.

Fevers caused 17 deaths, of which 16 were from Enteric, and one from Simple Continued Fever.

Measles was the most fatal epidemic, having caused 127 deaths, or 5·3 per cent. of the whole. In Glasgow, 113 deaths, or 9·2 per cent., and in Dundee, 9, or 3·5 per cent. of the deaths, in these respective towns were caused by Measles.

Hooping-Cough caused 94 Deaths, or 3·9 per cent. of the whole. 69, or 5·6 per cent. of the deaths in Glasgow; and 14, or 13·0 per cent. of the deaths in Paisley were from Hooping-Cough.

Diarrhoea and Dysentery caused 64 deaths, or 2·7 per cent. of the whole.

22 deaths resulted from Scarlatina, 19 from Diphtheria, and 9 from Puerperal Fever.

To Intemperance were attributed 9 Deaths, 5 being from Chronic Alcoholism, and 4 from Delirium Tremens.

To Apoplexy were ascribed 80 Deaths; to Paralysis, 49; to Heart Diseases, 223; and to Premature Birth Debility, 88.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 371, or 15·4 per cent. of the whole. Those from Consumption alone numbered 267, or 11·1 per cent. 6 Deaths were caused by Croup.

From Violent Causes there resulted 101 Deaths, of which 8 were Suicidal (3 being by Cut-Throat, 4 by Hanging, and 1 by Drowning).

Two males and two females were aged 90 years and upwards, the eldest, being the widow of a blacksmith, was aged 93 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, JUNE 1896.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1896.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, . . .	576,847	658,198	705,052	1078	1085	2163	2017	146	990	643	591	1234
EDINBURGH, . .	234,402	261,225	276,514	318	341	659	599	60	459	182	171	353
DUNDEE, . . .	140,794	154,118	161,620	227	231	458	404	54	160	107	148	255
ABERDEEN, . .	106,306	124,943	135,941	189	198	387	348	39	204	102	98	200
LEITH, . . .	59,485	68,707	74,110	106	116	222	210	12	107	53	54	107
PAISLEY, . . .	55,638	66,425	72,902	122	103	225	213	12	79	57	51	108
GREENOCK, . .	66,704	63,423	61,781	95	87	182	174	8	50	46	52	98
PERTH, . . .	28,980	29,919	30,427	44	32	76	68	8	40	29	18	47
TOTAL, . . .	1,298,601	1,426,148	1,500,435	2179	2193	4372	4033	339	2089	1219	1183	2402

JUNE 1895, . . .	Mean Temp. 56°·7	2054	1903	3957	3657	300	1847	1157	1069	2226
JUNE 1894, . . .	Mean Temp. 54°·8	1935	1911	3846	3585	261	1747	1078	1087	2165
JUNE 1893, . . .	Mean Temp. 58°·4	2103	2004	4107	3802	305	1663	1349	1214	2563
JUNE 1892, . . .	Mean Temp. 54°·0	2121	2062	4183	3842	341	1796	1141	1143	2284
JUNE 1891, . . .	Mean Temp. 56°·2	1996	1946	3942	3623	319	1600	1334	1260	2694
JUNE 1890, . . .	Mean Temp. 55°·2	1913	1784	3697	3414	283	1616	1164	1183	2352
JUNE 1889, . . .	Mean Temp. 57°·4	1815	1790	3605	3304	301	1384	1013	1028	2041
JUNE 1888, . . .	Mean Temp. 52°·5	1918	1782	3700	3384	316	1315	1002	1000	2002
JUNE 1887, . . .	Mean Temp. 58°·4	1962	1819	3781	3464	317	1280	1075	1112	2187
JUNE 1886, . . .	Mean Temp. 53°·9	1962	1939	3901	3584	317	1312	1129	1082	2211

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of JUNE 1896.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton, . .	0	17	4	20	4	9	3	1. St Peter, . .	0	0	2	0	0	1	0
2. Camlachie, . .	0	1	0	5	0	0	5	2. St Mary, . .	0	4	0	0	0	0	4
3. Dennistoun, . .	0	2	0	5	2	0	1	3. St Clement, . .	0	1	0	0	0	1	2
4. Calton, . . .	0	1	0	2	1	0	1	4. St Andrew, . .	0	2	0	0	0	0	3
5. Blackfriars, . .	0	0	0	3	0	0	2	5. Lochee, . . .	0	2	0	1	1	0	0
6. St Rollox, . . .	0	14	2	5	0	0	2	Mains, . . .	0	0	0	0	0	0	0
7. Blythswood, . .	0	0	0	3	0	1	1								
8. Milton, . . .	0	20	0	2	0	0	0	ABERDEEN—							
9. Kelvin, . . .	0	15	0	0	1	0	0	1. St Nicholas, . .	0	0	4	3	2	0	4
10. Anderston, . .	0	5	0	5	0	0	0	2. Aberdeen, . .	0	0	1	0	0	0	2
11. Hutchesontown, .	0	21	0	8	0	0	1	3. Woodside, . .	0	0	0	1	0	0	1
12. Gorbals, . . .	0	3	0	6	0	0	2	4. Old Aberdeen, .	0	0	0	0	0	0	0
13. Tradeston, . .	0	3	0	2	0	1	1	E. Peterculter, . .	0	0	0	0	0	0	0
14. Kinning Park, .	0	0	0	0	0	0	0	Nigg, . . .	0	0	0	1	0	0	0
Cathcart, . . .	0	0	0	1	0	0	0								
Eastwood, . . .	0	0	0	0	0	0	0	LEITH—							
Maryhill, . . .	0	8	0	1	1	0	9	1. North, . . .	0	0	2	0	0	2	0
Shettleston, . .	0	0	0	0	0	0	0	2. South, . . .	0	0	0	0	2	0	4
Plantation, . . .	0	0	0	0	0	0	0								
Govan, . . .	0	0	0	0	0	0	0	PAISLEY, . . .	0	0	1	14	0	1	2
Partick, . . .	0	3	0	0	0	0	0								
EDINBURGH—								GREENOCK—							
1. St George, . .	0	0	3	0	1	0	2	1. East, . . .	0	0	1	0	0	0	2
2. St Andrew, . .	0	1	0	1	0	0	0	2. West, . . .	0	1	1	1	0	2	0
3. Canongate, . .	0	3	1	0	3	1	1								
4. St Giles, . . .	0	0	0	0	0	0	1	PERTH, . . .	0	0	0	0	0	0	5
5. Newington, . .	0	0	0	3	1	0	3								

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of JUNE 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	2402	556	106	367	205	1234	107	36	114	96	353	102	10	89	54	255	55	16	70	59	200
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	383	215	14	15	7	251	25	3	6	4	38	22	1	4	1	28	12	5	2	3	22
II. PARASITIC DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC „	9	-	-	3	1	4	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-
IV. CONSTITUTIONAL „	496	40	43	128	20	231	13	15	35	9	72	14	5	33	11	63	5	4	29	9	47
V. DEVELOPMENTAL „	163	42	-	-	28	70	13	-	-	10	23	14	-	-	7	21	12	-	-	6	18
VI. LOCAL „	1149	199	42	181	141	563	45	16	59	70	190	35	3	51	35	124	20	4	36	40	100
VII. VIOLENCE - - -	101	10	6	28	6	50	4	2	9	3	18	4	1	1	-	6	3	3	3	-	-
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	101	50	1	12	2	65	7	-	1	-	8	13	-	-	-	13	3	-	-	1	-
I.																					
1. MIASMATIC DISEASES -	288	187	14	7	1	209	16	3	2	-	21	12	1	1	1	15	8	4	1	1	1
2. DIARRHEAL „	65	24	-	1	4	29	5	-	-	2	7	8	-	1	-	9	4	1	1	1	-
3. MALARIAL „	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. ZOOGENOUS „	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. VENEREAL „	12	3	-	1	1	5	3	-	-	1	4	2	-	-	-	2	-	-	-	1	-
6. SEPTIC „	18	1	-	6	1	8	1	-	4	1	6	-	-	2	-	2	-	-	-	-	-
II.																					
PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES - -	9	-	-	3	1	4	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-
IV.																					
CONSTITUTIONAL DISEASES	496	40	43	128	20	231	13	15	35	9	72	14	5	33	11	63	5	4	29	9	-
V.																					
DEVELOPMENTAL DISEASES	163	42	-	-	28	70	13	-	-	10	23	14	-	-	7	21	12	-	-	6	-
VI.																					
1. DIS. OF NERVOUS SYSTEM -	273	47	8	27	37	119	13	2	14	16	45	6	1	14	13	34	7	1	6	11	-
2. „ ORGANS OF SPECIAL SENSE - -	5	2	1	-	-	3	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
3. „ CIRCULATORY SYSTEM	223	4	6	48	40	98	-	5	12	28	45	-	1	14	11	26	-	2	14	7	-
4. „ RESPIRATORY SYSTEM	371	105	10	53	38	206	22	3	10	12	47	24	-	11	9	44	4	-	8	11	-
5. „ DIGESTIVE SYSTEM -	169	39	7	22	17	85	9	3	9	8	29	5	-	4	1	10	8	1	3	5	-
6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS - -	4	-	-	2	-	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
7. „ URINARY SYSTEM -	62	1	6	13	7	27	-	1	8	6	15	-	-	6	1	7	-	-	3	5	-
8. „ REPRODUCTIVE SYSTEM:—																					
(a) DISEASES OF ORGANS OF GENERATION -	9	-	-	4	1	5	-	-	2	-	2	-	-	-	-	-	-	-	1	1	-
(b) DISEASES OF PARTURITION - -	12	-	-	8	-	8	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-
9. „ ORGANS OF LOCOMOTION - -	15	1	4	2	-	7	-	2	1	-	3	-	1	1	-	2	1	-	-	-	-
10. „ INTEGUMENTARY SYSTEM - -	6	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of JUNE 1896.

85

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -	37	11	36	23	107	49	9	29	21	108	27	13	42	16	98	9	2	19	17	47
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	7	2	1	-	10	16	1	3	1	21	3	3	2	-	8	3	-	1	1	5
II. PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC " -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. CONSTITUTIONAL,, -	8	6	17	3	34	4	5	8	1	18	5	4	12	3	24	1	1	3	2	7
V. DEVELOPMENTAL,, -	6	-	-	6	12	4	-	-	6	10	4	-	-	2	6	1	-	-	2	3
VI. LOCAL " -	15	3	14	14	46	21	2	16	12	51	10	5	21	9	45	3	1	14	12	30
VII. VIOLENCE - - -	1	-	3	-	4	-	1	1	-	2	1	1	7	2	11	-	-	1	-	1
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES -	-	-	-	-	-	4	-	1	1	6	4	-	-	-	4	1	-	-	-	1
I.																				
MIASMATIC DISEASES - -	3	2	1	-	6	14	1	1	1	17	2	2	2	-	6	-	-	-	-	-
DIARRHEAL " - -	4	-	-	-	4	2	-	-	-	2	1	1	-	-	2	3	-	1	1	5
MALARIAL " - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS " - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL " - -	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
SEPTIC " - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.																				
PARASITIC DISEASES - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																				
DIETETIC DISEASES - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.																				
CONSTITUTIONAL DISEASES- -	8	6	17	3	34	4	5	8	1	18	5	4	12	3	24	1	1	3	2	7
V.																				
DEVELOPMENTAL DISEASES- -	6	-	-	6	12	4	-	-	6	10	4	-	-	2	6	1	-	-	2	3
VI.																				
DISEASES OF NERVOUS SYSTEM -	4	1	2	2	9	4	-	5	7	16	5	2	5	2	14	-	-	4	7	11
" ORGANS OF SPECIAL SENSE -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" CIRCULATORY SYSTEM -	-	1	6	6	13	-	-	3	2	5	-	-	5	4	9	-	-	3	1	4
" RESPIRATORY SYSTEM -	8	-	4	4	16	8	1	3	1	13	3	1	5	2	11	2	1	4	4	11
" DIGESTIVE SYSTEM -	2	1	1	2	6	8	-	3	2	13	2	1	2	1	6	1	-	2	-	3
" LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" URINARY SYSTEM -	1	-	-	-	1	-	-	2	-	2	-	-	1	-	1	-	-	1	-	1
" REPRODUCTIVE SYSTEM :-																				
(a) DISEASES OF ORGANS OF GENERATION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) DISEASES OF PARTURITION -	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
" ORGANS OF LOCOMOTION - -	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-
" INTEGUMENTARY SYSTEM -	-	-	1	-	1	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-

Registered during the Month of JUNE 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	92	10	6	25	6	47	3	2	7	2	14	4	1	1	-	6	3	3	3	-	9
2. VIOLENCE - OTHER THAN ACCIDENTAL - - -	9	-	-	3	-	3	1	-	2	1	4	-	-	-	-	-	-	-	-	-	-
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES	101	50	1	12	2	65	7	-	1	-	8	13	-	-	-	13	3	-	-	1	4
MIASMATIC DISEASES.																					
Small-pox { Vaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	127	109	4	-	-	113	4	-	-	-	4	8	1	-	-	9	-	-	-	-	-
Epidemic Rose Rash - - -	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	22	3	2	1	-	6	3	1	-	-	4	2	-	-	-	2	2	3	-	-	5
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	5	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	1	1	2
Hooping-Cough - - -	94	65	4	-	-	69	4	-	-	-	4	1	-	-	-	1	5	-	-	-	5
Mumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	19	8	-	-	1	9	3	2	-	-	5	1	-	-	-	1	1	1	-	-	2
Cerebro-spinal Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	16	1	4	6	-	11	-	-	1	-	1	-	-	1	1	2	-	-	-	-	-
Other Miasmatic Diseases - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																					
Simple Cholera - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery - - -	64	23	-	1	4	28	5	-	-	2	7	8	-	1	-	9	4	1	1	1	7
MALARIAL DISEASES.																					
Remittent Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																					
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																					
Syphilis - - -	10	3	-	1	1	5	3	-	-	-	3	2	-	-	-	2	-	-	-	-	-
Gonorrhoea Stricture of Urethra - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-
SEPTIC DISEASES.																					
Phagedæna - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	6	1	-	1	1	3	-	-	1	1	2	-	-	1	-	1	-	-	-	-	-
Pyæmia, Septicæmia - - -	3	-	-	-	-	-	1	-	1	-	2	-	-	1	-	1	-	-	-	-	-
Puerperal Fever - - -	9	-	-	5	-	5	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																					
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Dis. from Veg. Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hydatid Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Dis. from Animal Par. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DIETETIC DISEASES.																					
Starvation, Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Intemp. { Chronic Alcoholism	5	-	-	1	-	1	-	-	3	-	3	-	-	-	-	-	-	-	-	-	
	4	-	-	2	1	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
CONSTITUTIONAL DISEASES.																					
Rheumatic Fever, Rheu- matism of Heart - - -	9	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatism - - - - -	4	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rickets - - - - -	2	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	
Cancer - - - - -	85	1	1	21	7	30	-	5	7	12	1	-	8	7	16	-	7	7	14	1	
Tabes Mesenterica - - -	34	9	10	2	-	21	3	1	1	5	3	1	-	-	4	1	-	-	-	-	
Tubercular Meningitis (Acute Hydrocephalus) - - -	49	16	4	1	-	21	7	2	1	10	5	-	-	-	5	2	-	-	-	2	
Phthisis - - - - -	267	8	21	100	8	137	1	10	22	34	-	2	25	3	30	-	2	22	-	24	
Other forms of Tuber. Scrofula	31	5	6	-	-	11	1	2	2	5	4	2	-	1	7	1	2	-	-	3	
Purp., Hæmorrhagic Diathesis	5	1	-	1	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	
Anæmia, Chl., Leucocythæmia	7	-	-	1	1	2	-	-	3	4	-	-	-	-	-	-	-	-	1	1	
Diabetes Mellitus - - -	2	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Other Constitutional Diseases	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DEVELOPMENTAL DISEASES.																					
Premature Birth - - -	88	37	-	-	-	37	12	-	-	12	13	-	-	-	13	11	-	-	-	11	
Atelectasis - - - - -	3	2	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	
Cyanosis - - - - -	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Spina Bifida - - - - -	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
Imperforate Anus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cleft Palate, Harelip - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Congenital Defects -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	
Old Age - - - - -	67	-	-	-	28	28	-	-	10	10	-	-	-	7	7	-	-	-	6	6	
DISEASES OF NERVOUS SYSTEM.																					
Inflammation of Brain or its Membranes - - - - -	59	20	5	2	1	28	6	1	1	9	4	-	3	1	8	2	-	1	-	3	
Apoplexy - - - - -	80	2	1	8	22	33	-	-	4	13	-	-	4	5	9	-	-	4	7	11	
Softening of Brain - - -	6	-	-	1	-	1	-	-	-	-	-	-	-	3	3	-	-	-	-	-	
Hemiplegia, Brain Paralysis -	41	-	-	5	12	17	-	-	2	5	-	-	2	2	4	-	-	1	3	4	
Paralysis Agitans - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Insanity, General Par. of Insane	7	-	-	2	-	2	-	-	3	3	-	-	1	1	2	-	-	-	-	-	
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Epilepsy - - - - -	11	-	-	4	1	5	-	-	2	3	-	-	-	-	-	-	-	-	1	1	
Convulsions - - - - -	39	21	-	1	-	22	6	1	-	7	1	-	-	-	1	4	-	-	-	4	
Laryngismus Stridulus - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	
Idiopathic Tetanus - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Paraplegia, Dis. of Spinal Cord	8	-	-	3	-	3	-	-	1	1	-	-	3	-	3	-	-	-	-	-	
Other Diseases of Ner. System	19	4	2	1	1	8	1	-	1	4	-	1	1	1	3	1	1	-	-	2	
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Otorrhœa - - - -	5	2	1	-	-	3	1	-	1	2	-	-	-	-	-	-	-	-	-	-	
Epistaxis and Dis. of Nose -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ophthalmia and Dis. of Eye -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

89

Registered during the Month of JUNE 1896.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
ish - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
er Dis. from Vegetable Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
atid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
er Dis. from Animal Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
vation, Want of Breast Milk -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
mp. { Chronic Alcoholism	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Delirium Tremens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
umatic Fever, Rheumatism of	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart - - - - -	-	1	1	1	3	-	1	-	-	1	-	1	-	-	1	-	-	1	-	1
umatism - - - - -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
it - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
kets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
acer - - - - -	-	-	2	2	4	-	1	1	1	3	-	-	2	3	5	-	-	-	1	1
pes Mesenterica - - - - -	1	-	-	-	1	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
bercular Meningitis (Acute	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrocephalus) - - - - -	6	2	-	-	8	3	-	-	-	3	-	3	10	-	-	-	1	2	1	-
thisis - - - - -	-	3	14	-	17	-	1	7	-	8	-	-	-	-	13	-	-	-	-	4
er forms of Tuberculosis, Scrofula	-	-	-	-	-	1	1	-	-	2	2	-	-	-	2	1	-	-	-	1
rpura, Hæmorrhagic Diathesis -	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
æmia, Chlorosis, Leucocythæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
abetes Mellitus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
er Constitutional Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
emature Birth - - - - -	6	-	-	-	6	4	-	-	-	4	4	-	-	-	4	1	-	-	-	1
electasis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
anosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ina Bifida - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
perforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
eft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
her Congenital Defects - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
d Age - - - - -	-	-	-	6	6	-	-	-	6	6	-	-	-	2	2	-	-	-	2	2
DISEASES OF NERVOUS SYSTEM.																				
fflamation of Brain or its Mem-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
branes - - - - -	1	1	-	-	2	3	-	-	-	3	4	2	-	-	6	-	-	-	-	-
oplexy - - - - -	-	-	-	-	-	-	-	2	2	4	-	-	2	2	4	-	-	3	3	6
oftening of Brain - - - - -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
emiplegia, Brain Paralysis -	-	-	-	1	1	-	-	1	5	6	-	-	1	-	1	-	-	3	1	3
aralysis Agitans - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
sanity, General Paralysis of Insane	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
horea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
pilepsy - - - - -	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
onvulsions - - - - -	3	-	-	-	3	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
aryngismus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
liopathic Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
araplegia, Diseases of Spinal Cord	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ther Diseases of Nervous System	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
titis, Otorrhœa - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
epistaxis and Dis. of Nose - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
phthalmia and Dis. of Eye - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	180	2	6	41	34	83	-	5	8	21	34	-	-	11	10	21	-	2	9	6	1
Pericarditis -	3	-	-	1	1	2	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-
Hypertrophy of Heart -	4	-	-	1	-	1	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
Angina Pectoris -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Syncope -	19	1	-	2	1	4	-	-	3	5	8	-	-	1	1	2	-	-	2	-	-
Aneurism -	7	-	-	2	-	2	-	-	1	1	2	-	-	-	-	-	-	-	2	-	-
Senile Gangrene -	3	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Embolism, Thrombosis -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	2	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup -	6	3	-	-	-	3	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-
Other Dis. of Larynx & Trachea	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis -	166	33	2	20	27	82	7	-	6	7	20	14	-	5	6	25	3	-	3	6	1
Pneumonia -	171	56	6	29	7	98	11	3	4	3	21	9	-	6	3	18	1	-	5	4	1
Pleurisy -	5	1	-	1	2	4	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Resp. System	21	11	1	3	2	17	2	-	-	1	3	-	-	-	-	-	-	-	-	1	-
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	17	11	-	-	-	11	-	-	-	-	-	2	-	-	-	2	1	-	-	-	-
Sore-throat, Quinsy -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	12	3	-	-	1	4	2	-	-	1	3	-	-	-	-	-	-	-	-	1	-
Hæmatemesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna -	2	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	23	2	1	4	6	13	1	-	1	-	2	-	-	-	-	-	2	-	2	-	-
Enteritis -	32	11	-	-	1	12	5	-	1	1	7	3	-	-	-	3	4	-	-	1	-
Ulceration of Intestine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	8	-	-	1	3	4	-	-	-	-	-	-	-	2	-	2	1	-	-	1	-
Stricture or Strang. of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	3	1	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia -	12	1	-	4	3	8	-	-	1	1	2	-	-	-	-	-	-	-	-	1	-
Fistula -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	20	2	4	4	2	12	-	1	1	2	4	-	-	-	-	-	-	1	1	-	-
Ascites -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Gallstones -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	7	-	-	3	-	3	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Other Diseases of Liver -	21	4	1	3	1	9	-	1	3	1	5	-	-	1	1	2	-	-	-	1	-
Other Dis. of Digestive System	7	2	-	1	-	3	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Spleen -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Suprarenal Capsules -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	16	-	2	3	1	6	-	1	1	1	3	-	-	1	-	1	-	-	1	2	-
Bright's Disease -	34	-	2	9	3	14	-	-	7	5	12	-	-	4	-	4	-	-	1	1	-
Uræmia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	6	-	-	1	2	3	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-
Other Dis. of Urinary System	6	1	2	-	1	4	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-

97

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60 etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease	-	-	5	6	11	-	-	1	2	3	-	-	5	3	8	-	-	2	1	3
Pericarditis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Syncope -	-	1	1	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Aneurism -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Senile Gangrene -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Phlebitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis -	5	-	2	3	10	4	-	-	1	5	2	1	2	2	7	2	-	1	2	5
Pneumonia -	3	-	2	1	6	4	1	3	-	8	1	-	3	-	4	-	1	3	2	6
Pleurisy -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	-	-	-	-	-	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-
Sore-throat, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	-	-	-	-	-	2	-	-	-	2	1	-	-	1	2	-	-	-	-	-
Hæmatemesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach	-	-	-	-	-	1	-	-	-	1	1	1	1	-	3	-	-	-	-	-
Enteritis -	2	-	-	-	2	2	-	-	1	3	-	-	-	-	-	-	-	-	-	-
Ulceration of Intestine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture or Strangulation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia -	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Fistula -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Peritonitis -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ascites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Other Diseases of Liver -	-	-	-	1	1	-	-	1	-	1	-	-	1	-	1	1	-	-	-	1
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Suprarenal Capsules -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis -	1	-	-	-	1	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Bright's Disease -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Uræmia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Urinary System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	6	-	-	1	1	2	-	-	2	-	2	-	-	-	-	-	-	-	1	1	2
Diseases of Uterus and Vagina	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - -	3	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth	7	-	-	4	-	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	6	1	2	-	-	3	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-
Arthritis, Ostitis, Periostitis -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locom.	8	-	2	2	-	4	-	1	-	-	1	-	-	1	-	1	1	-	-	-	1
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Other Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles { Railways - -	4	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and { Veh. oth. than R'wys. -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Burns, { Conflagrations - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns & Scalds -	6	3	-	2	-	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Scalds { Explosions - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours -	5	-	-	2	-	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Drowning - - -	8	1	-	2	-	3	-	-	1	-	1	-	-	-	-	-	1	1	-	-	2
Suffocation { In Bed - -	10	1	-	-	-	1	3	-	-	-	3	3	-	-	-	3	1	-	-	-	1
Suffocation { Otherwise - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Falls - - -	5	1	1	-	1	3	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - -	26	1	1	9	3	14	-	-	3	-	3	-	1	-	-	1	1	1	-	-	2
Otherwise, or Not Stated -	24	2	3	7	2	14	-	2	1	-	3	1	-	1	-	2	-	-	2	-	2
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Suicide - - -	8	-	-	3	-	3	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	4	-	-	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition	81	46	1	2	-	49	7	-	1	-	8	13	-	-	-	13	1	-	-	-	1
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-def. & not spec. Causes	11	2	-	7	-	9	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																				
Abortion, Miscarriage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens -	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
Other Accidents of Childbirth -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Arthritis, Ostitis, Periostitis -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Other Dis. of Organs of Locomotion -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis -	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-
Lupus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integumentary System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																				
Mines and Quarries { Coal Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Quarries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses { Railways -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Veh. other than R'ways.	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Horses -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drowning)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, Scalds { Conflagrations -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Burns and Scalds -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Explosions -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours -	-	-	-	-	-	-	-	1	-	1	-	-	-	2	2	-	-	-	-	-
Drowning -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation { In Bed -	-	1	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
{ Otherwise -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Falls -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) -	-	-	-	-	-	-	-	-	-	-	-	-	5	1	6	-	-	-	-	-
Otherwise, or Not Stated -	-	-	-	-	-	-	1	-	-	1	-	1	-	1	2	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Execution -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																				
Dropsy -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition -	-	-	-	-	-	-	4	-	1	5	4	-	-	-	4	1	-	-	-	1
Mortification -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Hæmorrhage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other ill-def. and not spec. Causes -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—JUNE 1896.

DISTRICTS.	Estimated Population at Middle of 1896.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	23,542	61	33	31	0	0	0	2	0	0	0	0	0	1	1
Ayr,	28,373	75	41	50	0	0	0	5	0	0	0	1	0	3	6
Banff, with Macduff,	8,726	12	10	8	0	0	0	0	0	0	0	1	0	1	1
Blairgowrie,	4,329	7	6	10	0	0	0	0	0	1	0	0	0	1	2
Callander,	2,340	4	2	2	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,535	20	10	10	0	0	0	0	0	0	0	0	0	2	0
Cathcart (Landward),	5,557	16	4	7	0	0	0	0	0	0	0	0	0	0	1
Coatbridge,	36,540	128	27	41	0	1	0	0	0	1	0	3	0	3	4
Crieff,	5,659	12	6	9	0	0	0	0	0	0	0	0	0	0	3
Dumbarton,	20,001	49	16	31	0	0	0	1	0	0	0	1	1	7	3
Dumfries, with Troqueer,	24,535	76	35	49	0	0	0	0	1	0	0	3	0	5	6
Dunfermline	29,960	66	42	34	0	0	1	0	1	0	0	0	0	3	5
Dunoon,	7,544	13	6	9	0	0	0	0	0	1	0	1	0	0	0
Eastwood (Landward),	14,269	44	17	21	0	0	0	7	0	1	0	0	0	3	1
Elgin,	10,805	20	10	18	0	0	0	0	0	0	0	0	0	2	4
Falkirk,	29,079	98	36	38	0	0	2	4	0	2	0	2	0	6	3
Forfar,	13,260	34	12	26	0	0	0	1	0	0	0	0	0	2	5
Galashiels,	18,927	37	19	21	0	0	0	1	0	0	0	0	0	3	5
Govan—(1) Plantation (Land- ward),	25,215	82	14	44	0	9	0	6	0	0	0	0	0	8	5
(2) Govan (Landward),	45,789	174	42	93	0	10	5	0	1	0	0	3	0	17	14
(3) Partick (Landward),	42,490	149	53	61	0	1	0	6	1	0	0	7	0	9	6
Haddington,	4,997	16	4	5	0	0	0	0	0	0	0	0	0	1	1
Hawick, with Wilton,	22,342	45	30	27	0	0	0	0	0	1	0	0	0	3	2
Inverness,	25,377	61	34	50	*1	7	0	1	0	0	0	2	0	6	4
Kilmarnock, with Riccarton,	32,726	76	52	47	0	0	0	0	0	0	0	5	0	6	6
Kilmore and Kilbride (Oban),	6,064	10	12	8	0	0	0	0	0	0	0	0	0	0	1
Kinning Park (Landward),	14,948	43	13	14	0	0	1	1	0	0	0	0	0	6	0
Kirkcaldy and Abbotshall,	19,209	52	25	36	0	1	0	0	0	7	0	0	0	2	3
Kirkcudbright,	3,476	8	4	5	0	0	0	0	0	0	0	2	0	0	1
Largs,	5,412	14	5	9	0	0	0	0	0	0	0	0	0	1	0
Logie (Bridge of Allan),	4,384	4	4	2	0	0	0	0	0	0	0	0	0	1	0
Moffat,	3,002	2	1	4	0	0	0	0	0	0	0	0	0	0	0
Montrose,	13,532	31	17	27	0	0	0	0	1	0	0	2	0	2	7
Moulin (Pitlochry),	2,230	5	3	2	0	0	0	0	0	0	0	0	0	0	1
Nairn,	5,178	6	6	9	0	0	0	1	0	0	0	2	0	0	1
New Monkland (Airdrie),	37,403	119	21	43	0	0	0	1	0	0	0	0	0	7	9
North Berwick,	3,239	5	3	0	0	0	0	0	0	0	0	0	0	0	0
Peterhead, with Boddam,	16,724	51	13	20	0	0	0	0	0	0	0	0	0	1	3
Rothsay	9,546	21	2	16	0	0	0	0	0	1	0	0	0	5	1
St Andrews and St Leonards,	8,835	16	4	7	0	0	0	0	0	0	0	0	0	1	1
Shettleston (Landward),	17,481	49	8	21	0	1	0	0	0	1	0	0	0	3	3
Stirling,	15,508	55	28	26	0	0	2	0	0	0	0	2	0	1	2
Stranraer,	6,079	13	5	8	0	0	0	0	0	0	0	0	2	2	0
Wick,	12,243	27	7	13	0	0	0	1	0	0	0	1	0	3	0

* Chicken-pox.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 139 feet above the sea-level,

For the month of JUNE 1896.

Mean barometric pressure, 29.905 inches; less than the average for the same month of 1856–95 by 0.041 inch.

Barometric monthly range, 0.747 inch; less by 0.180 inch.

Mean temperature, $57^{\circ}2$; greater by $1^{\circ}4$.

Mean daily range of temperature, $13^{\circ}9$; less by $1^{\circ}4$.

Mean humidity, 81; greater by 3.6.

Rain, number of days, 20; greater by 7 days.

Rain, depth in inches, 3.32; greater by 0.82 inch.

Wind, pressure on square foot, 1.55 lb.; greater by 0.21 lb.

Wind, direction of, E. to W. as 10 to 9, and N. to S. as 5 to 5; the average being E. to W. as 8 to 10, and N. to S. as 4 to 6.

Thus the weather of June 1896 was characterised by a mean barometric pressure a little under the average, with a monthly range lower than has been recorded since 1864; a mean temperature about a degree and a half above the average, with a mean daily range above a degree and a half lower than has occurred since 1879; a mean humidity greater than any since 1875; a rainfall 33 per cent. above the average, falling on seven days in excess of the mean of June; and a prevalence of north-easterly winds.

The mean barometric pressure was 29.905 inches, which is 0.041 inch under the average, the deficiency being greater in the south than in the north, and in the west than in the east. From this manner of distribution of the pressure resulted the greater prevalence of winds from north, north-east, and east, which were four days more than the average. The type of weather was generally anti-cyclonic. No very low pressures were recorded, but small, shallow cyclones were rather frequent, accompanied with a rather copious rainfall, and during the first ten days of the month, also with thunderstorms.

The mean temperature of the eight towns was $57^{\circ}2$, or $1^{\circ}4$ above the average, but the distribution of the excess of temperature was very unequal, arising from the excess of north-easterly winds. Thus at Aberdeen, in the east, the mean temperature was $54^{\circ}7$, or $0^{\circ}3$ above the average, whereas at Glasgow and Paisley, in the west, it was $58^{\circ}8$, or $3^{\circ}0$ above the average. The excess of temperature was almost wholly due to the striking warmth of the nights, which show a mean higher than any June since 1861. This feature was occasioned by the remarkably large humidity of the month. On the other hand, the day temperature has been eight times exceeded since 1861. The absolutely highest temperature was $82^{\circ}7$ at Glasgow on the 15th; and the lowest $39^{\circ}0$ at Perth on the 1st; thus giving the large range of $43^{\circ}7$ for the eight large towns.

The rainfall of the month was a third above the average. Owing to the comparatively large moisture in the atmosphere, the north-easterly winds carried the heavy rains accompanying them much farther than usual, to inland and western stations. Thus, while at Aberdeen the amount was 2.17 inches, at Glasgow it was 4.82 inches, these being 23 and 108 per cent. above their respective averages. At Paisley the rainfall was less than half that of Glasgow. The rainfall occurred daily from the 1st to the 10th, from the 16th to the 24th, and on the 29th and 30th. On the other days of the month almost none fell. The greatest daily falls were $1^{\circ}51$ inch at Greenock, and $1^{\circ}19$ inch at Glasgow, both on the 5th.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH.
During the Month of JUNE 1896.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.					RAIN.		WINDS.									Mean Pres- sure on Sq. ft.
		Mean at Station and 32°.	Mean at Sea-level and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.										
																			N	NE	E	SE	S	SW	W	NW	Calm or Variable.	lbs.	
GLASGOW, J. B. RUSSELL, M.D., Medical Officer of Health, Glasgow.	54	29.846	29.905	0.714	82.7	42.2	58.8	40.5	16.1	29.1	58.1	54.3	50.9	.374	4.18	77	20	4.82	2	4	3	0	0	0	4	8	9	0.25	
EDINBURGH, R. C. MOSSMAN, F.R.S.E.	276	29.690	29.908	0.718	75.5	44.4	56.7	31.1	12.7	26.0	55.7	53.2	50.9	.374	4.17	84	22	3.57	3	3	9	1	2	9	2	0	0	0.67	
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.726	29.904	0.734	76.7	42.2	56.9	34.5	14.6	26.2	55.5	53.0	50.6	.370	4.15	84	21	2.71	0	3	4	11	1	5	4	2	0	1.25	
ABERDEEN, JAMES DALE, Gordon's Hospital.	66	29.840	29.912	0.760	73.8	44.7	54.7	29.1	10.8	21.0	54.6	51.7	48.9	.347	3.95	81	22	2.17	3	5	5	6	3	2	3	0	0	2.38	
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	70	29.829	29.905	0.784	73.9	46.0	56.9	27.9	11.2	26.9	56.2	53.2	50.4	.367	4.12	81	19	3.21	1	2	12	1	2	9	1	1	1	2.07	
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29.791	29.905	0.754	81.8	43.0	58.8	38.8	15.0	29.1	57.5	54.3	51.4	.380	4.24	80	20	2.36	2	4	7	1	3	10	2	0	0	1.12	
GREENOCK, ROBERT GILMOUR, Greenock Water Works.	233	29.656	29.903	0.722	79.4	44.0	57.5	35.4	14.3	25.0	57.3	53.2	49.5	.353	3.93	75	17	4.54	0	4	5	4	0	1	12	4	0	2.62	
PERTH, A. GAEDECKE, Gardener to James F. Pullar, F.R.S.E.	140	29.752	29.907	0.790	77.5	39.0	57.6	38.5	16.2	33.5	56.3	53.6	51.0	.377	4.22	82	18	3.15	2	0	14	0	5	9	0	0	0	...	
Means,	139	29.766	29.905	0.747	(82.7)	(43.0)	57.2	34.5	13.9	27.1	56.4	53.3	50.4	.367	4.12	81	20	3.32	2	3	7	3	2	3	6	3	1	1.55	

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute highest. † Absolute lowest.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF

SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

JULY 1896.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of July 1896, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 4088 children, of whom 2075 were males, and 2013 females. Of these, 3794 were legitimate, and 294 illegitimate, being in the proportion of one illegitimate in every 13·9 Births, or the illegitimate Births constituted 7·2 per cent. of the whole. In Leith, 2·4 per cent. of the Births were illegitimate; in Greenock, 4·5; in Perth, 5·1; in Glasgow, 6·8; in Dundee, and in Paisley, 7·1; in Edinburgh, 8·1; and in Aberdeen, 12·5 per cent.

1780 Marriages were registered in these Towns during July, being 272 above the average number for the month during the last ten years, allowing for increase of the population.

The Deaths of 2381 persons were recorded in these Towns during July, of whom 1229 were males, and 1152 females. Increase of the population being allowed for this is 61 above the average number for the month during the last ten years.

A comparison of the Deaths registered shows that during July the mortality was at the annual rate of 13·9 Deaths per thousand persons in Aberdeen; 16·0 in Edinburgh; 16·1 in Leith; 16·7 in Paisley; 17·9 in Dundee; 18·6 in Perth; 20·7 in Glasgow; and 22·0 in Greenock.

Of the 1234 Deaths registered in Glasgow, 276 were of children under one year of age, and 192 of persons over 60 years; of the 375 in Edinburgh, 85 were of children under one year, and 82 of persons over 60 years; of the 245 in Dundee, 61 were of

children under one year, and 48 of persons over 60 years ; of the 160 in Aberdeen, 34 were under one, and 50 over 60 years ; of the 101 in Leith, 20 were under one, and 24 over 60 ; of the 103 in Paisley, 21 were under one, and 24 over 60 ; of the 115 in Greenock, 31 were under one, and 24 over 60 ; and of the 48 in Perth, 13 were under one, and 18 over 60 years.

Of the whole 2381 Deaths, 997, or 41·9 per cent. were of children under five years of age. In Aberdeen, 28·1 per cent. of the persons who died were under five years of age ; in Leith, 30·7 ; in Perth, 33·3 ; in Edinburgh, 35·7 ; in Paisley, 36·9 ; in Greenock, 39·1 ; in Dundee, 39·6 ; and in Glasgow, 47·9 per cent.

Miasmatic Diseases caused 294 Deaths, or 12·3 per cent. of the whole. This rate was exceeded in Glasgow chiefly from the prevalence of Measles, and in Paisley from that of Hooping-Cough.

Fevers caused 25 Deaths, of which 23 were stated to have been from Enteric Fever, one from Typhus (in Glasgow), and one from Simple Continued Fever.

Measles was the most fatal epidemic, having caused 149 Deaths, or 6·3 per cent. of the whole mortality. In Glasgow, 137 Deaths resulted from Measles, causing 11·1 per cent. of the Deaths there.

Hooping-Cough caused 74 Deaths, or 3·1 per cent. of the whole. 13 Deaths from Hooping-Cough occurred in Paisley, being at the rate of 12·6 per cent. of the Deaths there.

Scarlatina caused 29 Deaths ; Diphtheria, 11 ; Cholera, 2 ; and Puerperal Fever, 6. Diarrhoea and Dysentery caused 110 Deaths, or 4·6 per cent. of the total.

To Intemperance were ascribed 12 Deaths, 10 being from Chronic Alcoholism, and 2 from Delirium Tremens.

To Apoplexy were attributed 95 Deaths ; to Paralysis, 42 ; to Diseases of the Heart, 212 ; and to Premature Birth Debility, 80.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 317, or 13·3 per cent. of the whole. Those from Consumption alone numbered 235, or 9·9 per cent. 11 Deaths were caused by Croup.

From Violent Causes there resulted 94 Deaths, of which 3 were Suicidal, being respectively caused by Precipitation, Drowning, and Hanging.

One male and three females had passed the 90th year of life, the eldest being a female, and aged 99 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, JULY 1896.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1896.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, .	576,847	658,198	705,052	1016	999	2015	1877	138	864	662	572	1234
EDINBURGH, .	234,402	261,225	276,514	317	303	620	570	50	317	186	189	375
DUNDEE, .	140,794	154,118	161,620	207	217	424	394	30	212	117	128	245
ABERDEEN, .	106,306	124,943	135,941	180	172	352	308	44	149	72	88	160
LEITH, .	59,485	68,707	74,110	101	109	210	205	5	77	48	53	101
PAISLEY, .	55,638	66,425	72,902	106	106	212	197	15	59	55	48	103
GREENOCK, .	66,704	63,423	61,781	103	74	177	169	8	63	62	52	115
PERTH, .	28,980	29,919	30,427	45	33	78	74	4	39	26	22	48
TOTAL, .	1,238,601	1,426,148	1,500,435	2075	2013	4088	3794	294	1780	1229	1152	2381

JULY 1895,	Mean Temp. 57°·2	2120	2070	4190	3887	303	1705	1221	1255	2476
JULY 1894,	Mean Temp. 59°·5	2038	1859	3897	3589	308	1614	1013	1003	2021
JULY 1893,	Mean Temp. 58°·7	1974	1916	3890	3594	296	1514	1305	1283	2588
JULY 1892,	Mean Temp. 55°·9	1981	1810	3791	3510	281	1407	1112	996	2108
JULY 1891,	Mean Temp. 59°·1	2010	1838	3848	3534	314	1358	1042	992	2094
JULY 1890,	Mean Temp. 56°·2	1847	1808	3655	3329	326	1452	1118	1112	2230
JULY 1889,	Mean Temp. 57°·1	1919	1795	3714	3412	302	1441	1168	1102	2270
JULY 1888,	Mean Temp. 54°·7	1903	1759	3662	3343	319	1372	919	940	1859
JULY 1887,	Mean Temp. 60°·6	1778	1791	3569	3270	299	1164	1047	1050	2097
JULY 1886,	Mean Temp. 58°·0	1893	1805	3698	3400	298	1173	1025	1084	2109

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of JULY 1896.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhœa.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhœa.
GLASGOW—								DUNDEE—							
1. Bridgeton, .	0	38	4	6	2	8	8	1. St Peter, .	0	0	0	0	0	1	4
2. Camlachie, .	0	3	1	5	0	1	13	2. St Mary, .	0	4	0	0	0	0	3
3. Dennistoun, .	0	8	0	0	0	0	1	3. St Clement, .	0	0	1	0	0	1	1
4. Calton, .	0	1	0	2	1	1	2	4. St Andrew, .	0	0	0	0	1	0	2
5. Blackfriars, .	0	0	1	2	0	1	1	5. Lochee, .	0	1	0	0	0	0	2
6. St Rollox, .	0	15	4	0	0	0	3	Mains, .	0	0	0	0	0	0	0
7. Blythswood, .	0	3	0	2	0	0	3								
8. Milton, .	0	16	1	0	0	0	3	ABERDEEN—							
9. Kelvin, .	0	4	0	2	0	2	3	1. St Nicholas, .	0	0	2	2	0	0	3
10. Anderston, .	0	14	0	4	0	0	9	2. Aberdeen, .	0	0	4	1	0	0	1
11. Hutchesontown, .	0	23	0	12	0	2	6	3. Woodside, .	0	0	0	0	0	0	0
12. Gorbals, .	0	2	0	5	0	0	3	4. Old Aberdeen, .	0	0	0	0	0	0	0
13. Tradeston, .	0	2	0	1	0	0	0	E. Peterculter, .	0	0	0	0	0	0	0
14. Kinning Park, .	0	3	0	3	0	0	1	Nigg, .	0	0	0	0	0	0	1
Cathcart, .	0	0	0	1	0	0	0								
Eastwood, .	0	0	0	0	0	0	0	LEITH—							
Maryhill, .	0	4	0	1	0	0	3	1. North, .	0	0	3	0	0	1	1
Shettleston, .	0	0	0	0	0	0	0	2. South, .	0	0	0	0	1	1	3
Plantation, .	0	0	0	0	0	0	0								
Govan, .	0	0	0	0	0	0	0	PAISLEY, .	0	0	0	13	1	2	5
Partick, .	0	1	0	1	0	0	0								
EDINBURGH—								GREENOCK—							
1. St George, .	0	1	0	1	1	0	3	1. East, .	0	1	1	0	0	0	6
2. St Andrew, .	0	0	1	1	2	0	2	2. West, .	0	1	1	3	0	1	4
3. Canongate, .	0	4	5	2	0	3	2								
4. St Giles, .	0	0	0	3	1	0	1	PERTH, .	0	0	0	0	0	0	4
5. Newington, .	0	0	0	1	1	0	3								

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of JULY 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	2381	591	117	334	192	1234	134	34	125	82	375	97	18	82	48	245	45	19	46	50	160
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	434	243	22	18	2	285	33	8	2	2	45	22	-	4	1	27	9	5	3	1	18
II. PARASITIC DISEASE	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1
III. DIETETIC „	13	-	-	4	-	4	1	-	6	1	8	-	-	-	-	-	-	-	-	-	-
IV. CONSTITUTIONAL „	468	49	43	101	19	212	14	11	45	15	85	13	9	28	5	55	3	7	17	6	33
V. DEVELOPMENTAL „	160	50	-	-	22	72	20	-	-	10	30	14	-	-	6	20	2	-	-	8	10
VI. LOCAL „	1107	207	41	174	142	564	44	13	64	52	173	32	5	46	32	115	25	7	25	35	92
VII. VIOLENCE - -	94	4	8	29	6	47	6	2	7	2	17	2	3	4	4	13	1	-	-	-	1
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	102	38	3	8	1	50	16	-	1	-	17	13	1	-	-	14	4	-	1	-	5
I.																					
1. MIASMATIC DISEASES -	294	185	21	7	-	213	22	8	-	-	30	8	-	2	-	10	4	5	1	-	10
2. DIARRHOEAL „ -	112	54	1	5	1	61	8	-	1	2	11	10	-	1	1	12	5	-	-	-	5
3. MALARIAL „ -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. ZOOGENOUS „ -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. VENEREAL „ -	11	4	-	1	-	5	3	-	-	-	3	1	-	-	-	1	-	-	1	1	2
6. SEPTIC „ -	17	-	-	5	1	6	-	-	1	-	1	3	-	1	-	4	-	-	1	-	1
II.																					
PARASITIC DISEASES -	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1
III.																					
DIETETIC DISEASES - -	13	-	-	4	-	4	1	-	6	1	8	-	-	-	-	-	-	-	-	-	-
IV.																					
CONSTITUTIONAL DISEASES	468	49	43	101	19	212	14	11	45	15	85	13	9	28	5	55	3	7	17	6	33
V.																					
DEVELOPMENTAL DISEASES	160	50	-	-	22	72	20	-	-	10	30	14	-	-	6	20	2	-	-	8	10
VI.																					
1. DIS. OF NERVOUS SYSTEM -	270	43	9	36	38	126	11	3	10	14	38	8	-	10	12	30	9	2	6	6	23
2. „ ORGANS OF SPECIAL SENSE - -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. „ CIRCULATORY SYSTEM	212	4	2	47	43	96	-	3	22	21	46	-	-	11	8	19	-	1	7	12	20
4. „ RESPIRATORY SYSTEM	317	106	10	41	31	188	19	2	15	5	41	17	-	15	7	39	9	1	3	7	20
5. „ DIGESTIVE SYSTEM -	191	50	10	25	16	101	12	3	4	6	25	6	2	2	2	12	6	2	6	5	19
6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS - -	4	-	1	-	-	1	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-
7. „ URINARY SYSTEM -	65	1	3	11	11	26	2	-	8	5	15	-	1	4	2	7	-	1	-	4	5
8. „ REPRODUCTIVE SYSTEM :-																					
(a) DISEASES OF ORGANS OF GENERATION -	9	-	-	-	1	1	-	-	3	1	4	-	-	-	1	1	-	-	3	-	3
(b) DISEASES OF PARTURITION - -	13	-	-	10	-	10	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
9. „ ORGANS OF LOCOMOTION - -	15	1	4	-	2	7	-	2	-	-	2	1	2	-	-	3	-	-	-	-	-
10. „ INTEGUMENTARY SYSTEM - -	10	2	1	4	-	7	-	-	-	-	-	-	-	1	-	1	1	-	-	1	2

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1896.

[illegible]

103

Registered during the Month of JULY 1896.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																				
ACCIDENT OR NEGLIGENCE	3	-	4	-	7	-	-	1	-	1	2	1	2	-	5	-	-	1	1	2
VIOLENCE OTHER THAN ACCIDENTAL	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
VIII.																				
ILL-DEFINED AND NOT SPECIFIED CAUSES	1	-	-	-	1	5	-	-	-	5	7	-	-	-	7	2	-	-	1	3
MIASMATIC DISEASES.																				
Small-pox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ No Statement	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
Epidemic Rose Rash	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	-	1	2	-	3	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Crouping-cough	-	-	-	-	-	12	1	-	-	13	3	-	-	-	3	-	-	-	-	-
Rumps	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erythema	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intermittent Fever	-	-	1	1	2	1	-	1	-	2	-	-	1	-	1	-	-	-	-	-
Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																				
Simple Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	4
Diarrhoea, Dysentery	3	-	1	-	4	5	-	-	-	5	9	-	1	-	10	-	-	-	-	-
MALARIAL DISEASES.																				
Intermittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																				
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Landers	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Smallpox and other Effects of Vaccination	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																				
Gonorrhoea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																				
Phagedæna	-	-	1	-	1	1	-	-	1	2	-	-	-	-	-	1	-	-	-	1
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pylæmia, Septicæmia	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1896.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Other Dis. from Vegetable Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
{ Delirium Tremens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Cancer - - - - -	-	-	1	3	4	-	-	1	2	3	-	-	3	3	6	-	-	-	-	-
Tabes Mesenterica - - - - -	2	-	-	-	2	2	-	1	-	3	-	3	-	-	3	-	-	1	-	1
Tubercular Meningitis (Acute Hydrocephalus) - - - - -	1	1	-	-	2	1	-	-	-	1	1	1	-	-	2	-	-	-	-	-
Phthisis - - - - -	1	1	13	1	16	-	4	7	1	12	-	4	6	-	10	2	1	1	-	4
Other forms of Tuberculosis, Scrofula -	1	1	1	-	3	1	2	-	-	3	-	1	-	-	1	1	-	-	-	1
Purpura, Hæmorrhagic Diathesis -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth - - - - -	1	-	-	-	1	1	-	-	-	1	2	-	-	-	2	2	-	-	-	2
Atelectasis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age - - - - -	-	-	-	1	1	-	-	-	10	10	-	-	-	6	6	-	-	-	5	5
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes - - - - -	-	-	-	-	-	3	-	-	-	3	2	1	-	-	3	-	-	-	-	-
Apoplexy - - - - -	-	-	2	5	7	-	1	4	2	7	-	-	2	1	3	-	-	1	2	3
Softening of Brain - - - - -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemiplegia, Brain Paralysis -	-	-	-	1	1	-	-	1	3	4	-	-	3	-	3	-	-	1	-	1
Paralysis Agitans - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea - - - - -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Convulsions - - - - -	2	-	-	-	2	2	-	-	-	2	2	-	-	-	2	1	1	-	-	2
Laryngismus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System -	-	-	2	-	2	-	-	-	1	1	1	-	-	-	1	-	-	2	-	2
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of JULY 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	183	2	2	42	37	83	-	3	22	16	41	-	-	9	6	15	-	1	6	10	17
Pericarditis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Angina Pectoris -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Syncope -	18	2	-	2	4	8	-	-	-	3	3	-	-	-	2	2	-	-	1	-	1
Aneurism -	4	-	-	2	-	2	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
Senile Gangrene -	2	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	4	3	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup -	11	6	-	-	-	6	2	-	-	-	2	2	-	-	-	2	-	1	-	-	1
Other Dis. of Larynx & Trachea	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Bronchitis -	109	27	-	14	23	64	5	-	3	3	11	8	-	3	5	16	3	-	1	4	8
Pneumonia -	147	53	7	18	4	82	12	2	7	2	23	7	-	11	2	20	5	-	2	1	8
Pleurisy -	14	-	-	5	3	8	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1
Other Diseases of Resp. System	27	15	2	3	1	21	-	-	3	-	3	-	-	1	-	1	1	-	-	-	1
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dentition -	8	5	-	-	-	5	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
Sore-throat, Quinsy -	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	6	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-	1	-	1
Hæmatemesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	24	3	-	2	4	9	2	-	3	1	6	1	-	-	-	1	2	-	1	2	5
Enteritis -	56	21	1	5	1	28	5	1	-	-	6	4	1	-	1	6	3	-	-	1	4
Ulceration of Intestine -	5	-	1	2	-	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	19	1	2	3	2	8	-	1	-	1	2	1	-	1	-	2	-	1	2	1	4
Stricture or Strang. of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia -	6	-	-	1	2	3	-	-	1	-	1	-	-	-	-	-	-	-	2	-	2
Fistula -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Peritonitis -	21	6	5	3	-	14	1	-	-	-	1	-	1	-	-	1	-	1	-	-	1
Ascites -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	2	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver -	30	11	-	6	5	22	1	-	-	2	3	-	-	-	-	-	-	-	1	-	1
Other Dis. of Digestive System	4	3	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Spleen -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Diseases of Lymphatics -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Suprarenal Capsules -	2	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	15	-	1	2	2	5	2	-	1	1	4	-	1	1	1	3	-	-	-	-	-
Bright's Disease -	33	1	1	8	3	13	-	-	5	2	7	-	-	2	-	2	-	1	-	4	5
Uræmia -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	2	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	6	-	-	-	2	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Other Dis. of Urinary System	8	-	1	1	3	5	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-

107

107

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60-etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease	-	1	3	4	8	-	1	6	2	9	-	-	4	4	8	-	1	-	1	2
Myocarditis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurysm of Pectoris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema	-	-	-	2	2	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
Ischemic Gangrene	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Acute Bronchitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumophysema, Asthma	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Emphysema	-	-	1	1	2	2	-	-	-	2	1	-	1	2	4	-	-	-	2	2
Pneumonia	1	-	1	1	3	-	-	3	-	3	3	1	1	3	7	-	-	1	-	1
Emphysema	-	-	1	1	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Gastritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Pharyngitis, Quinsy	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Dyspepsia	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	1	-	-	-	1
Emetogenesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Helicobacter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Enteritis	8	-	-	-	8	1	-	-	-	1	3	-	-	-	3	-	-	-	-	-
Perforation of Intestine	-	-	1	-	1	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
Tumour, Obstruction of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	-	-	-	-
Stricture or Strangulation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perforation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	-	-	1	-	1
Calculus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis of Liver-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Liver-	-	-	1	1	2	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Suprarenal Capsules	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1
Bright's Disease	-	-	2	-	2	-	-	-	-	-	1	-	1	-	2	-	-	2	-	2
Haematuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Haematuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
Other Diseases of Urinary System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	5	-	-	-	1	1	-	-	2	1	3	-	-	-	1	1	-	-	-	-	-
Diseases of Uterus and Vagina	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2	-	2
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - -	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Placenta Prævia, Flooding -	5	-	-	4	-	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	7	-	1	-	-	1	-	1	-	-	1	1	2	-	-	3	-	-	-	-	-
Arthritis, Ostitis, Periostitis -	3	-	1	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locom.	5	1	2	-	-	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	3	2	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Ulcer, Bedsore - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System -	3	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Quarries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles { Railways -	3	-	-	2	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
and { Veh. oth. than R'wys. -	3	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements -	2	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Burns, { Conflagrations -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns & Scalds -	15	-	2	8	-	10	1	1	-	-	2	-	1	-	-	1	-	-	-	-	-
Scalds { Explosions -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - -	14	-	2	6	1	9	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Suffocation { In Bed -	9	1	-	-	-	1	2	-	-	-	2	2	-	-	-	2	1	-	-	-	1
Suffocation { Otherwise -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Falls - - -	3	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Fractures (not stated) - -	24	-	2	5	1	8	1	-	2	1	4	-	2	3	4	9	-	-	-	-	-
Otherwise, or Not Stated -	14	-	1	6	2	9	1	-	2	1	4	-	-	-	-	-	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	2	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Suicide - - -	3	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	4	-	-	-	1	1	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1
Debility, Atrophy, Inanition	81	35	-	2	-	37	15	-	-	-	15	12	-	-	-	12	3	-	-	-	3
Mortification - - -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	4	-	-	-	-	-	1	-	1	-	2	-	1	-	-	1	-	-	-	-	-
Hæmorrhage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-def. & not spec. Causes	11	3	1	6	-	10	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1

109

Registered during the Month of JULY 1896.

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—JULY 1896.

DISTRICTS.	Estimated Population at Middle of 1896.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	23,542	65	38	36	0	0	0	0	2	2	0	0	1	2	4
Ayr,	28,373	62	20	53	0	0	0	6	0	1	0	7	0	2	7
Banff, with Macduff,	8,726	24	4	14	0	0	0	0	0	0	0	1	0	0	1
Blairstown,	4,329	10	4	4	0	0	0	0	0	0	0	0	0	0	1
Callander,	2,340	3	2	2	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,535	23	6	17	0	0	0	0	1	0	0	0	0	1	1
Cathcart (Landward),	5,557	14	2	4	0	0	0	0	0	0	0	1	0	0	0
Coatbridge,	36,540	117	41	39	0	0	0	2	0	0	0	5	0	5	5
Crieff,	5,650	16	3	7	0	0	0	0	0	0	0	0	0	1	1
Dumbarton,	20,001	65	14	24	0	0	0	0	0	0	0	2	0	4	5
Dumfries, with Troqueer,	24,535	64	18	42	0	0	0	0	0	1	0	0	0	4	6
Dunfermline	29,960	67	35	27	0	0	1	0	0	0	0	1	0	2	4
Dunoon,	7,544	15	3	17	0	1	1	1	0	0	0	0	0	2	0
Eastwood (Landward),	14,269	46	10	17	0	0	0	5	0	0	0	1	0	1	2
Elgin,	10,805	26	12	23	0	0	0	3	0	0	0	0	0	3	3
Falkirk,	29,079	102	33	35	0	0	1	0	0	0	0	2	0	1	4
Forfar,	13,260	23	18	23	0	0	0	0	0	0	0	2	0	1	3
Galashiels,	18,927	34	8	24	0	0	1	0	0	0	0	0	0	1	3
Govan—(1) Plantation (Land- ward),	25,215	71	15	37	0	1	0	4	0	0	0	1	0	4	6
(2) Govan (Landward),	45,789	150	46	115	0	14	3	1	1	1	0	5	0	20	19
(3) Partick (Landward),	42,490	135	40	45	0	1	0	4	1	0	0	6	0	7	1
Haddington,	4,997	15	2	7	0	0	0	0	1	0	0	0	0	1	0
Hawick, with Wilton,	22,342	39	11	24	0	0	0	0	0	0	0	0	0	1	2
Inverness,	25,377	59	25	41	0	3	0	0	1	0	0	3	0	6	4
Kilmarnock, with Riccarton,	32,726	99	22	50	0	0	0	0	1	0	0	13	0	1	3
Kilmore and Kilbride (Oban),	6,064	5	3	9	0	0	0	0	0	0	0	0	0	2	1
Kinning Park (Landward),	14,948	54	17	20	0	1	0	2	1	0	0	2	0	3	1
Kirkcaldy and Abbotshall,	19,209	47	26	20	0	0	0	0	0	2	0	1	0	1	0
Kirkcudbright,	3,476	11	2	3	0	0	0	0	0	0	0	0	0	0	1
Largs,	5,412	11	0	10	0	1	0	0	0	0	0	0	0	0	3
Logie (Bridge of Allan),	4,384	6	1	7	0	0	0	0	0	0	0	0	0	3	2
Moffat,	3,002	9	1	3	0	0	0	0	0	0	0	0	0	0	0
Montrose,	13,532	36	9	17	0	0	0	0	0	0	0	0	0	1	1
Moulin (Pitlochry),	2,230	3	2	0	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,178	11	8	11	0	1	0	1	0	0	0	0	0	2	0
New Monkland (Airdrie),	37,403	112	31	39	0	0	0	0	2	1	1	2	0	9	4
North Berwick,	3,239	7	0	8	0	0	0	0	0	0	0	0	0	0	0
Peterhead, with Boddam,	16,724	53	10	24	0	0	0	0	0	0	0	4	0	4	1
Rothsay	9,546	16	2	13	0	0	0	0	0	0	0	0	0	2	1
St Andrews and St Leonards,	8,835	18	3	14	0	0	0	0	0	1	0	2	0	3	3
Shettleston (Landward),	17,481	54	11	23	0	0	1	2	0	0	0	1	0	3	1
Stirling,	15,508	38	15	22	0	0	0	0	0	0	0	0	0	1	3
Stranraer,	6,079	15	3	6	0	1	0	0	1	0	0	0	0	0	2
Wick,	12,243	27	0	15	0	0	0	0	0	0	0	0	0	1	1

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 139 feet above the sea-level,

For the month of JULY 1896.

Mean barometric pressure, 29·964 inches ; greater than the average for the same month of 1856–95 by 0·089 inch.

Barometric monthly range, 0·790 inch ; less by 0·126 inch.

Mean temperature, $58^{\circ}1$; less by $0^{\circ}1$.

Mean daily range of temperature, $14^{\circ}4$; being the average.

Mean humidity, 78 ; less by 1·0.

Rain, number of days, 17 ; greater by 1 day.

Rain, depth in inches, 4·04 ; greater by 0·91 inch.

Wind, pressure on square foot, 1·35 lb. ; being the average.

Wind, direction of, E. to W. as 7 to 12, and N. to S. as 5 to 6 ; the average being E. to W. as 6 to 13, and N. to S. as 4 to 10.

Thus the weather of July 1896 was characterised by a mean barometric pressure somewhat above the average, with a monthly range considerably under it ; a mean temperature with mean daily range, both the average ; a mean humidity a little under the average ; a rainfall about a third above the average, falling one day more than the average ; and a very slight excess of southerly winds blowing with the average force.

The mean barometric pressure was 0·089 inch above the average, but as the manner of the distribution was normal, the winds, as regards direction and force were also nearly normal.

The mean temperature and its partition between the days and the nights, and also among the separate towns were unusually close to the averages. During the 12 days from the 10th to the 21st, high temperatures ruled, the mean of this period at Edinburgh being $61^{\circ}9$, with a daily range the same as the mean of the month. The absolutely highest temperature was $78^{\circ}0$ at Aberdeen on the 20th ; and the lowest $40^{\circ}5$ at Perth on the 28th.

The mean rainfall for the month was 4·04 inches, or 29 per cent. above the average. The largest fall was 5·08 inches at Greenock, and the smallest, 3·15 inches, at Aberdeen ; but as compared with their averages, the greatest excess was 36 per cent. at Leith, and the least, 12 per cent., at Aberdeen. Heavy rains occurred on the 6th, 8th, and 9th, and on the 25th and 29th, with the accompaniment of floods on these two last days. On the 25th, there fell 1·01 inch at Aberdeen, 1·34 inch at Dundee, and 1·23 inch at Perth, on which day a well-developed cyclone passed over Scotland. Passing showers characterised the weather from the 1st to the 5th ; 10th to the 20th ; 26th to the 28th ; and 30th and 31st. Thunder was reported once, *viz.*, on the 6th at Leith.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS
Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH.
During the Month of JULY 1896.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.					RAIN.		WINDS.										Mean Pres- sure on Sq. ft.
		Mean at Station and 32°.	Mean at Sea-level and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.						Calm or Variable.					
																			N	NE	E	SE	S	SW		W	NW			
GLASGOW, J. B. RUSSELL, M.D., Medical Officer of Health, Glasgow.	54	29.915	29.974	0.844	75.0	42.4	58.2	32.6	15.3	27.9	58.3	54.4	50.9	.373	4.19	76	18	3.87	0	0	2	1	1	2	7	6	12	0.21		
EDINBURGH, R. C. MOSSMAN, F.R.S.E.	276	29.675	29.972	0.815	75.3	43.3	58.4	32.0	13.3	25.7	57.6	54.4	51.5	.382	4.26	80	19	4.33	7	1	4	0	1	1	13	2	2	0.61		
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.779	29.956	0.780	75.5	42.4	58.8	33.1	16.5	28.7	57.8	55.4	53.3	.406	4.54	84	15	3.79	0	4	2	8	0	9	4	4	0	0.77		
ABERDEEN,	66	29.886	29.958	0.760	78.0	41.0	56.8	37.0	13.0	24.0	57.0	53.2	49.7	.356	3.96	76	18	3.15	3	4	2	5	6	2	3	6	0	1.80		
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	70	29.890	29.966	0.817	76.1	45.6	59.3	30.5	12.6	21.7	58.6	54.7	51.2	.377	4.25	77	18	4.17	1	0	10	0	3	2	13	1	1	2.02		
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107		
GREENOCK, JAMES WILSON, Greenock Water Works.	233	29.724	29.969	0.754	71.4	43.8	56.9	27.6	12.4	19.8	56.4	52.0	47.9	.335	3.76	73	20	5.08	0	3	3	2	0	7	9	7	0	2.68		
PERTH, A. GAEDECKE, Gardener to James F. Pullar, F.R.S.E.	140	29.804	29.956	0.760	74.5	40.5	58.1	34.0	17.6	25.5	58.2	54.7	51.5	.382	4.29	79	12	3.91	2	0	4	5	3	6	9	2	0	...		
Means,	139	29.809	29.964	0.790	(78.0)	(40.5)	58.1	32.4	14.4	24.8	57.0	54.1	50.9	.373	4.18	78	17	4.04	2	2	4	3	2	4	8	4	2	1.35		
North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.																														

* Absolute highest. † Absolute lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

AUGUST 1896.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of August 1896, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 3941 children, of whom 1996 were males, and 1945 females. Of these, 3643 were legitimate, and 298 illegitimate, being in the proportion of one illegitimate in every 13·2 Births, or the illegitimate births constituted 7·6 per cent. of the whole. In Greenock, 5·3 per cent. of the Births were illegitimate; in Leith, 5·6; in Paisley, 6·2; in Glasgow, 6·6; in Dundee, 7·0; in Edinburgh, 9·2; in Perth, 10·5; and in Aberdeen, 13·1 per cent.

937 Marriages were registered in these Towns during August, being 100 above the average number for the month during the last ten years, allowing for increase of the population.

The Deaths of 2101 persons were recorded in these Towns during August, of whom 1090 were males, and 1011 females. Increase of the population being allowed for this is 100 below the average number for the month during the last ten years.

A comparison of the Deaths registered shows that during August the mortality was at the annual rate of 13·8 Deaths per thousand persons in Greenock; 14·0 in Aberdeen and in Leith; 14·6 in Dundee; 15·2 in Edinburgh; 17·5 in Perth; 17·8 in Glasgow; and 18·6 in Paisley.

Of the 1064 Deaths registered in Glasgow, 272 were of children under one year of age, and 163 of persons over 60 years; of the 356 in Edinburgh, 81 were of children under one year, and 91 of persons over 60 years; of the 200 in Dundee, 17 were

under one, and 37 over 60; of the 161 in Aberdeen, 32 were under one, and 54 over 60; of the 88 in Leith, 28 were under one, and 23 over 60; of the 115 in Paisley, 27 were under one, and 33 over 60; of the 72 in Greenock, 18 were under one, and 15 over 60; and of the 45 in Perth, 8 were under one, and 14 over 60.

Of the whole 2101 Deaths, 854, or 40·6 per cent. were of children under five years of age. In Perth, 24·4 per cent. of the persons who died were under five years of age; in Aberdeen, 29·2; in Edinburgh, 34·6; in Greenock, 36·1; in Paisley, 38·3; in Dundee, 39·5; in Leith, 43·2; and in Glasgow, 45·7 per cent.

Miasmatic Diseases caused 201 Deaths, or 9·6 per cent. of the whole. This rate was exceeded in Glasgow chiefly from the prevalence of Measles, and in Leith from that of Scarlet Fever.

Measles was the most fatal epidemic, having caused 73 Deaths, or 3·5 per cent. of the whole mortality. In Glasgow, 64 Deaths resulted from Measles, causing 6·0 per cent. of the Deaths there.

Fevers caused 17 Deaths, all of which were stated to have been from Enteric Fever.

Hooping-Cough caused 58 Deaths, or 2·8 per cent. of the whole. 7 Deaths from Hooping-Cough occurred in Paisley, being at the rate of 6·1 per cent. of the Deaths there.

Scarlatina caused 28 Deaths, or 1·3 per cent. of the whole. In Leith 7 Deaths, or 8·0 per cent. of the total mortality resulted from this disease.

Diphtheria caused 18 Deaths; Cholera, 4; and Puerperal Fever, 8.

Diarrhoea and Dysentery caused 98 Deaths, or 4·7 per cent. of the total.

To Intemperance were ascribed 7 Deaths, 5 being from Chronic Alcoholism, and 2 from Delirium Tremens.

To Apoplexy were ascribed 81 Deaths; to Paralysis, 38; to Diseases of the Heart, 165; and to Premature Birth Debility, 66.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 278, or 13·2 per cent. of the whole. Those from Consumption alone numbered 199, or 9·5 per cent. 10 Deaths were caused by Croup.

From Violent Causes there resulted 101 Deaths, of which 5 were Suicidal, 4 being caused by Cut Throat, and 1 by Hanging.

Two males and four females had passed the 90th year of life, the eldest being the widow of a timekeeper, and a domestic servant, each aged 95 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, AUGUST 1896.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1896.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, . . .	576,847	658,198	705,052	989	994	1983	1852	131	390	538	526	1064
EDINBURGH, . .	234,402	261,225	276,514	296	293	589	535	54	176	195	161	356
DUNDEE, . . .	140,794	154,118	161,620	206	195	401	373	28	87	98	102	200
ABERDEEN, . .	106,306	124,943	135,941	179	171	350	304	46	103	87	74	161
LEITH, . . .	59,485	68,707	74,110	94	84	178	168	10	43	42	46	88
PAISLEY, . . .	55,638	66,425	72,902	99	95	194	182	12	92	60	55	115
GREENOCK, . .	66,704	63,423	61,781	93	77	170	161	9	28	41	31	72
PERTH, . . .	28,980	29,919	30,427	40	36	76	68	8	18	29	16	45
TOTAL, . . .	1,268,601	1,426,148	1,500,435	1996	1915	3911	3613	298	937	1090	1011	2101

AUGUST 1895, . . .	Mean Temp. 59°·1	1976	1868	3844	3568	276	871	1122	1071	2193
AUGUST 1894, . . .	Mean Temp. 56°·6	1942	1829	3771	3486	285	806	936	1003	1939
AUGUST 1893, . . .	Mean Temp. 61°·0	2021	1942	3963	3642	321	869	1243	1228	2471
AUGUST 1892, . . .	Mean Temp. 56°·8	1910	1845	3755	3467	288	962	1125	1061	2186
AUGUST 1891, . . .	Mean Temp. 56°·8	1696	1666	3362	3099	263	812	1032	941	1973
AUGUST 1890, . . .	Mean Temp. 56°·6	1724	1677	3401	3159	242	685	1006	979	1985
AUGUST 1889, . . .	Mean Temp. 56°·8	1779	1577	3356	3094	262	709	996	1023	2019
AUGUST 1888, . . .	Mean Temp. 56°·0	1726	1730	3456	3152	304	664	901	926	1827
AUGUST 1887, . . .	Mean Temp. 57°·7	1818	1799	3617	3299	318	769	1036	1090	2126
AUGUST 1886, . . .	Mean Temp. 57°·5	1821	1748	3569	3276	293	738	1011	999	2010

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of August 1896.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhœa.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhœa.
GLASGOW—								DUNDEE—							
1. Bridgeton, . .	0	21	1	1	1	8	8	1. St Peter, . .	0	0	1	0	0	0	2
2. Canlachie, . .	0	2	1	1	0	0	3	2. St Mary, . .	0	0	0	1	1	0	4
3. Dennistoun, . .	0	4	0	3	1	0	5	3. St Clement, . .	0	0	0	0	1	0	2
4. Calton, . . .	0	3	0	0	0	1	2	4. St Andrew, . .	0	0	1	0	2	0	5
5. Blackfriars, . .	0	3	0	0	0	0	2	5. Lochee, . . .	0	2	0	0	0	0	1
6. St Rollox, . .	0	8	1	3	2	0	3	Mains, . . .	0	0	0	0	0	0	0
7. Blythswood, . .	0	0	1	3	0	0	3								
8. Milton, . . .	0	5	2	1	0	0	2	ABERDEEN—							
9. Kelvin, . . .	0	0	0	0	0	0	2	1. St Nicholas, . .	0	0	6	1	1	0	3
10. Anderston, . .	0	9	0	5	0	0	2	2. Aberdeen, . .	0	0	1	2	0	0	1
11. Hutchesontown, .	0	6	0	9	1	0	0	3. Woodside, . .	0	0	0	0	0	0	0
12. Gorbals, . . .	0	1	0	4	0	1	5	4. Old Aberdeen, .	0	0	0	0	0	0	0
13. Tradeston, . .	0	0	0	1	0	0	2	E. Peterculter, . .	0	0	0	0	0	0	0
14. Kinning Park, .	0	0	0	2	0	0	0	Nigg, . . .	0	0	0	1	0	0	0
Cathcart, . . .	0	0	0	0	0	0	0								
Eastwood, . . .	0	0	0	0	0	0	0	LEITH—							
Maryhill, . . .	0	2	0	1	1	0	3	1. North, . . .	0	0	5	0	0	1	0
Shettleston, . .	0	0	0	0	0	0	0	2. South, . . .	0	0	2	0	1	0	3
Plantation, . . .	0	0	0	0	0	0	0								
Govan, . . .	0	0	0	0	0	0	0	PAISLEY, . . .	0	0	2	7	0	2	6
Partick, . . .	0	0	0	0	0	0	1								
EDINBURGH—								GREENOCK—							
1. St George, . .	0	0	0	5	2	0	4	1. East, . . .	0	0	0	0	1	1	2
2. St Andrew, . .	0	0	0	0	0	0	2	2. West, . . .	0	0	1	0	0	0	2
3. Canongate, . .	0	6	3	4	2	2	5								
4. St Giles, . . .	0	0	0	2	0	0	3	PERTH, . . .	0	0	0	0	0	0	2
5. Newington, . .	0	1	0	1	1	1	8								

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of AUGUST 1896.

117

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
CAUSES - - - -	38	11	16	23	88	44	9	29	33	115	26	9	22	15	72	11	2	18	14	45
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	7	5	3	1	16	12	2	1	2	17	8	1	1	-	10	2	-	-	-	2
II. PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1
IV. CONSTITUTIONAL -	4	3	3	5	15	2	3	9	2	16	2	2	8	1	13	2	-	5	2	9
V. DEVELOPMENTAL -	5	-	-	3	8	5	-	-	14	19	1	-	-	1	2	2	-	-	1	3
VI. LOCAL -	19	2	9	14	44	20	4	16	15	55	9	4	11	10	34	3	1	10	11	25
VII. VIOLENCE - - -	2	1	1	-	4	-	-	2	-	2	1	2	1	2	6	1	-	3	-	4
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES -	1	-	-	-	1	5	-	-	-	5	5	-	1	1	7	-	1	-	-	1
I.																				
MIASMATIC DISEASES - -	3	4	2	-	9	8	2	1	-	11	2	1	1	-	4	-	-	-	-	-
DIARRHOEAL - - -	3	-	-	-	3	4	-	-	2	6	4	-	-	-	4	2	-	-	-	2
MALARIAL - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL - - -	1	-	-	1	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
SEPTIC - - -	-	1	1	-	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
II.																				
PARASITIC DISEASES - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																				
DIETETIC DISEASES - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1
IV.																				
CONSTITUTIONAL DISEASES - -	4	3	3	5	15	2	3	9	2	16	2	2	8	1	13	2	-	5	2	9
V.																				
DEVELOPMENTAL DISEASES - -	5	-	-	3	8	5	-	-	14	19	1	-	-	1	2	2	-	-	1	3
VI.																				
DISEASES OF NERVOUS SYSTEM -	5	-	-	5	10	8	2	6	6	22	5	3	2	4	14	1	-	2	6	9
" ORGANS OF SPECIAL SENSE -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" CIRCULATORY SYSTEM -	1	1	3	4	9	-	-	4	7	11	-	-	-	3	3	-	-	4	2	6
" RESPIRATORY SYSTEM -	5	-	4	2	11	7	1	4	1	13	1	-	4	-	5	2	-	-	1	3
" DIGESTIVE SYSTEM -	7	-	1	-	8	4	-	1	-	5	2	-	-	1	3	-	-	1	1	5
" LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" URINARY SYSTEM -	-	-	1	2	3	1	-	1	-	2	-	-	3	2	5	-	-	-	1	1
" REPRODUCTIVE SYSTEM :-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) DISEASES OF ORGANS OF GENERATION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) DISEASES OF PARTURITION -	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
" ORGANS OF LOCOMOTION - -	-	1	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	1
" INTEGUMENTARY SYSTEM -	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-

119

Registered during the Month of AUGUST 1896.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

121

Registered during the Month of AUGUST 1896.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Scrub	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	-	-	-	5	5	-	-	2	2	4	-	-	2	1	3	-	-	-	1	1
Tabes Mesenterica	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2
Tubercular Meningitis (Acute	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrocephalus)	4	1	-	-	5	1	-	-	-	1	1	-	6	-	1	-	-	-	-	-
Phthisis	-	1	3	-	4	-	1	7	-	8	1	1	6	-	8	-	-	4	-	4
Other forms of Tuberculosis, Scrofula	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-
Purpura, Hemorrhagic Diathesis	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Other Constitutional Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth	5	-	-	-	5	4	-	-	-	4	1	-	-	-	1	2	-	-	-	2
Atelectasis	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age	-	-	-	3	3	-	-	-	14	14	-	-	-	1	1	-	-	-	1	1
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes	-	-	-	-	-	5	1	1	-	7	2	1	1	-	4	-	-	-	-	-
Apoplexy	-	-	-	3	3	-	-	2	-	2	-	-	-	2	2	-	-	2	1	3
Softening of Brain	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Hemiplegia, Brain Paralysis	-	-	-	2	2	-	-	1	5	6	-	-	-	1	1	-	-	-	2	2
Paralysis Agitans	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-
Convulsions	5	-	-	-	5	2	-	-	-	2	1	-	-	-	1	-	-	-	1	1
Laryngismus Stridulus	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Idiopathic Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-
Other Diseases of Nervous System	-	-	-	-	-	1	-	1	1	3	1	1	-	-	2	1	-	-	2	3
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of AUGUST 1896.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

125

Registered during the Month of AUGUST 1896.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Testes, Penis, Scrotum, &c. - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																				
Abortion, Miscarriage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Placenta Prævia, Flooding - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Accidents of Childbirth - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis - - -	-	1	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	1
Arthritis, Ostitis, Periostitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locomotion - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle - - -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bed sore - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Other Dis. of Integumentary System - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																				
Mines and Quarries { Coal Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses { Railways - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Veh. other than R'ways. - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Horses - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drowning) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, { Confagurations - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Scalds { Other Burns and Scalds - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - -	-	1	1	-	2	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-
Suffocation { In Bed - - -	-	1	-	-	1	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-
Otherwise - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Falls - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Otherwise, or Not Stated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																				
Dropsy - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition - - -	-	1	-	-	1	-	5	-	-	5	5	-	-	-	5	-	-	-	-	-
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Hæmorrhage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other ill-def. and not spec. Causes - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—AUGUST 1896.

DISTRICTS.	Estimated Population at Middle of 1896.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	23,542	49	8	36	0	0	0	1	0	0	0	4	0	7	3
Ayr,	28,373	67	14	42	0	1	0	0	0	0	0	3	0	6	4
Banff, with Macduff,	8,726	20	3	16	0	0	1	2	1	0	0	1	0	1	1
Blairgowrie,	4,329	8	2	4	0	0	0	0	0	0	0	1	0	0	0
Callander,	2,340	2	0	0	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,535	30	8	8	0	0	0	0	0	0	0	2	0	2	2
Cathcart (Landward),	5,557	10	0	4	0	1	0	0	0	0	0	0	0	0	0
Coatbridge,	36,540	109	15	55	0	0	1	1	0	0	0	3	0	4	5
Crieff,	5,650	9	1	3	0	0	0	0	0	0	0	0	0	0	0
Dumbarton,	20,001	57	3	23	0	0	0	0	0	0	0	4	0	4	2
Dumfries, with Troqueer,	24,535	66	23	39	0	0	0	0	1	0	0	3	1	7	5
Dunfermline	29,960	63	11	30	0	0	0	0	1	0	0	1	1	3	2
Dunoon,	7,544	15	0	18	0	0	1	0	0	1	0	4	0	2	1
Eastwood (Landward),	14,269	35	1	18	0	0	0	2	0	0	0	3	0	2	3
Elgin,	10,805	29	5	19	0	0	0	0	0	0	0	0	0	1	2
Falkirk,	29,079	71	19	40	0	0	1	0	1	1	0	6	0	5	2
Forfar,	13,260	36	9	12	0	0	0	0	0	1	0	0	0	1	2
Galashiels,	18,927	30	10	17	0	0	0	0	0	0	0	0	0	1	2
Govan—(1) Plantation (Land- ward),	25,215	81	10	30	0	2	0	1	0	0	0	3	0	4	6
(2) Govan (Landward),	45,789	162	22	83	0	4	2	4	0	1	0	9	2	12	6
(3) Partick (Landward),	42,490	127	17	43	0	1	0	8	0	0	0	1	1	3	6
Haddington,	4,997	8	1	14	0	0	0	0	1	0	0	0	0	2	3
Hawick, with Wilton,	22,342	35	9	21	0	0	0	0	0	0	0	2	0	3	3
Inverness,	25,377	68	17	36	0	0	0	0	0	0	0	2	0	6	1
Kilmarnock, with Riccarton,	32,726	80	23	44	0	0	0	0	0	4	0	9	0	3	2
Kilmore and Kilbride (Oban),	6,064	19	1	8	0	0	1	0	0	0	0	0	0	2	0
Kinning Park (Landward),	14,948	33	4	14	0	0	0	0	0	0	0	2	0	1	3
Kirkcaldy and Abbotshall,	19,209	42	12	20	0	0	0	0	0	1	0	2	0	3	1
Kirkcudbright,	3,476	8	2	2	0	0	0	0	0	0	0	0	0	0	0
Largs,	5,412	16	1	5	0	0	0	0	0	0	0	0	0	0	1
Logie (Bridge of Allan),	4,384	7	3	6	0	0	0	0	0	0	0	0	0	0	0
Moffat,	3,002	6	1	3	0	0	0	0	0	0	0	0	0	0	0
Montrose,	13,532	21	9	17	0	0	0	0	0	0	0	0	0	0	2
Moulin (Pitlochry),	2,230	5	0	4	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,178	15	0	4	0	0	0	0	0	0	0	0	0	0	0
New Monkland (Airdrie),	37,403	110	12	37	0	0	0	0	1	3	0	1	0	2	4
North Berwick,	3,239	6	0	3	0	0	0	0	0	0	0	0	0	0	0
Peterhead, with Boddam,	16,724	50	15	25	0	1	0	0	0	0	0	5	0	1	5
Rothsay,	9,546	11	4	11	0	0	0	0	0	0	0	0	0	0	0
St Andrews and St Leonards,	8,835	25	1	12	0	0	0	1	1	0	0	1	0	1	3
Shettleston (Landward),	14,781	43	6	23	0	0	1	4	0	1	0	2	0	3	0
Stirling,	15,508	31	11	27	0	1	1	0	0	0	0	0	1	1	1
Stranraer,	6,079	16	2	8	0	0	0	0	1	0	0	0	1	1	0
Wick,	12,243	43	1	18	0	0	0	2	0	0	0	0	0	1	2

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 139 feet above the sea-level,

For the month of AUGUST 1896.

Mean barometric pressure, 29.977 inches; greater than the average for the same month of 1856-95 by 0.117 inch.

Barometric monthly range, 0.767 inch; less by 0.216 inch.

Mean temperature, $56^{\circ}4$; less by $1^{\circ}2$.

Mean daily range of temperature, $14^{\circ}2$; greater by $0^{\circ}2$.

Mean humidity, 77; less by 4.4.

Rain, number of days, 18; greater by 1 day.

Rain, depth in inches, 2.15; less by 1.34 inch.

Wind, pressure on square foot, 1.09 lb.; less by 0.25 lb.

Wind, direction of, E. to W. as 4 to 15, and N. to S. as 7 to 4; the average being E. to W. as 6 to 12, and N. to S. as 4 to 6.

Thus the weather of August 1896 was characterised by a mean barometric pressure considerably above the average, with a monthly range singularly low; a mean temperature a little over a degree less than the average, with a mean daily range nearly the average; a mean humidity unusually low for August; a rainfall greatly under the average, falling one day more than the average; and a great predominance of north westerly winds with a force much under the average.

The mean barometric pressures of the different towns exceeded their averages to a greater extent in the west than in the east, and to this manner of distribution of the pressure is due to the predominance of these winds, N.N.W. and W. winds being respectively 2 days each above their respective averages.

Owing to the prevalence of these winds, the mean temperature fell to $1^{\circ}2$ below the average, the temperature of the days and the nights being equally low. The deficiency of temperature was unequally partitioned among the large towns; thus it amounted to $2^{\circ}0$ at Aberdeen; $1^{\circ}4$ at Perth; $0^{\circ}4$ at Greenock; whilst at Leith it was about the average. The absolutely higher temperature was $75^{\circ}5$ on the 12th at Perth, and the lowest $36^{\circ}0$ on the 10th at the same place.

The mean rainfall was 2.15 inches, or 38 per cent. under the average. The maximum monthly fall was 3.12 inches, or 39 per cent. under the average at Greenock, and the minimum 1.69 inch, or 47 per cent. under the average at Glasgow. At Perth the amount was 2.63 inches, which is only 12 per cent. under the average. A striking peculiarity of the rainfall of the month consisted in the all but complete absence of heavy daily amounts at all the towns, and the frequency with which the rain fell, there being only four days when rain did not fall at one or more of the large towns. The frequent rains and the light winds rendered the season a backward one to farmers, but reservoirs kept low since the heavy rains that did occur were but of short duration.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS
Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH
During the Month of AUGUST 1896.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.				RAIN.		WINDS.								Mean Pres- sure on Sq. ft.	
																			Number of Days it blew in certain Directions.									
		Mean at Station and 32°.	Mean at Sea-level and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	N	NE	E	SE	S	SW	W	NW		Calm or Variable.
GLASGOW, J. B. RUSSELL, M.D., Medical Officer of Health, Glasgow.	54	29.931	29.990	0.786	69.2	40.0	57.3	29.2	15.5	25.0	56.8	52.9	49.4	.353	3.99	76	18	1.69	0	0	0	0	1	11	6	11		0.20
EDINBURGH, R. C. MOSSMAN, F.R.S.E.	276	29.687	29.985	0.776	73.1	43.7	56.8	29.4	14.0	22.9	55.6	52.3	49.2	.352	3.93	79	14	1.79	6	2	0	0	0	16	2	1		0.17
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.792	29.971	0.780	71.7	41.2	55.7	30.5	14.2	20.7	55.2	52.7	50.3	.365	4.09	84	18	1.91	3	3	6	0	5	6	6	0		0.81
ABERDEEN,	66	29.888	29.961	0.760	68.0	37.0	54.8	31.0	13.1	23.0	55.4	51.2	47.2	.327	3.70	74	21	2.05	3	0	2	2	4	5	6	9	0	1.55
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	70	29.902	29.978	0.764	74.3	44.8	57.8	29.5	12.8	20.6	56.7	52.8	49.2	.351	3.97	75	17	1.89	3	3	1	2	2	0	16	2	2	1.90
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107
GREENOCK, JAMES WILSON, Greenock Water Works.	233	29.738	29.986	0.760	67.7	42.8	56.4	24.9	13.4	23.0	55.7	51.9	48.3	.341	3.81	76	18	3.12	0	2	1	1	0	6	14	7	0	1.93
PERTH, A. GARDECKE, Gardener to James F. Pullar, F.R.S.E.	140	29.813	29.965	0.740	75.5	36.0	56.2	39.5	16.7	25.0	55.8	52.3	49.0	.350	3.91	78	17	2.63	5	2	6	4	2	12	0	0	0	...
Means,	139	29.821	29.977	0.767	(75.5)	(36.0)	56.4	30.6	14.2	22.9	55.9	52.3	48.9	.348	3.91	77	18	2.15	3	2	2	2	1	4	10	5	2	1.09

North Latitude.—Glasgow, 56° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 23'; Perth, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 56° 23'; Perth, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 30'.

* Absolute highest. † Absolute lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

SEPTEMBER 1896.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of September 1896, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 3895 children, of whom 1982 were males, and 1913 females. Of these, 3626 were legitimate, and 269 illegitimate, being in the proportion of one illegitimate in every 14·5 Births, or the illegitimate births constituted 6·9 per cent. of the whole. In Leith, 3·3 per cent. of the Births were illegitimate; in Greenock, 4·8; in Edinburgh, and in Paisley, 5·4; in Aberdeen, 7·6; in Glasgow, 7·8; in Dundee, 7·9; and in Perth, 8·6 per cent.

1019 Marriages were registered in these Towns during September. Allowing for increase of the population, this number is 190 above the average for the month during the last ten years.

The Deaths of 2028 persons were registered in these Towns during September, of whom 1040 were males, and 988 females. Increase of the population being allowed for, this number is 100 below the September average of the last ten years.

A comparison of the Deaths registered shows that during September the mortality was at the annual rate of 14·8 Deaths per thousand persons in Greenock; 15·0 in Edinburgh; 15·4 in Dundee; 15·6 in Aberdeen; 15·7 in Paisley; 16·5 in Leith; 17·2 in Glasgow; and 18·0 in Perth.

Of the 995 Deaths registered in Glasgow, 265 were of children under one year of age, and 142 of persons over 60 years; of the 341 in Edinburgh, 72 were of children under one year, and 88 of persons over 60 years; of the 204 in Dundee, 52 were

under one, and 50 over 60 years; of the 174 in Aberdeen, 46 were under one, and 53 over 60; of the 100 in Leith, 27 were under one, and 18 over 60; of the 94 in Paisley, 17 were under one, and 17 over 60; of the 75 in Greenock, 15 were under one, and 17 over 60; and of the 45 in Perth, 10 were under one, and 11 over 60 years.

Of the whole 2028 Deaths, 810, or 39·9 per cent. were of children under five years of age. In Perth, 31·1 per cent. of the persons who died were under five years of age; in Edinburgh, 32·0; in Greenock, 33·3; in Dundee, 33·8; in Aberdeen, 36·2; in Paisley, 37·2; in Leith, 40·0; and in Glasgow, 45·7 per cent.

Miasmatic Diseases caused 165 Deaths, or 8·1 per cent. of the whole. This rate was exceeded in Glasgow from the prevalence of Measles and Scarlatina, in Leith from that of Scarlatina, and in Paisley from Scarlatina and Hooping-Cough.

Fevers caused 22 Deaths, of which 21 were caused by Enteric, and 1 (in Greenock) by Typhus Fever.

Measles caused 43 Deaths, or 2·1 per cent. of the whole mortality, and Scarlatina 41, or 2·0 per cent. In Leith, 8 Deaths were caused by Scarlatina, constituting 8·0 per cent. of the Deaths there.

Diarrhoea and Dysentery caused 115 Deaths, or 5·7 per cent. of the whole. The highest rate in any of the Towns occurred in Dundee, where it was 6·9 per cent.

Hooping-Cough caused 33 Deaths; Diphtheria, 23; Puerperal Fever, 9; and Cholera, 7.

From Intemperance there resulted 9 Deaths, 7 being ascribed to Chronic Alcoholism, and 2 to Delirium Tremens.

Apoplexy caused 78 Deaths; Paralysis, 45; Heart Diseases, 156; and Premature Birth Debility, 48.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 234, or 11·5 per cent. Those from Consumption alone numbered 190, or 9·4 per cent. 9 Deaths were attributed to Croup.

91 Deaths resulted from Violent Causes, of which 4 were Suicidal (one by Cut Throat, one by Drowning, and two by Hanging).

Five females had reached the age of 90 years and upwards, the eldest of whom was the widow of a granite quarry worker, and was aged 100 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, SEPTEMBER 1896.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1896.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, .	576,847	658,198	705,052	944	944	1888	1741	147	488	522	473	995
EDINBURGH, .	234,402	261,225	276,514	305	301	606	573	33	203	181	160	341
DUNDEE, .	140,794	154,118	161,620	181	186	367	338	29	60	98	106	204
ABERDEEN, .	106,806	124,943	135,941	178	189	367	339	28	139	75	99	174
LEITH, .	59,485	68,707	74,110	117	98	215	208	7	39	54	46	100
PAISLEY, .	55,638	66,425	72,902	108	97	205	194	11	28	50	44	94
GREENOCK, .	66,704	63,423	61,781	114	75	189	180	9	47	42	33	75
PERTH, .	28,980	29,919	30,427	35	23	58	53	5	15	18	27	45
TOTAL, .	1,238,601	1,426,148	1,500,435	1982	1913	3895	3626	269	1019	1040	988	2028

SEPTEMBER 1895, . .	Mean Temp. 58°·0	1866	1785	3651	3385	266	943	1027	1115	2212
SEPTEMBER 1894, . .	Mean Temp. 52°·5	1765	1591	3356	3110	246	840	916	868	1784
SEPTEMBER 1893, . .	Mean Temp. 53°·2	1869	1799	3668	3364	304	821	1151	1138	2289
SEPTEMBER 1892, . .	Mean Temp. 51°·5	1819	1694	3513	3238	275	823	1035	998	2033
SEPTEMBER 1891, . .	Mean Temp. 55°·4	1703	1655	3358	3124	234	792	952	1028	1980
SEPTEMBER 1890, . .	Mean Temp. 57°·7	1736	1609	3345	3080	265	816	1062	1059	2121
SEPTEMBER 1889, . .	Mean Temp. 53°·1	1708	1664	3372	3099	273	775	997	939	1936
SEPTEMBER 1888, . .	Mean Temp. 52°·5	1602	1504	3106	2845	261	686	890	846	1736
SEPTEMBER 1887, . .	Mean Temp. 52°·6	1684	1637	3321	3068	253	643	966	1017	1983
SEPTEMBER 1886, . .	Mean Temp. 53°·1	1744	1679	3423	3141	282	659	957	1006	1963

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of SEPTEMBER 1896.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria	Fevers.	Diarrhœa.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria	Fevers.	Diarrhœa.
GLASGOW—								DUNDEE—							
1. Bridgeton, .	0	6	9	1	6	13	8	1. St Peter, .	0	0	1	0	1	0	1
2. Camlachie, .	0	2	0	0	1	0	5	2. St Mary, .	0	0	0	0	0	1	5
3. Dennistoun, .	0	5	0	3	2	1	6	3. St Clement, .	0	0	0	0	0	1	2
4. Calton, .	0	2	0	0	1	0	2	4. St Andrew, .	0	0	0	0	1	0	4
5. Blackfriars, .	0	5	1	0	0	0	5	5. Lochee, .	0	0	1	0	0	0	2
6. St Rollox, .	0	1	8	3	0	0	2	Mains, .	0	0	0	0	0	0	0
7. Blythswood, .	0	2	0	2	0	0	1								
8. Milton, .	0	1	1	0	0	0	6	ABERDEEN—							
9. Kelvin, .	0	0	0	1	0	0	4	1. St Nicholas, .	0	0	2	0	0	0	0
10. Anderston, .	0	7	1	1	0	0	7	2. Aberdeen, .	0	0	1	2	0	0	1
11. Hutchesontown, .	0	1	0	1	0	1	7	3. Woodside, .	0	0	0	1	0	0	1
12. Gorbals, .	0	1	0	0	0	0	3	4. Old Aberdeen, .	0	0	0	0	0	0	0
13. Tradeston, .	0	1	0	2	1	1	3	E. Peterculter, .	0	0	0	0	0	0	0
14. Kinning Park, .	0	1	0	2	0	1	0	Nigg, .	0	0	0	1	0	0	2
Cathcart, .	0	0	0	0	0	0	0								
Eastwood, .	0	0	0	0	0	0	0	LEITH—							
Maryhill, .	0	1	0	0	1	0	5	1. North, .	0	0	7	0	2	1	2
Shettleston, .	0	0	0	0	0	0	0	2. South, .	0	1	1	0	0	0	3
Plantation, .	0	0	0	0	0	0	0								
Govan, .	0	0	0	0	0	0	0	PAISLEY, .	0	0	5	4	2	1	6
Partick, .	0	0	0	0	0	0	0								
EDINBURGH—								GREENOCK—							
1. St George, .	0	0	0	6	2	0	4	1. East, .	0	0	0	0	0	0	3
2. St Andrew, .	0	0	0	0	0	0	4	2. West, .	0	0	0	1	1	1	2
3. Canongate, .	0	3	2	0	1	0	2								
4. St Giles, .	0	1	0	0	0	0	1	PERTH, .	0	0	0	1	0	0	1
5. Newington, .	0	2	1	1	1	0	5								

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of SEPTEMBER 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.			
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.
ALL CAUSES - - -	2028	455	99	299	142	995	109	29	115	88	341	69	12	73	50	204	63	13	45	53
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	320	136	24	20	7	187	31	3	6	1	41	20	3	4	-	27	9	3	1	1
II. PARASITIC DISEASE	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC „	12	1	1	3	-	5	-	-	-	-	-	-	-	1	-	1	-	-	-	-
IV. CONSTITUTIONAL „	432	52	33	85	20	190	17	7	36	15	75	8	4	34	8	54	3	7	24	8
V. DEVELOPMENTAL „	128	32	-	-	29	61	12	-	-	8	20	4	-	-	9	13	12	-	-	9
VI. LOCAL „	952	186	35	154	82	457	36	13	65	61	175	28	4	28	33	93	28	3	17	34
VII. VIOLENCE - -	91	7	6	29	1	43	4	4	8	2	18	4	1	6	-	11	2	-	2	-
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	91	39	-	8	3	50	9	2	-	1	12	5	-	-	-	5	9	-	1	1
I.																				
1. Miasmatic Diseases -	165	75	17	10	-	102	16	3	1	-	20	3	3	1	-	7	4	3	-	-
2. Diarrhoeal „ -	122	55	6	1	7	69	13	-	2	1	16	12	-	2	-	14	4	-	-	1
3. Malarial „ -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Zoogenous „ -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Venereal „ -	10	3	-	-	-	3	2	-	1	-	3	4	-	-	-	4	-	-	-	-
6. Septic „ -	23	3	1	9	-	13	-	-	2	-	2	1	-	1	-	2	1	-	1	-
II.																				
PARASITIC DISEASES -	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																				
DIETETIC DISEASES - -	12	1	1	3	-	5	-	-	-	-	-	-	-	1	-	1	-	-	-	-
IV.																				
CONSTITUTIONAL DISEASES	432	52	33	85	20	190	17	7	36	15	75	8	4	34	8	54	3	7	24	8
V.																				
DEVELOPMENTAL DISEASES	128	32	-	-	29	61	12	-	-	8	20	4	-	-	9	13	12	-	-	9
VI.																				
1. Dis. of Nervous System -	269	59	4	39	22	124	8	6	23	22	59	7	-	3	11	21	9	-	3	14
2. „ Organs of Special Sense -	6	2	-	2	-	4	-	-	-	-	-	1	-	-	-	1	-	-	1	-
3. „ Circulatory System	156	-	5	31	16	52	-	3	18	16	37	-	1	12	11	24	2	-	5	7
4. „ Respiratory System	234	67	3	38	25	133	13	1	10	11	35	12	-	5	7	24	6	1	-	5
5. „ Digestive System -	180	53	10	16	8	87	15	2	10	6	33	6	2	4	2	14	11	1	5	4
6. „ Lymphatic System and Ductless Glands -	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. „ Urinary System -	67	4	7	16	9	36	-	1	2	6	9	-	-	3	2	5	-	-	1	3
8. „ Reproductive System :-																				
(a) Diseases of Organs of Generation -	7	-	-	2	-	2	-	-	2	-	2	-	-	-	-	-	-	-	1	1
(b) Diseases of Parturition -	9	-	-	6	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9. „ Organs of Locomotion - -	12	-	4	-	-	4	-	-	-	-	-	1	1	1	-	3	-	1	1	-
10. „ Integumentary System - -	9	1	2	3	2	8	-	-	-	-	-	1	-	-	-	1	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

133

Registered during the Month of SEPTEMBER 1896.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
CAUSES - - - -	40	9	33	18	100	35	13	29	17	94	25	3	30	17	75	14	7	13	11	45
SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	14	4	1	1	20	16	4	-	-	20	7	-	1	-	8	2	1	-	-	3
PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC „ -	-	-	2	-	2	1	-	1	-	2	-	-	2	-	2	-	-	-	-	-
CONSTITUTIONAL „ -	7	3	15	1	26	3	5	11	2	21	2	-	10	1	13	3	3	3	2	11
DEVELOPMENTAL „ -	2	-	-	-	2	2	-	-	2	4	1	-	-	1	2	2	-	-	3	5
LOCAL „ -	14	2	13	14	43	11	4	16	12	43	10	1	15	14	40	6	1	8	4	19
VIOLENCE - - -	1	-	2	2	5	-	-	-	1	1	-	2	2	1	5	-	2	2	-	4
ILL-DEFINED AND NOT SPECIFIED CAUSES -	2	-	-	-	2	2	-	-	1	3	5	-	-	-	5	1	-	-	2	3
I.																				
ASMATIC DISEASES - -	8	4	-	-	12	10	3	-	-	13	2	-	1	-	3	1	-	-	-	1
BARRHOEAL „ - -	5	-	-	1	6	5	1	-	-	6	5	-	-	-	5	1	-	-	-	1
MALARIAL „ - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOXEMOUS „ - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEURALGIC „ - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OPTIC „ - -	1	-	1	-	2	1	-	-	-	1	-	-	-	-	-	-	1	-	-	1
II.																				
PARASITIC DISEASES - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																				
DIETETIC DISEASES - - -	-	-	2	-	2	1	-	1	-	2	-	-	2	-	2	-	-	-	-	-
IV.																				
CONSTITUTIONAL DISEASES - -	7	3	15	1	26	3	5	11	2	21	2	-	10	1	13	3	3	3	2	11
V.																				
DEVELOPMENTAL DISEASES - -	2	-	-	-	2	2	-	-	2	4	1	-	-	1	2	2	-	-	3	5
VI.																				
DISEASES OF NERVOUS SYSTEM -	8	1	3	5	17	4	1	5	4	14	1	-	1	3	5	1	1	1	-	3
„ ORGANS OF SPECIAL SENSE - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ CIRCULATORY SYSTEM -	-	-	3	4	7	-	-	6	2	8	-	-	4	5	9	-	-	1	4	5
„ RESPIRATORY SYSTEM -	1	-	5	1	7	4	-	2	2	8	6	-	2	3	11	3	-	1	-	4
„ DIGESTIVE SYSTEM -	4	-	-	-	4	3	2	2	2	9	3	-	4	2	9	2	-	1	-	3
„ LYMPHATIC SYSTEM AND DUCTLESS GLANDS - -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1
„ URINARY SYSTEM -	1	1	-	4	6	-	-	1	1	2	-	-	3	1	4	-	-	1	-	1
„ REPRODUCTIVE SYSTEM :-																				
(a) DISEASES OF ORGANS OF GENERATION -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
(b) DISEASES OF PARTURITION -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	2
„ ORGANS OF LOCOMOTION - -	-	-	2	-	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
„ INTEGUMENTARY SYSTEM -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.			
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.
VII.																				
1. ACCIDENT OR NEGLIGENCE	85	7	6	28	1	42	4	4	7	1	16	4	1	3	-	8	2	-	2	-
2. VIOLENCE OTHER THAN ACCIDENTAL - - -	6	-	-	1	-	1	-	-	1	1	2	-	-	3	-	3	-	-	-	-
VIII.																				
ILL-DEFINED AND NOT SPECIFIED CAUSES	91	39	-	8	3	50	9	2	-	1	12	5	-	-	-	5	9	-	1	1
MIASMATIC DISEASES.																				
Small-pox { Vaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	43	36	-	-	-	36	6	-	-	-	6	-	-	-	-	-	-	-	-	-
Epidemic Rose Rash - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	41	12	6	2	-	20	1	2	-	-	3	1	1	-	-	2	-	3	-	-
Typhus - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Hooping-Cough - - -	33	16	-	-	-	16	7	-	-	-	7	-	-	-	-	-	4	-	-	-
Mumps - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	23	7	5	-	-	12	2	1	1	-	4	2	-	-	-	2	-	-	-	-
Cerebro-spinal Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	21	3	6	8	-	17	-	-	-	-	-	-	1	1	-	2	-	-	-	-
Other Miasmatic Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																				
Simple Cholera - - -	7	4	1	-	-	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diarrhoea, Dysentery - - -	115	51	5	1	7	64	13	-	2	1	16	12	-	2	-	14	3	-	-	1
MALARIAL DISEASES.																				
Remittent Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																				
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																				
Syphilis - - -	10	3	-	-	-	3	2	-	1	-	3	4	-	-	-	4	-	-	-	-
Gonorrhoea Stricture of Urethra - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																				
Phagedæna - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	9	3	-	1	-	4	-	-	-	-	-	1	-	-	-	1	1	-	-	-
Pyæmia, Septicæmia - - -	5	-	1	2	-	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-
Puerperal Fever - - -	9	-	-	6	-	6	-	-	-	-	-	-	-	1	-	1	-	-	1	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

135

Registered during the Month of SEPTEMBER 1896.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1896.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Crush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	-	-	2	-	2	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-
{ Delirium Tremens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart - - - - -	-	-	1	-	1	-	1	-	-	1	-	-	-	1	1	1	-	-	-	1
Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	-	-	4	1	5	-	-	4	1	5	-	-	1	-	1	-	-	-	1	1
Typhoid Mesenterica - - - - -	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	1	1	-	-	2
Tubercular Meningitis (Acute Hydrocephalus) - - - - -	7	-	-	-	7	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
Phthisis - - - - -	-	3	9	-	12	-	4	5	-	9	-	-	7	-	7	-	2	3	1	6
Other forms of Tuberculosis, Scrofula	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	1
Purpura, Hæmorrhagic Diathesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia	-	-	1	-	1	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Constitutional Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth - - - - -	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	2	-	-	-	2
Atelectasis - - - - -	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Cyanosis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age - - - - -	-	-	-	-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	3	3
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Mem-branes - - - - -	2	1	1	-	4	2	1	-	-	3	1	-	-	1	2	-	-	-	-	-
Apoplexy - - - - -	-	-	2	3	5	-	-	1	2	3	-	-	-	2	2	-	-	-	-	-
Softening of Brain - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemiplegia, Brain Paralysis -	-	-	-	1	1	-	-	3	2	5	-	-	-	-	-	-	-	-	-	-
Paralysis Agitans - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Insanity, General Paralysis of Insane	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	-	1	1	-	-	1	-	1	-	-	1	-	1	-	1	-	-	1
Convulsions - - - - -	5	-	-	-	5	2	-	-	-	2	-	-	-	-	-	1	-	-	-	1
Laryngismus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

139

Registered during the Month of SEPTEMBER 1896.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease	-	-	3	2	5	-	-	6	2	8	-	-	4	5	9	-	-	1	2	3
Pericarditis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Aneurism -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senile Gangrene -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Embolism, Thrombosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis -	-	-	2	1	3	1	-	1	2	4	3	-	1	2	6	3	-	-	-	3
Pneumonia -	1	-	-	-	1	3	-	1	-	4	2	-	1	1	4	-	-	-	-	-
Pleurisy -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Sore-throat, Quinsy -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	-	1
Enteritis -	4	-	-	-	4	-	-	1	1	2	1	-	-	-	1	1	-	1	-	2
Ulceration of Intestine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture or Strangulation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Hernia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	-	-	-	-	-	-	1	-	-	1	-	-	3	-	3	-	-	-	-	-
Ascites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver -	-	-	-	-	-	-	-	1	1	2	-	-	1	1	2	-	-	-	-	-
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Spleen -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Diseases of Thyroid Body -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Suprarenal Capsules	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bright's Disease -	1	1	-	1	3	-	-	1	-	1	-	-	1	1	2	-	-	1	-	1
Uræmia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
Other Diseases of Urinary System -	-	-	-	2	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of SEPTEMBER 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	3	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1
Diseases of Uterus and Vagina	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth	5	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	7	-	3	-	-	3	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1
Arthritis, Ostitis, Periostitis -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locom.	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	1	-	1
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	5	1	2	-	1	4	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Quarries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles { Railways -	3	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
and { Veh. oth. than R'wys.	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, { Conflagrations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns & Scalds	11	1	1	6	-	8	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
{ Explosions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - -	15	2	-	7	-	9	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
Suffocation { In Bed -	9	1	-	-	-	1	3	-	-	-	3	4	-	-	-	4	1	-	-	-	1
{ Otherwise	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Falls - - -	3	-	-	-	-	-	-	2	1	-	3	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - -	24	1	4	5	1	11	-	2	1	1	4	-	-	1	-	1	-	-	1	-	1
Otherwise, or Not Stated -	15	2	1	7	-	10	-	-	4	-	4	-	-	1	-	1	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Suicide - - -	4	-	-	-	-	-	-	-	1	1	2	-	-	2	-	2	-	-	-	-	-
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	3	1	-	-	-	1	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition	64	33	-	3	-	36	8	-	-	-	8	4	-	-	-	4	7	-	-	-	7
Mortification - - -	2	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Tumour - - -	3	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1
Abscess - - -	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1
Hæmorrhage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained)	7	3	-	3	1	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-def. & not spec. Causes	8	1	-	1	2	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1896.

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—SEPTEMBER 1896.

DISTRICTS.	Estimated Population at Middle of 1896.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	23,542	48	17	21	0	0	0	0	0	0	0	1	0	3	3
Ayr,	28,373	49	24	54	0	0	0	2	0	1	0	9	1	7	6
Banff, with Macduff,	8,726	31	9	11	0	0	0	0	0	0	0	0	0	1	1
Blairgowrie	4,329	11	2	3	0	0	0	0	0	0	0	0	0	0	0
Callander,	2,340	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,535	38	2	17	0	0	0	1	0	0	0	1	2	1	2
Cathcart (Landward),	5,557	12	3	5	0	0	0	0	0	0	0	0	0	0	1
Coatbridge,	36,540	113	16	53	0	0	0	3	1	0	0	5	1	5	4
Crieff,	5,650	7	3	3	0	0	0	0	0	0	0	1	0	0	0
Dumbarton,	20,001	58	6	25	0	0	0	0	0	0	0	3	0	5	1
Dumfries, with Troqueer,	24,535	46	15	37	0	0	0	1	1	0	0	2	0	6	0
Dunfermline	29,960	54	9	34	0	0	0	0	0	0	0	1	1	7	3
Dunoon,	7,544	14	4	18	0	1	1	0	0	0	0	2	0	4	1
Eastwood (Landward),	14,269	41	5	19	0	0	1	1	0	0	0	1	0	3	1
Elgin,	10,805	25	6	13	0	0	0	0	0	0	0	1	0	1	0
Falkirk,	29,079	82	17	31	0	2	1	0	1	1	0	3	0	2	2
Forfar,	13,260	23	5	11	0	1	0	0	0	0	0	0	0	2	1
Galashiels,	18,927	33	4	17	0	0	0	1	0	1	0	0	0	1	4
Govan—(1) Plantation (Land- ward),	25,215	64	8	37	0	0	1	2	1	0	0	5	0	1	2
(2) Govan (Landward),	45,789	135	14	83	0	1	0	1	0	0	0	6	0	11	13
(3) Partick (Landward),	42,490	137	15	50	0	1	0	5	0	1	0	3	0	4	1
Haddington,	4,997	8	1	11	0	0	0	0	0	0	0	2	0	1	0
Hawick, with Wilton,	22,342	38	7	14	0	0	0	0	0	0	0	0	0	2	4
Inverness,	25,377	58	15	30	0	0	0	0	0	0	0	1	0	3	1
Kilmarnock, with Riccarton,	32,726	94	15	32	0	0	0	0	1	1	0	6	0	4	3
Kilmore and Kilbride (Oban),	6,064	7	6	9	0	0	0	0	0	0	0	0	0	0	0
Kinning Park (Landward),	14,948	47	12	18	0	0	0	1	0	0	0	2	0	0	0
Kirkcaldy and Abbotshall,	19,209	39	9	17	0	0	0	0	0	0	0	4	1	1	0
Kirkcudbright,	3,476	7	3	4	0	0	0	0	0	0	0	0	0	0	1
Largs,	5,412	8	1	11	0	0	1	1	0	0	0	2	0	0	0
Logie (Bridge of Allan),	4,384	10	1	2	0	0	0	0	0	0	0	0	0	0	1
Moffat,	3,002	6	1	5	0	0	0	0	0	0	0	0	0	0	2
Montrose,	13,532	26	5	20	0	0	0	0	0	0	0	2	0	0	2
Moulin (Pitlochry),	2,230	5	0	3	0	0	0	0	0	0	0	0	0	1	0
Nairn,	5,178	13	1	7	0	0	0	0	0	0	0	0	0	3	0
New Monkland (Airdrie),	37,403	92	14	29	0	0	0	1	0	1	0	2	1	2	3
North Berwick,	3,239	10	2	2	0	0	0	0	0	0	0	0	0	0	0
Peterhead, with Boddam,	16,724	59	17	17	0	0	0	1	0	0	0	3	0	2	1
Rothsay,	9,546	20	1	15	0	0	0	0	0	0	0	1	1	3	2
St Andrews and St Leonards,	8,835	12	2	6	0	2	0	1	0	0	0	0	0	0	0
Shettleston (Landward),	14,781	39	4	35	0	1	1	1	0	0	0	4	2	4	3
Stirling,	15,508	24	7	21	0	0	0	1	0	0	0	1	0	3	6
Stranraer,	6,079	14	7	7	0	0	0	0	0	0	0	1	1	0	2
Wick,	12,243	42	8	6	0	0	0	0	0	0	0	1	0	0	0

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 139 feet above the sea-level,

For the month of SEPTEMBER 1896.

Mean barometric pressure, 29.657 inches; less than the average for the same month of 1856-95 by 0.178 inch.

Barometric monthly range, 1.516 inch; greater by 0.320 inch.

Mean temperature, $53^{\circ}3$; less by $0^{\circ}5$.

Mean daily range of temperature, $11^{\circ}3$; less by $1^{\circ}9$.

Mean humidity, 84; greater by 0.5.

Rain, number of days, 23; greater by 7 days.

Rain, depth in inches, 4.81; greater by 1.41 inch.

Wind, pressure on square foot, 1.65 lb.; greater by 0.22 lb.

Wind, direction of, E. to W. as 9 to 9, and N. to S. as 4 to 7; the average being E. to W. as 5 to 12, and N. to S. as 4 to 6.

Thus, the weather of September 1896 was characterised by an unusually low barometric pressure, with a singularly large monthly range; a mean temperature half a degree less than the average, with a mean daily range considerably under the average; a mean humidity slightly above the average; a large rainfall falling on 23 days, which is greatly in excess of the September average; and a large excess of south-easterly winds.

The mean barometric pressure was only 29.657 inches, being the lowest for this month since 1869. The depression below the average was much greater in the south than in the north, and also greater in the west than in the east; indicating a distribution of the pressure which brought about an excess above the average of 4 days of S.E. and also 1 day of E., and 1 day of N.E. winds.

The mean temperature of the towns was half a degree under the average; but while at Aberdeen, Dundee, and Perth in the east, it was $1^{\circ}0$ less than the average, in the west, at Glasgow and Greenock, it was $0^{\circ}5$ above it. This distribution of the temperature was due to the great prevalence of south-easterly winds, temperature being higher in the west, which is best sheltered from these winds, and lower at those eastern stations most exposed to them. The absolutely highest temperature was $69^{\circ}9$ at Glasgow on the 10th; and the lowest $34^{\circ}0$ at Aberdeen on the 28th.

The mean rainfall was 4.81 inches, or 42 per cent. above the average. Its distribution among the large towns was singularly unequal. The largest amount, 7.27 inches, was collected in Glasgow, and the least, 3.71 inches, in Leith, these being respectively 116 and 32 per cent. above their averages. On the other hand, the amount at Greenock was 5.54 inches, which is 8 per cent. below its average. It is remarkable that, notwithstanding the large monthly amounts, the daily rainfall only once exceeded an inch, *viz.*, at Perth, on the 9th, when 1.26 inch was collected. The only fair periods were from the 4th to the 8th, and the three last days of the month. The rest of the month may be characterised as dripping wet, and proved very disastrous to the cut grain outstanding in the fields.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH,

During the Month of SEPTEMBER 1896.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.				RAIN.		WINDS.										Mean Pres- sure on Sq. ft.
		Mean at Station and 32°.	Mean at Sea-level and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.										
																			N	NE	E	SE	S	SW	W	NW	Calm or Variable.	lbs.	
GLASGOW, J. B. RUSSELL, M.D., Medical Officer of Health, Glasgow.	54	29.602	29.662	1.517	69.9	35.4	54.8	34.4	13.0	24.7	54.2	51.5	48.9	.345	...	82	24	7.27	0	2	3	1	2	5	3	13	0.29		
EDINBURGH, R. C. MOSSMAN, F.R.S.E.	276	29.362	29.660	1.528	66.5	39.9	53.3	26.6	11.0	21.9	52.6	50.5	48.4	.340	...	86	21	4.47	1	3	9	1	2	9	2	2	0.67		
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.477	29.656	1.510	65.7	37.3	52.5	28.4	11.6	18.4	51.8	50.4	49.0	.348	...	90	21	3.86	1	3	2	9	5	4	5	0	1.72		
ABERDEEN,	66	29.576	29.648	1.420	62.0	34.0	52.1	28.0	10.0	23.0	53.4	51.1	48.8	.345	...	85	27	4.20	4	2	2	6	9	1	2	0	2.52		
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	70	29.585	29.661	1.554	66.8	41.0	54.2	25.8	9.7	17.7	53.7	51.3	49.0	.346	...	84	21	3.71	2	3	6	2	3	10	1	1	2.50		
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107		
GREENOCK, JAMES WILSON, Greenock Water Works.	233	29.410	29.655	1.520	66.7	37.8	53.7	28.9	11.4	21.4	53.0	50.5	48.0	.335	...	83	24	5.54	0	6	0	8	4	8	4	0	3.88		
PERTH, A. GARDECKE, Gardener to James F. Pullar, F.R.S.E.	140	29.503	29.654	1.560	65.5	35.8	52.8	29.7	12.6	22.7	52.8	51.0	49.2	.350	...	87	21	4.64	1	3	5	12	7	0	0	0	...		
Means,	139	29.502	29.657	1.516	(69.9)	(34.0)	53.3	28.9	11.3	21.4	53.1	50.9	48.7	.344	...	84	23	4.81	1	3	4	6	5	5	3	2	1.65		

North Latitude.—Glasgow, 56° 53'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

North Latitude.—Glasgow, 56° 53'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute highest. † Absolute lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

OCTOBER 1896.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of October 1896, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 4131 children, of whom 2138 were males, and 1993 females. Of these, 3823 were legitimate, and 308 illegitimate, being in the proportion of one illegitimate in every 13·4 Births, or the illegitimate births constituted 7·5 per cent. of the whole. In Leith, 5·2 per cent. of the Births were illegitimate; in Greenock, 5·3; in Glasgow, 6·4; in Paisley, 6·8; in Perth, 7·3; in Edinburgh, 8·9; in Aberdeen, 9·1; and in Dundee, 10·5 per cent.

954 Marriages were registered in these Towns during October, being 99 above the average number for the month during the last ten years, allowing for increase of the population.

The Deaths of 2347 persons were registered in these Towns during the month, of whom 1143 were males, and 1204 females. Allowing for increase of the population, this number is 51 below the average number for October during the last ten years.

A comparison of the Deaths registered shows that during October the mortality was at the annual rate of 15·3 Deaths per thousand persons in Leith; 15·9 in Edinburgh, and in Greenock; 16·7 in Perth; 17·1 in Aberdeen; 18·3 in Paisley; 19·6 in Glasgow; and 19·9 in Dundee.

Of the 1170 Deaths registered in Glasgow, 303 were of children under one year of age, and 216 of persons over 60 years; of the 372 in Edinburgh, 78 were of children under one year, and 105 of persons over 60 years; of the 273 in Dundee, 89 were

under one year, and 48 over 60 years ; of the 197 in Aberdeen, 46 were under one, and 53 over 60 ; of the 96 in Leith, 16 were under one, and 21 over 60 ; of the 113 in Paisley, 25 were under one, and 33 over 60 ; of the 83 in Greenock, 20 were under one, and 19 over 60 ; and of the 43 in Perth, 4 were under one year, and 20 over 60 years.

Of the whole 2347 Deaths, 903, or 38·5 per cent. were of children under five years of age. In Perth, 18·6 per cent. of the persons who died were under five years of age ; in Edinburgh, 29·6 ; in Aberdeen, 31·5 ; in Leith, 34·4 ; in Paisley, 35·4 ; in Greenock, 38·6 ; in Dundee, 41·8 ; and in Glasgow, 43·1 per cent.

Miasmatic Diseases caused 172 Deaths, or 7·3 per cent. of the whole mortality. This rate was exceeded in Glasgow, Paisley, and Aberdeen, but in none of the Towns were any of these diseases specially prominent.

Fevers caused 16 Deaths, of which 12 were caused by Enteric, 3 by Simple Continued, and 1 (in Paisley) by Typhus Fever.

Measles caused 59 Deaths, or 2·5 per cent. of the whole mortality. Scarlatina caused 24 Deaths, or 1·0 per cent.; and Hooping-Cough, 39 Deaths, or 1·7 per cent.

Diarrhoea and Dysentery caused 61 Deaths, or 2·6 per cent. of the whole.

Diphtheria caused 22 Deaths ; Puerperal Fever, 9 ; and Cholera, 3.

From Intemperance there resulted 3 Deaths, 2 being ascribed to Chronic Alcoholism, and 1 to Delirium Tremens.

Apoplexy caused 81 Deaths ; Paralysis, 46 ; Heart Diseases, 211 ; and Premature Birth Debility, 71.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 488, or 20·8 per cent. Those from Consumption alone numbered 203, or 8·6 per cent. 9 Deaths were attributed to Croup.

109 Deaths resulted from Violent Causes, of which 9 were Suicidal (five by Cut Throat, one by Hanging, one by Precipitation, one by Poison, and one Not Stated).

One male and seven females were aged 90 years and upwards, the eldest being the widow of a blacksmith, was aged 97 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, OCTOBER 1896.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1896.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, . . .	576,847	658,198	705,052	995	957	1952	1827	125	462	577	503	1170
EDINBURGH, . .	234,402	261,225	276,514	367	327	694	632	62	188	169	203	372
DUNDEE, . . .	140,794	154,118	161,620	221	179	400	358	42	110	136	137	273
ABERDEEN, . .	106,306	124,943	135,941	213	225	438	398	40	76	97	100	197
LEITH, . . .	59,485	68,707	74,110	110	84	194	184	10	40	44	52	96
PAISLEY, . . .	55,638	66,425	72,902	119	102	221	206	15	31	49	64	113
GREENOCK, . .	66,704	63,423	61,781	69	81	150	142	8	36	47	36	83
PERTH, . . .	28,980	29,919	30,427	44	38	82	76	6	11	24	19	43
TOTAL, . . .	1,268,601	1,426,148	1,500,435	2138	1993	4131	3823	308	954	1143	1204	2347

OCTOBER 1895, . . .	Mean Temp. 44°·0	1940	1863	3803	3523	280	933	1225	1198	2423
OCTOBER 1894, . . .	Mean Temp. 46°·0	2112	2082	4194	3876	318	915	1191	1144	2335
OCTOBER 1893, . . .	Mean Temp. 48°·4	2025	1966	3991	3719	272	854	1142	1200	2342
OCTOBER 1892, . . .	Mean Temp. 43°·7	2067	1810	3877	3605	272	929	1187	1152	2339
OCTOBER 1891, . . .	Mean Temp. 47°·1	1858	1713	3571	3282	289	715	1100	1132	2232
OCTOBER 1890, . . .	Mean Temp. 49°·2	1794	1670	3464	3179	285	702	1130	1167	2297
OCTOBER 1889, . . .	Mean Temp. 46°·1	1911	1862	3773	3490	283	755	1108	1113	2221
OCTOBER 1888, . . .	Mean Temp. 48°·0	1999	1883	3882	3559	323	809	1130	1110	2240
OCTOBER 1887, . . .	Mean Temp. 45°·1	1835	1719	3554	3262	292	811	1048	1111	2159
OCTOBER 1886, . . .	Mean Temp. 50°·1	1832	1768	3600	3300	300	632	1017	981	1998

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of OCTOBER 1896.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhœa.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhœa.
GLASGOW—								DUNDEE—							
1. Bridgeton, . .	0	7	5	5	3	3	1	1. St Peter, . .	0	0	0	0	1	0	0
2. Camlachie, . .	0	6	0	3	1	0	3	2. St Mary, . .	0	0	0	0	1	0	4
3. Dennistoun, . .	0	11	0	3	0	2	1	3. St Clement, . .	0	0	0	1	0	1	2
4. Calton, . . .	0	1	0	0	0	0	0	4. St Andrew, . .	0	0	0	0	0	0	0
5. Blackfriars, . .	0	7	0	3	0	0	1	5. Lochee, . . .	0	0	0	0	0	0	1
6. St Rollox, . .	0	5	5	5	1	0	2	Mains, . . .	0	0	0	0	0	0	0
7. Blythswood, . .	0	1	1	0	0	0	0								
8. Milton, . . .	0	2	0	1	0	0	3	ABERDEEN—							
9. Kelvin, . . .	0	0	0	3	0	1	3	1. St Nicholas, . .	0	3	6	0	0	0	0
10. Anderston, . .	0	5	0	1	0	2	2	2. Aberdeen, . .	0	1	0	0	1	1	4
11. Hutchesontown, .	0	3	0	1	1	1	1	3. Woodside, . .	0	0	0	0	0	0	0
12. Gorbals, . . .	0	1	0	0	0	0	3	4. Old Aberdeen, .	0	0	0	0	0	0	0
13. Tradeston, . .	0	1	1	1	1	0	0	E. Peterculter, .	0	0	0	0	0	0	0
14. Kinning Park, .	0	0	0	0	1	0	1	Nigg, . . .	0	0	0	0	0	1	0
Cathcart, . . .	0	0	0	0	0	0	0								
Eastwood, . . .	0	0	0	0	0	0	0	LEITH—							
Maryhill, . . .	0	2	0	2	1	0	4	1. North, . . .	0	0	0	0	2	0	4
Shettleston, . .	0	0	0	0	0	0	0	2. South, . . .	0	0	0	0	1	0	2
Plantation, . .	0	0	0	0	0	0	0								
Govan, . . .	0	0	0	0	0	0	0	PAISLEY, . . .	0	2	1	3	3	1	4
Partick, . . .	0	0	1	0	0	0	0								
EDINBURGH—								GREENOCK—							
1. St George, . .	0	0	1	2	0	0	4	1. East, . . .	0	0	0	0	0	0	1
2. St Andrew, . .	0	0	1	2	0	0	1	2. West, . . .	0	0	0	0	0	0	3
3. Canongate, . .	0	1	1	0	1	2	3								
4. St Giles, . . .	0	0	0	1	0	0	2	PERTH, . . .	0	0	1	1	0	1	0
5. Newington, . .	0	0	0	1	3	0	1								

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of OCTOBER 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	2347	504	87	363	216	1170	110	25	132	105	372	114	24	87	48	273	62	23	59	53	197
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	280	120	17	13	7	157	24	4	6	6	40	9	1	8	-	18	14	6	1	3	24
II. PARASITIC DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC „	5	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
IV. CONSTITUTIONAL „	421	30	27	118	16	191	12	11	40	19	82	13	11	29	5	58	2	4	19	6	31
V. DEVELOPMENTAL „	169	45	-	-	37	82	12	-	-	12	24	11	-	-	10	21	10	-	-	4	14
VI. LOCAL „	1252	247	35	201	149	632	43	9	75	67	194	55	12	46	32	145	24	8	33	38	103
VII. VIOLENCE - -	109	12	8	26	6	52	5	1	10	1	17	8	-	4	1	13	1	5	6	2	14
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	111	50	-	5	1	56	13	-	-	-	13	18	-	-	-	18	11	-	-	-	11
I.																					
1. MIASMATIC DISEASES -	172	89	16	6	3	114	12	4	2	1	19	2	1	2	-	5	9	5	-	2	16
2. DIARRHOEAL „	64	24	-	-	2	26	10	-	1	1	12	7	-	-	-	7	4	-	-	1	5
3. MALARIAL „	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. ZOOGENOUS „	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. VENEREAL „	16	6	-	2	-	8	1	-	1	2	4	-	-	1	-	1	-	-	1	-	1
6. SEPTIC „	27	1	1	4	2	8	1	-	2	2	5	-	-	5	-	5	1	1	-	-	2
II.																					
PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES - -	5	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
IV.																					
CONSTITUTIONAL DISEASES	421	30	27	118	16	191	12	11	40	19	82	13	11	29	5	58	2	4	19	6	31
V.																					
DEVELOPMENTAL DISEASES	169	45	-	-	37	82	12	-	-	12	24	11	-	-	10	21	10	-	-	4	-
VI.																					
1. DIS. OF NERVOUS SYSTEM -	240	38	6	37	35	116	7	1	12	19	39	6	2	10	11	29	3	-	5	13	21
2. „ ORGANS OF SPECIAL SENSE -	4	1	-	-	-	1	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-
3. „ CIRCULATORY SYSTEM	211	3	5	47	29	84	2	3	30	25	60	-	2	12	8	22	1	-	8	4	13
4. „ RESPIRATORY SYSTEM	488	158	7	58	54	277	21	2	13	16	52	38	3	6	10	57	13	3	4	14	33
5. „ DIGESTIVE SYSTEM -	181	41	9	27	12	89	13	1	9	4	27	8	1	9	-	18	6	1	10	2	19
6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	3	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
7. „ URINARY SYSTEM -	87	5	6	18	18	47	-	1	7	2	10	1	1	5	3	10	-	1	2	4	-
8. „ REPRODUCTIVE SYSTEM:—																					
(a) DISEASES OF ORGANS OF GENERATION -	7	-	-	3	-	3	-	-	1	1	2	-	-	1	-	1	-	-	1	-	-
(b) DISEASES OF PARTURITION -	14	-	-	6	-	6	-	1	1	-	2	-	-	2	-	2	-	-	3	-	-
9. „ ORGANS OF LOCOMOTION -	13	1	2	2	1	6	-	-	-	-	-	2	2	-	-	4	-	2	-	-	-
10. „ INTEGUMENTARY SYSTEM -	4	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-

149

149

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of OCTOBER 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	100	12	8	22	6	48	5	1	8	1	15	8	-	4	1	13	1	5	5	2	13
2. VIOLENCE OTHER THAN ACCIDENTAL - - -	9	-	-	4	-	4	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES	111	50	-	5	1	56	13	-	-	-	13	18	-	-	-	18	11	-	-	-	11
MIASMATIC DISEASES.																					
Small-pox { Vaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	59	48	4	-	-	52	1	-	-	-	1	-	-	-	-	-	3	1	-	-	4
Epidemic Rose Rash - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Scarlet Fever - - -	24	9	3	1	-	13	2	1	-	-	3	-	-	-	-	-	5	1	-	-	6
Typhus - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	11	-	-	-	3	3	-	-	2	1	3	-	-	1	-	1	-	-	-	2	2
Hooping-Cough - - -	39	26	2	-	-	28	6	-	-	-	6	1	-	-	-	1	-	-	-	-	-
Mumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	22	6	3	-	-	9	3	1	-	-	4	1	-	1	-	2	-	1	-	-	1
Cerebro-spinal Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and ill-defined Fever - - -	3	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	12	-	3	3	-	6	-	2	-	-	2	-	1	-	-	1	-	2	-	-	2
Other Miasmatic Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																					
Simple Cholera - - -	3	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
Diarrhoea, Dysentery - - -	61	23	-	-	2	25	9	-	1	1	11	7	-	-	-	7	3	-	-	1	4
MALARIAL DISEASES.																					
Remittent Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																					
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																					
Syphilis - - -	11	6	-	1	-	7	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1
Gonorrhoea Stricture of Urethra	5	-	-	1	-	1	-	-	1	2	3	-	-	1	-	1	-	-	-	-	-
SEPTIC DISEASES.																					
Phagedæna - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	16	1	-	2	2	5	1	-	1	2	4	-	-	1	-	1	1	1	-	-	2
Pyæmia, Septicæmia - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Puerperal Fever - - -	9	-	1	2	-	3	-	-	1	-	1	-	-	3	-	3	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1896.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																					
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Veg. Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Par. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																					
Starvation, Want of Breast Milk	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																					
Rheumatic Fever, Rheu- matism of Heart - -	11	-	1	4	-	5	-	2	-	2	1	-	-	-	1	-	1	-	-	-	1
Rheumatism - - - -	2	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	3	1	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Cancer - - - - -	99	-	-	28	10	38	-	-	13	13	26	-	6	5	11	-	4	5	9	-	-
Tabes Mesenterica - -	23	11	1	1	-	13	1	1	-	-	2	2	-	-	4	-	1	1	-	2	-
Tubercular Meningitis (Acute Hydrocephalus) - -	40	12	6	-	-	18	7	1	-	-	8	7	-	-	7	2	1	-	-	3	-
Phthisis - - - - -	203	2	16	74	5	97	2	5	23	2	32	7	7	23	30	-	12	-	13	-	-
Other forms of Tuber. Scrofula	24	4	2	5	-	11	2	2	2	-	6	1	2	-	3	-	-	1	1	-	-
Purp., Hæmorrhagic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chl., Leucocythæmia	10	-	-	5	-	5	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - -	6	-	1	1	-	2	-	-	-	2	2	-	-	-	-	-	2	-	2	-	-
Other Constitutional Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																					
Premature Birth - - -	71	35	-	-	-	35	11	-	-	-	11	7	-	-	7	9	-	-	9	-	-
Atelectasis - - - -	9	5	-	-	-	5	1	-	-	-	1	3	-	-	3	-	-	-	-	-	-
Cyanosis - - - - -	3	2	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Spina Bifida - - - -	3	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects -	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Old Age - - - - -	80	-	-	-	37	37	-	-	-	12	12	-	-	10	10	-	-	-	4	4	-
DISEASES OF NERVOUS SYSTEM.																					
Inflammation of Brain or its Membranes - - - -	40	22	3	2	-	27	1	-	1	-	2	1	1	1	3	-	-	1	-	1	-
Apoplexy - - - - -	81	1	-	21	15	37	-	-	3	13	16	-	-	6	11	-	-	1	5	5	-
Softening of Brain - -	9	-	-	1	5	6	-	-	-	-	-	-	-	5	-	-	-	-	1	6	-
Hemiplegia, Brain Paralysis -	36	-	-	4	9	13	-	-	-	5	5	-	-	1	4	5	-	-	6	-	-
Paralysis Agitans - -	2	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Par. of Insane	7	-	-	1	-	1	-	-	4	-	4	-	-	1	1	-	1	-	1	-	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	10	-	1	1	2	4	-	-	2	-	2	-	-	1	1	-	-	1	-	1	-
Convulsions - - - -	28	12	-	1	-	13	6	1	-	-	7	4	-	-	4	3	-	1	-	4	-
Laryngismus Stridulus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Paraplegia, Dis. of Spinal Cord	8	-	1	1	1	3	-	-	-	1	1	-	-	1	1	-	-	-	1	1	-
Other Diseases of Ner. System	18	3	1	5	1	10	-	-	2	-	2	-	1	1	2	-	1	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Otorrhœa - - -	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
Epistaxis and Dis. of Nose -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

153

Registered during the Month of OCTOBER 1896.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Crush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Intemperance - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemperance { Chronic Alcoholism	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemperance { Delirium Tremens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-
Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	-	-	4	3	7	-	-	2	4	6	-	-	-	1	1	-	-	1	1	1
Abscess Mesenterica - - - - -	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Tubercular Meningitis (Acute Hydrocephalus) - - - - -	1	-	-	-	1	-	-	-	-	-	-	2	3	-	2	-	1	4	-	1
Phthisis - - - - -	-	-	10	-	10	-	2	7	-	9	-	3	3	-	6	-	2	4	-	6
Other forms of Tuberculosis, Scrofula	2	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Purpura, Hæmorrhagic Diathesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth - - - - -	-	-	-	-	-	4	-	-	-	4	3	-	-	-	3	2	-	-	-	2
Atelectasis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Old Age - - - - -	-	-	-	2	2	-	-	-	10	10	-	-	-	2	2	-	-	-	3	3
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes - - - - -	-	-	-	-	-	1	2	-	-	3	4	-	-	-	4	-	-	-	-	-
Apoplexy - - - - -	-	-	-	1	1	-	-	1	1	2	-	-	3	2	5	-	-	1	3	4
Softening of Brain - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
Hemiplegia, Brain Paralysis - -	-	-	-	2	2	-	-	-	2	2	-	-	1	2	3	-	-	-	-	-
Paralysis Agitans - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Convulsions - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Laryngismus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
Other Diseases of Nervous System	-	-	-	-	-	-	1	-	1	2	1	-	-	-	1	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	176	2	5	41	27	75	-	3	25	18	46	-	1	10	5	16	1	-	6	4	11
Pericarditis -	2	-	-	1	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Hypertrophy of Heart -	5	-	-	1	-	1	-	-	1	1	2	-	-	-	1	1	-	-	1	-	-
Angina Pectoris -	3	-	-	1	1	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Syncope -	11	1	-	1	1	3	-	-	2	2	4	-	-	-	1	1	-	-	1	-	1
Aneurism -	6	-	-	2	-	2	-	-	1	2	3	-	-	1	-	1	-	-	-	-	-
Senile Gangrene -	2	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
Embolism, Thrombosis -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Phlebitis -	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	3	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	9	3	-	-	-	3	1	1	-	-	2	1	-	-	-	1	-	-	-	-	-
Croup -	9	5	-	-	-	5	2	-	-	-	2	-	-	-	-	-	1	-	-	-	1
Other Dis. of Larynx & Trachea	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Bronchitis -	231	60	-	31	37	128	7	-	5	10	22	24	-	4	6	34	10	2	1	11	24
Pneumonia -	192	67	6	22	12	107	10	1	7	5	23	12	3	2	4	21	1	1	2	2	6
Pleurisy -	6	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Resp. System	38	23	1	3	4	31	1	-	1	-	2	1	-	-	-	1	1	-	-	1	2
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	2	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	18	9	-	-	-	9	2	-	-	-	2	1	-	-	-	1	1	-	-	-	-
Sore-throat, Quinsy -	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2
Dyspepsia -	4	1	-	1	-	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Hæmatemesis -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	25	2	1	8	2	13	2	-	-	2	4	2	1	2	-	5	-	-	1	-	1
Enteritis -	43	19	4	4	-	27	4	-	-	-	4	4	-	-	-	4	4	-	1	-	5
Ulceration of Intestine -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Ileus, Obstruction of Intestine	12	1	3	2	3	9	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1
Stricture or Strang. of Intestine	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia -	8	-	-	-	3	3	-	-	1	-	1	-	-	-	-	-	-	-	2	-	2
Fistula -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	25	3	1	3	-	7	-	-	1	-	1	1	-	5	-	6	-	1	3	1	5
Ascites -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	4	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Diseases of Liver -	23	3	-	5	2	10	3	-	2	2	7	-	-	1	-	1	1	-	-	-	1
Other Dis. of Digestive System	5	1	-	1	-	2	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics -	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Suprarenal Capsules -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	29	4	4	5	7	20	-	1	-	-	1	1	-	1	2	4	-	-	1	1	2
Bright's Disease -	32	-	1	7	6	14	-	-	4	-	4	-	1	2	-	3	-	1	1	1	3
Uræmia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	11	-	-	-	5	5	-	-	-	1	1	-	-	1	1	2	-	-	-	2	2
Other Dis. of Urinary System	12	1	1	5	-	7	-	-	1	1	2	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

155

Registered during the Month of OCTOBER 1896.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease	-	-	2	5	7	-	1	3	7	11	-	-	3	2	5	-	-	-	5	5
Rheumatic Endocarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurysm of Aorta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis	1	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Other Diseases of Circulatory System	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Croup	1	-	-	-	1	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-
Pneumonia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma	3	-	2	2	7	4	-	1	1	6	4	-	1	4	9	1	-	-	-	1
Pneumonia	8	1	3	-	12	3	1	2	2	8	6	2	3	-	11	2	-	-	2	4
Emphysema	-	-	1	-	1	1	-	1	-	2	-	-	1	-	1	-	-	-	-	-
Other Diseases of Respiratory System	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Gastritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis	-	-	-	-	-	4	-	-	-	4	1	-	-	-	1	-	-	-	-	-
Oesophagitis, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Gastroenteritis	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulceration of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour, Obstruction of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Narrowing or Strangulation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Hernia	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Peritonitis	-	1	1	-	2	1	-	-	-	1	-	1	-	-	1	-	1	1	-	2
Ascites	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Gallstones	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Cirrhosis of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1
Other Diseases of Liver	-	-	1	-	1	-	-	1	-	1	-	1	-	-	1	-	-	1	-	1
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Suprarenal Capsules	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Chronic Nephritis	1	-	2	2	5	-	-	-	1	1	-	-	-	1	1	-	-	1	-	1
hæmaturia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
hæmaturia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Other Diseases of Urinary System	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of OCTOBER 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
Diseases of Uterus and Vagina	4	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Pelvic Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - -	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - -	5	-	-	1	-	1	-	1	-	-	1	-	-	2	-	2	-	-	-	-	-
Placenta Prævia, Flooding -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth	5	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	3	-	1	-	-	1	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-
Arthritis, Ostitis, Periostitis -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Other Dis. of Organs of Locom.	8	1	1	1	1	4	-	-	-	-	-	1	1	-	-	2	-	1	-	-	1
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Eczema - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Quarries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and { Railways -	2	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
{ Veh. oth. than R'wys. -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2
Horses { Horses -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, { Conflagrations -	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	-	7
Scalds { Other Burns & Scalds -	16	5	2	1	1	9	2	-	1	-	3	1	-	-	-	1	-	-	-	-	-
{ Explosions -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours -	7	-	-	2	1	3	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-
Drowning - - -	8	-	-	4	-	4	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1
Suffocation { In Bed -	12	4	-	-	-	4	1	-	-	-	1	6	-	-	-	6	-	-	-	-	-
{ Otherwise -	6	-	-	3	-	3	1	-	-	1	2	1	-	-	-	1	-	-	-	-	-
Falls - - -	6	-	2	3	-	5	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) -	19	2	3	3	1	9	1	-	2	-	3	-	-	3	-	3	-	-	1	-	1
Otherwise, or Not Stated -	14	1	1	5	2	9	-	-	1	-	1	-	-	-	-	-	-	-	1	1	2
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	9	-	-	4	-	4	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition	89	42	-	2	-	44	13	-	-	-	13	16	-	-	-	16	7	-	-	-	7
Mortification - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Tumour - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	6	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1
Sudden (Cause unascertained)	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-def. & not spec. Causes	10	5	-	1	1	7	-	-	-	-	-	-	-	-	-	-	3	-	-	-	3

157

157

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—OCTOBER 1896.

DISTRICTS.	Estimated Population at Middle of 1896.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	23,542	66	8	27	0	0	0	0	0	0	0	1	0	7	4
Ayr,	28,373	76	11	44	0	0	0	0	2	0	0	2	0	8	7
Banff, with Macduff, . . .	8,726	22	2	14	0	0	0	0	0	0	0	1	0	0	0
Blairgowrie	4,329	7	1	9	0	0	0	0	0	0	0	0	0	5	1
Callander,	2,340	5	0	2	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,535	29	2	13	0	0	0	0	0	1	0	0	0	0	2
Cathcart (Landward), . . .	5,557	15	1	6	0	0	0	0	0	0	0	0	0	1	0
Coatbridge,	36,540	105	14	36	0	0	0	0	1	0	0	2	0	8	3
Crieff,	5,650	11	1	8	0	0	0	0	0	0	0	1	0	1	1
Dumbarton,	20,001	48	8	23	0	0	0	0	1	1	0	1	1	5	0
Dumfries, with Troqueer, . .	24,535	50	15	40	0	0	0	0	2	0	0	1	0	6	1
Dunfermline	29,960	75	12	43	0	0	1	0	0	0	0	0	0	7	4
Dunoon,	7,544	21	5	11	0	0	0	0	0	0	0	0	0	2	1
Eastwood (Landward), . . .	14,269	42	0	21	0	0	0	0	0	1	0	3	0	4	3
Elgin,	10,805	40	4	17	0	0	0	0	0	0	0	1	0	4	3
Falkirk,	29,079	100	10	38	0	0	1	2	1	2	0	1	0	4	3
Forfar,	13,260	36	7	18	0	0	0	0	0	0	0	0	1	1	2
Galashiels,	18,927	23	13	16	0	0	0	0	0	0	0	1	0	0	3
Govan—(1) Plantation (Land- ward),	25,215	74	3	29	0	0	0	2	0	0	0	0	1	10	5
(2) Govan (Landward), . . .	45,789	124	26	86	0	4	1	0	0	1	0	4	0	21	8
(3) Partick (Landward), . . .	42,490	143	17	53	0	0	0	6	0	0	0	4	0	8	5
Haddington,	4,997	11	2	7	0	0	0	0	0	0	0	0	0	0	0
Hawick, with Wilton, . . .	22,342	38	3	24	0	0	0	0	0	0	0	1	0	3	5
Inverness,	25,377	64	19	42	0	0	0	0	1	0	0	2	1	2	4
Kilmarnock, with Riccarton, .	32,726	91	14	38	0	0	0	0	2	2	0	1	0	6	8
Kilmore and Kilbride (Oban), .	6,064	20	2	5	0	0	0	0	0	0	0	1	0	0	1
Kinning Park (Landward), . .	14,948	55	4	25	0	0	0	1	0	0	0	1	0	8	2
Kirkcaldy and Abbotshall, . .	19,209	44	4	12	0	0	0	0	0	0	0	2	0	3	0
Kirkcudbright,	3,476	2	1	6	0	0	0	0	0	0	0	0	0	2	0
Largs,	5,412	12	4	3	0	0	0	0	1	0	0	0	0	0	1
Logie (Bridge of Allan), . . .	4,384	5	1	7	0	0	0	0	0	0	0	0	0	0	2
Moffat,	3,002	5	0	2	0	0	0	0	0	0	0	0	0	1	0
Montrose,	13,532	40	7	27	0	0	0	0	1	0	0	0	1	3	0
Moulin (Pitlochry),	2,230	9	0	6	0	0	0	0	0	0	0	0	0	1	0
Nairn,	5,178	11	6	6	0	0	0	0	0	0	0	0	0	0	1
New Monkland (Airdrie), . . .	37,403	111	13	34	0	0	0	0	0	1	0	0	2	2	0
North Berwick,	3,239	7	3	0	0	0	0	0	0	0	0	0	0	0	0
Peterhead, with Boddam, . . .	16,724	54	14	19	0	0	0	0	0	1	0	2	1	2	2
Rothsay,	9,546	16	5	11	0	0	1	0	0	0	0	0	0	1	2
St Andrews and St Leonards, . .	8,835	19	1	10	0	0	0	0	0	0	0	0	0	0	0
Shettleston (Landward), . . .	14,781	46	4	30	0	0	2	0	1	0	0	1	2	5	2
Stirling,	15,508	47	6	37	0	0	2	0	0	1	0	3	1	4	3
Stranraer,	6,079	16	7	11	0	0	0	0	2	0	0	1	2	1	0
Wick,	12,243	31	4	12	0	0	0	0	0	0	0	1	0	1	0

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 139 feet above the sea-level,

For the month of OCTOBER 1896.

Mean barometric pressure, 29.702 inches; less than the average for the same month of 1856-95 by 0.111 inch.

Barometric monthly range, 1.673 inch; greater by 0.198 inch.

Mean temperature, $43^{\circ}4$; less by $3^{\circ}8$.

Mean daily range of temperature, $12^{\circ}5$; greater by $1^{\circ}0$.

Mean humidity, 82; less by 3.6.

Rain, number of days, 18; greater by 1 day.

Rain, depth in inches, 3.94; greater by 0.30 inch.

Wind, pressure on square foot, 1.74 lb.; greater by 0.11 lb.

Wind, direction of, E. to W. as 5 to 12, and N. to S. as 9 to 4; the average being E. to W. as 6 to 12, and N. to S. as 4 to 6.

Thus, the weather of October 1896 was characterised by a low barometric pressure, with a very large monthly range; a mean temperature unprecedentedly low for the month, with a rather large mean daily range; a very low mean humidity; a mean rainfall a little above the average; falling on 18 days, or 1 day more than the average; and a very unusual prevalence of northerly winds.

The mean barometric pressure was only 29.702 inches. The defect from the average was much greater at southern and eastern than at northern and western stations, thus forming gradients for the northerly winds which prevailed. The excess of these winds above the averages were 1 day for N.W.; 4 days for N.; and 1 day for N.E., in all 6 days. From these winds resulted the low temperature, low humidity, and large mean daily range of temperature.

The mean temperature of the towns was $43^{\circ}4$, or $3^{\circ}8$ less than the average, the days being $3^{\circ}3$ and the nights $4^{\circ}3$ under the average, the natural consequence of the drier condition of the air at this season. The above mean temperature is the lowest recorded for the large towns in October for the last forty years. The deficiency was pretty equally distributed, Dundee and Perth, however, being slightly colder than the other towns. The absolutely highest temperature was $64^{\circ}0$ at Aberdeen, on the 2nd, and the lowest $21^{\circ}5$ at Perth on the 25th.

The mean rainfall was 3.94 inches, or 8 per cent. above the average. Its distribution among the stations was very unequal, being under the average at Paisley and Greenock, but above it at the other towns. Absolutely the greatest amount, 5.94 inches, was collected at Glasgow, and the least, 2.73 inches, at Paisley, these amounts being respectively 74 per cent. above and 36 per cent. under their averages. Comparatively little rain fell on the 1st, 2nd, from the 11th to the 17th, from the 20th to the 22nd, and at the western stations during the last 6 days of the month. Very heavy daily falls occurred on the 7th, 18th, and 19th. Hail fell on the 5th and snow on the 10th and 24th.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS
Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH,
During the Month of OCTOBER 1896.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.				RAIN.		WINDS.								Mean Pres- sure on Sq. ft.	lbs.
		Mean at Station and 32°.	Mean at Sea-level and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.									
																			N	NE	E	SE	S	SW	W	NW		
GLASGOW, J. B. RUSSELL, M.D., Medical Officer of Health, Glasgow.	54	29.649	29.710	1.701	62.0	25.0	43.6	37.0	14.0	27.8	42.7	40.0	36.7	.218	2.53	80	14	5.94	1	2	2	0	1	3	3	6	13	0.27
EDINBURGH, R. C. MOSSEMAN, F.R.S.E.	276	29.405	29.708	1.636	63.5	28.8	43.2	34.7	10.9	17.6	42.2	40.1	37.5	.225	2.60	85	21	4.14	7	2	2	1	0	2	11	5	1	0.67
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.510	29.692	1.620	62.0	25.8	42.4	36.2	11.9	18.8	41.8	40.2	38.2	.231	2.68	88	17	2.94	2	8	0	2	0	7	4	8	0	2.25
ABERDEEN,	66	29.608	29.681	1.640	64.0	29.0	43.7	35.0	11.4	18.0	43.6	41.6	39.2	.241	7.6	85	24	4.44	8	0	1	0	4	5	6	7	0	3.12
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	70	29.622	29.699	1.636	62.5	30.2	44.1	32.3	9.2	16.6	43.8	41.1	37.9	.228	2.64	79	17	3.79	7	1	3	0	2	1	14	1	2	2.5
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29.593	29.710	1.718	62.5	27.5	44.0	34.7	13.9	21.9	42.7	40.2	37.2	.222	.57	81	21	2.73	8	2	1	0	5	2	8	3	2	0.92
GREENOCK, JAMES WILSON, Greenock Water Works.	233	29.470	29.720	1.741	62.0	29.0	43.7	33.0	12.0	18.5	44.8	41.0	36.6	.216	2.52	73	15	3.94	0	3	1	7	0	3	7	10	2.46	
PERTH, A. GARDECKE, Gardener to James F. Pullar, F.R.S.E.	140	29.538	29.693	1.690	63.0	21.5	42.2	41.5	15.1	21.0	41.6	39.3	36.5	.216	2.50	82	15	3.61	6	3	12	0	0	8	2	0	0	...
Means,	139	29.549	29.702	1.673	(64.0)	(21.5)	43.4	35.6	12.5	20.0	42.9	40.4	37.4	.224	2.60	82	18	3.94	5	3	3	1	1	4	7	5	2	1.74

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute highest. † Absolute lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

NOVEMBER 1896.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of November 1896, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 3828 children, of whom 1958 were males, and 1870 females. Of these, 3538 were legitimate, and 290 illegitimate, being in the proportion of one illegitimate in every 13·2 Births, or the illegitimate births constituted 7·6 per cent. of the whole. In Leith, 5·0 per cent. of the Births were illegitimate; in Paisley, 5·9; in Greenock, and in Perth, 6·3; in Glasgow, 6·9; in Edinburgh, 8·9; in Dundee, 9·1; and in Aberdeen, 10·3 per cent.

1051 Marriages were registered in these Towns during November, being 99 above the average number for the month during the last ten years, allowing for increase of the population.

The Deaths of 2663 persons were registered in these Towns during the month, of whom 1305 were males, and 1358 females. Increase of population being allowed for this number is 12 above the average for November during the last ten years.

A comparison of the Deaths registered shows that during November the mortality was at the annual rate of 16·0 Deaths per thousand persons in Leith; 17·6 in Greenock; 18·5 in Edinburgh; 21·4 in Dundee; 21·6 in Paisley; 22·3 in Aberdeen; 22·5 in Perth; and 23·2 in Glasgow.

Of the 1343 Deaths registered in Glasgow, 321 were of children under one year of age, and 244 of persons over 60 years; of the 418 in Edinburgh, 81 were of children under one year, and 131 of persons over 60 years; of the 283 in Dundee, 78 were

under one, and 65 over 60 years; of the 248 in Aberdeen, 63 were under one, and 57 over 60; of the 97 in Leith, 21 were under one, and 26 over 60; of the 129 in Paisley, 25 were under one, and 32 over 60; of the 89 in Greenock, 16 were under one, and 17 over 60; and of the 56 in Perth, 13 were under one, and 16 over 60 years.

Of the whole 2663 Deaths, 1059, or 39·8 per cent. were of children under five years of age. In Greenock, 25·8 per cent. of the persons who died were under five years of age; in Edinburgh, 29·9; in Perth, 33·9; in Leith, 36·1; in Paisley, 37·2; in Dundee, 38·5; in Aberdeen, 40·3; and in Glasgow, 44·7 per cent.

Miasmatic Diseases caused 281 Deaths, or 10·6 per cent. of the whole mortality. This rate was exceeded principally in Glasgow, and in Paisley, in both Towns from the prevalence of Measles.

Fevers caused 28 Deaths, or 1·1 per cent. of the whole death rate. Of these three were caused by Typhus (two in Glasgow, and one in Dundee), 24 by Enteric, and one by Cerebro-spinal Fever.

Measles caused 125 Deaths, or 4·7 per cent. of the whole mortality. Of these 105 occurred in Glasgow, being at the rate of 7·8 per cent. of the deaths there; 9 in Aberdeen, or 3·6 per cent. of the Deaths there; and 7 in Paisley, or 5·4 per cent. of the Deaths there.

Scarlatina caused 37 Deaths, or 1·4 per cent.; and Hooping-Cough, 39, or 1·5 per cent.

To Diarrhoea and Dysentery were attributed 42 Deaths, being at the rate of 1·6 per cent. of the whole.

Diphtheria caused 32 Deaths, and Puerperal Fever, 11.

From Intemperance there resulted 7 Deaths, 4 being ascribed to Chronic Alcoholism, and 3 to Delirium Tremens.

Apoplexy caused 84 Deaths; Paralysis, 43; Heart Diseases, 221; and Premature Birth Debility, 64.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 705, or 26·5 per cent. Those from Consumption alone numbered 206, or 7·7 per cent. 15 Deaths were attributed to Croup.

99 Deaths resulted from Violent Causes, of which 4 were Suicidal (one by Gun-shot Wounds, one by Cut-throat, and two by Drowning).

Three males and nine females, had passed the 90th year of life, the eldest being a male aged 97 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, NOVEMBER 1896.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1896.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, .	576,847	658,198	705,052	943	948	1891	1760	131	568	686	657	1343
EDINBURGH, .	234,402	261,225	276,514	329	277	606	552	54	168	205	213	418
DUNDEE, .	140,794	154,118	161,620	198	164	362	329	33	65	121	162	283
ABERDEEN, .	106,806	124,943	135,941	180	178	358	321	37	81	122	126	248
LEITH, .	59,485	68,707	74,110	108	93	201	191	10	55	39	58	97
PAISLEY, .	55,638	66,425	72,902	87	100	187	176	11	51	54	75	129
GREENOCK, .	66,704	63,423	61,781	76	83	159	149	10	49	49	40	89
PERTH, .	28,980	29,919	30,427	37	27	64	60	4	14	29	27	56
TOTAL, .	1,298,601	1,426,148	1,500,435	1958	1870	3828	3538	290	1051	1305	1358	2663

NOVEMBER 1895, . .	Mean Temp. 43°·0	1726	1707	3433	3209	224	905	1191	1143	2334
NOVEMBER 1894, . .	Mean Temp. 45°·5	1985	1860	3845	3552	293	826	1315	1277	2592
NOVEMBER 1893, . .	Mean Temp. 40°·1	1910	1846	3756	3461	295	879	1394	1450	2844
NOVEMBER 1892, . .	Mean Temp. 42°·5	2037	1910	3947	3660	287	929	1369	1343	2712
NOVEMBER 1891, . .	Mean Temp. 41°·2	1720	1602	3322	3063	259	938	1564	1696	3260
NOVEMBER 1890, . .	Mean Temp. 41°·5	1540	1478	3018	2796	222	907	1082	1127	2209
NOVEMBER 1889, . .	Mean Temp. 43°·9	1726	1629	3355	3075	280	904	1056	1160	2216
NOVEMBER 1888, . .	Mean Temp. 43°·6	1742	1696	3438	3177	261	881	1028	1015	2043
NOVEMBER 1887, . .	Mean Temp. 40°·1	1754	1732	3486	3200	286	849	1153	1224	2377
NOVEMBER 1886, . .	Mean Temp. 44°·0	1834	1649	3483	3187	296	945	1190	1191	2381

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of NOVEMBER 1896.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton, .	0	18	3	7	4	11	0	1. St Peter, .	0	0	0	1	1	0	1
2. Camlachie, .	0	12	0	2	1	1	4	2. St Mary, .	0	1	0	1	0	0	2
3. Dennistoun, .	0	24	0	1	2	0	1	3. St Clement, .	0	0	1	0	2	3	0
4. Calton, .	0	13	0	2	0	0	1	4. St Andrew, .	0	0	0	0	0	1	0
5. Blackfriars, .	0	9	0	0	0	0	0	5. Lochee, .	0	1	0	0	0	0	1
6. St Rollox, .	0	9	5	1	1	1	1	Mains, .	0	0	0	0	0	0	0
7. Blythswood, .	0	0	0	1	1	0	0								
8. Milton, .	0	4	0	3	0	0	7	ABERDEEN—							
9. Kelvin, .	0	0	0	0	0	0	1	1. St Nicholas, .	0	8	9	1	1	0	5
10. Anderston, .	0	4	0	1	0	0	1	2. Aberdeen, .	0	1	2	0	4	0	3
11. Hutchesontown, .	0	8	2	4	3	0	0	3. Woodside, .	0	0	0	0	0	0	0
12. Gorbals, .	0	0	0	0	0	3	0	4. Old Aberdeen, .	0	0	0	0	0	0	0
13. Tradeston, .	0	0	1	1	0	0	0	E. Peterculter, .	0	0	0	0	0	0	0
14. Kinning Park, .	0	0	0	0	0	0	0	Nigg, .	0	0	1	0	0	0	0
Cathcart, .	0	0	0	0	0	0	0								
Eastwood, .	0	0	0	0	0	0	0	LEITH—							
Maryhill, .	0	4	0	1	0	0	1	1. North, .	0	0	3	0	1	0	3
Shettleston, .	0	0	0	0	0	0	0	2. South, .	0	0	3	1	2	0	0
Plantation, .	0	0	0	0	0	0	0								
Govan, .	0	0	0	0	0	0	0	PAISLEY, .	0	7	2	3	4	4	1
Partick, .	0	0	0	0	1	0	0								
EDINBURGH—								GREENOCK—							
1. St George, .	0	0	0	6	0	0	2	1. East, .	0	0	0	0	0	0	0
2. St Andrew, .	0	0	1	0	0	0	1	2. West, .	0	0	0	0	0	3	2
3. Canongate, .	0	2	4	1	4	1	0								
4. St Giles, .	0	0	0	0	0	0	1	PERTH, .	0	0	0	0	0	0	0
5. Newington, .	0	0	0	1	0	0	3								

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of NOVEMBER 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	2663	600	98	401	244	1343	125	28	134	131	418	109	19	90	65	283	100	20	71	57	248
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	368	167	16	26	5	214	23	6	9	6	44	15	1	4	1	21	24	8	8	3	43
II. PARASITIC DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC	10	-	-	4	1	5	1	-	1	-	2	-	-	1	-	1	1	-	-	-	1
IV. CONSTITUTIONAL	420	19	30	98	19	166	9	12	53	22	96	10	10	28	9	57	7	6	25	5	43
V. DEVELOPMENTAL	180	42	-	-	49	91	12	-	-	24	36	5	-	-	10	15	8	-	-	8	16
VI. LOCAL	1479	323	45	229	161	758	64	8	62	75	209	65	6	54	44	169	50	6	35	40	131
VII. VIOLENCE - -	99	10	4	31	7	52	4	2	6	4	16	5	2	3	1	11	1	-	3	1	5
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	107	39	3	13	2	57	12	-	3	-	15	9	-	-	-	9	9	-	-	-	9
I.																					
1. MIASMATIC DISEASES -	281	144	15	13	3	175	16	4	1	5	26	8	1	3	1	13	18	8	3	1	30
2. DIARRHOEAL	42	13	-	3	1	17	6	1	1	-	7	4	-	-	-	4	6	-	-	2	8
3. MALARIAL	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. ZOOGENOUS	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. VENEREAL	16	8	-	1	-	9	2	-	3	-	5	2	-	-	-	2	-	-	-	-	-
6. SEPTIC	26	1	1	8	1	11	-	1	4	1	6	1	-	1	-	2	-	-	5	-	5
II.																					
PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES -	10	-	-	4	1	5	1	-	1	-	2	-	-	1	-	1	1	-	-	-	1
IV.																					
CONSTITUTIONAL DISEASES	420	19	30	98	19	166	9	12	53	22	96	10	10	28	9	57	7	6	25	5	43
V.																					
DEVELOPMENTAL DISEASES	180	42	-	-	49	91	12	-	-	24	36	5	-	-	10	15	8	-	-	8	16
VI.																					
1. DIS. OF NERVOUS SYSTEM -	270	55	13	30	36	134	12	3	11	14	40	5	3	5	12	25	7	4	9	13	32
2. " ORGANS OF SPECIAL SENSE -	7	3	1	-	-	4	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1
3. " CIRCULATORY SYSTEM	221	8	4	46	39	97	-	1	14	19	34	1	-	21	10	32	-	2	9	10	21
4. " RESPIRATORY SYSTEM	705	215	13	93	57	378	45	2	16	32	95	51	3	17	16	87	33	-	8	15	59
5. " DIGESTIVE SYSTEM -	156	37	6	24	13	80	6	1	7	3	17	6	-	6	3	15	8	-	4	-	12
6. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
7. " URINARY SYSTEM -	74	5	3	20	12	40	-	1	10	5	16	1	-	5	1	7	-	-	3	1	-
8. " REPRODUCTIVE SYSTEM :-																					
(a) DISEASES OF ORGANS OF GENERATION -	12	-	-	3	2	5	-	-	1	1	2	1	-	-	1	2	-	-	1	-	-
(b) DISEASES OF PARTURITION -	11	-	1	6	-	7	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
9. " ORGANS OF LOCOMOTION -	9	-	4	3	-	7	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
10. " INTEGUMENTARY SYSTEM -	12	-	-	3	2	5	-	-	1	-	1	-	-	-	1	1	1	-	-	1	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

165

Registered during the Month of NOVEMBER 1896.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
L. CAUSES - - - -	35	9	27	26	97	48	10	39	32	129	23	10	39	17	89	19	3	18	16	56
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	9	2	4	-	15	15	5	2	1	23	1	2	3	-	6	-	-	1	1	2
II. PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II. DIETETIC -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V. CONSTITUTIONAL,, -	1	2	9	3	15	1	1	14	1	17	1	4	7	2	14	2	2	7	1	12
V. DEVELOPMENTAL,, -	5	-	-	4	9	1	-	-	6	7	3	-	-	1	4	1	-	-	1	2
VI. LOCAL,, -	19	5	10	18	52	25	4	20	22	71	16	3	22	11	52	14	1	10	12	37
II. VIOLENCE - - -	-	-	3	-	3	-	-	1	2	3	-	-	7	1	8	-	-	-	1	1
II. ILL-DEFINED AND NOT SPECIFIED CAUSES -	1	-	-	1	2	6	-	2	-	8	2	1	-	2	5	2	-	-	-	2
I.																				
MIASMATIC DISEASES - -	7	2	2	-	11	15	5	2	-	22	-	2	2	-	4	-	-	-	-	-
DIARRHOEAL,, - -	2	-	1	-	3	-	-	-	1	1	1	-	1	-	2	-	-	-	-	-
MALARIAL,, - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS,, - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
VENEREAL,, - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC,, - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
II.																				
PARASITIC DISEASES - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																				
DIETETIC DISEASES - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.																				
CONSTITUTIONAL DISEASES--	1	2	9	3	15	1	1	14	1	17	1	4	7	2	14	2	2	7	1	12
V.																				
DEVELOPMENTAL DISEASES--	5	-	-	4	9	1	-	-	6	7	3	-	-	1	4	1	-	-	1	2
VI.																				
DISEASES OF NERVOUS SYSTEM -	4	1	2	4	11	4	2	5	6	17	1	1	1	2	5	1	-	1	3	5
,, ORGANS OF SPECIAL SENSE -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
,, CIRCULATORY SYSTEM	1	-	2	5	8	-	-	8	4	12	1	-	7	4	12	-	-	1	4	5
,, RESPIRATORY SYSTEM	11	4	4	4	23	15	-	4	9	28	9	1	7	4	21	10	-	4	3	17
,, DIGESTIVE SYSTEM -	3	-	1	6	9	5	2	1	3	11	4	1	2	-	7	1	1	3	-	5
,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
,, URINARY SYSTEM -	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	1	-	1	2	4
,, REPRODUCTIVE SYSTEM :-																				
(a) DISEASES OF ORGANS OF GENERATION -	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
(b) DISEASES OF PARTURITION -	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
,, ORGANS OF LOCOMOTION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
,, INTEGUMENTARY SYSTEM -	-	-	-	-	-	1	-	-	-	1	-	-	-	1	1	1	-	-	-	1

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of NOVEMBER 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	94	10	4	28	7	49	4	2	5	4	15	5	2	3	1	11	1	-	2	1	4
2. VIOLENCE OTHER THAN ACCIDENTAL - - -	5	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES	107	39	3	13	2	57	12	-	3	-	15	9	-	-	-	9	9	-	-	-	9
MIASMATIC DISEASES.																					
Small-pox { Vaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles - - -	125	97	8	-	-	105	2	-	-	-	2	2	-	-	-	2	9	-	-	-	9
Epidemic Rose Rash - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	37	10	1	-	-	11	3	2	-	-	5	1	-	-	-	1	6	4	2	-	12
Typhus - - -	3	-	-	2	-	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	19	2	-	1	3	6	-	-	-	5	5	-	1	-	-	1	-	1	1	1	3
Hooping-Cough - - -	39	24	-	-	-	24	7	1	-	-	8	2	-	-	-	2	1	-	-	-	1
Mumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	32	11	2	-	-	13	3	1	-	-	4	3	-	-	-	3	2	3	-	-	5
Cerebro-spinal Fever - - -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	24	-	3	10	-	13	-	-	1	-	1	-	-	3	-	3	-	-	-	-	-
Other Miasmatic Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHŒAL DISEASES.																					
Simple Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery - - -	42	13	-	3	1	17	5	1	1	-	7	4	-	-	-	4	6	-	-	2	8
MALARIAL DISEASES.																					
Remittent Fever - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																					
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																					
Syphilis - - -	14	8	-	1	-	9	2	-	1	-	3	2	-	-	-	2	-	-	-	-	-
Gonorrhœa Stricture of Urethra	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																					
Phagedæna - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	9	1	-	2	-	3	-	-	-	-	-	1	-	-	-	1	-	-	3	-	-
Pyæmia, Septicæmia - - -	6	-	-	1	1	2	-	-	2	1	3	-	-	-	-	-	-	-	1	-	-
Puerperal Fever - - -	11	-	1	5	-	6	-	1	2	-	3	-	-	1	-	1	-	-	1	-	-

167

167

CAUSES OF DEATH.		LEITH.					PAISLEY.					GREENOCK.					PERTH.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
ACCIDENT OR NEGLIGENCE		-	-	3	-	3	-	-	1	2	3	-	-	7	1	8	-	-	-	1	1
VIOLENCE OTHER THAN ACCIDENTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES		1	-	-	1	2	6	-	2	-	8	2	1	-	2	5	2	-	-	-	2
MIASMATIC DISEASES.																					
Small-pox { Vaccinated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
{ Unvaccinated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
{ No Statement		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chicken-pox		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles		-	-	-	-	-	7	-	-	-	7	-	-	-	-	-	-	-	-	-	
Epidemic Rose Rash		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever		-	3	2	1	6	1	1	-	-	2	-	-	-	-	-	-	-	-	-	
Typhus		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Relapsing Fever		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza		-	-	1	-	1	1	-	1	-	2	-	-	1	-	1	-	-	-	-	
Whooping-cough		-	1	-	-	1	3	-	-	-	3	-	-	-	-	-	-	-	-	-	
Dysentery		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhoid		-	3	-	-	3	3	1	-	-	4	-	-	-	-	-	-	-	-	-	
Cerebro-spinal Fever		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Simple and Ill-defined Fever		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Septic Fever		-	-	-	-	-	-	3	1	-	4	-	2	1	-	3	-	-	-	-	
Other Miasmatic Diseases		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DIARRHOEAL DISEASES.																					
Simple Cholera		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea, Dysentery		-	2	-	1	3	-	-	-	1	1	1	-	1	-	2	-	-	-	-	
MALARIAL DISEASES.																					
Intermittent Fever		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ague		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ZOOGENOUS DISEASES.																					
Rabies		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhoid		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhoid		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox and other Effects of Vaccination		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VENEREAL DISEASES.																					
Syphilis		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Gonorrhoea, Stricture of Urethra		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SEPTIC DISEASES.																					
Erysipelas		-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Septicæmia, Septicæmia		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Registered during the Month of NOVEMBER 1896.

169

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Fus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fever Dis. from Vegetable Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malarial Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fever Dis. from Animal Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Pneumatic Fever, Rheumatism of	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Heart - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1
Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Cancer - - - - -	-	1	4	3	8	-	-	5	1	6	-	-	2	2	4	-	-	1	-	1
Acute Mesenterica - - - - -	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Tubercular Meningitis (Acute	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrocephalus) - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Encephalitis - - - - -	-	-	5	-	5	-	1	6	-	7	-	3	4	-	7	-	1	5	-	6
Other forms of Tuberculosis, Scrofula	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	1	1	-	2
Erysipela, Hæmorrhagic Diathesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarcia, Chlorosis, Leucocythæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Constitutional Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Immature Birth - - - - -	5	-	-	-	5	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1
Microphthalmia - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Ophthalmosclerosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy Bitida - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Advanced Age - - - - -	-	-	-	4	4	-	-	-	6	6	-	-	-	1	1	-	-	-	1	1
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Mem-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
branes - - - - -	2	-	-	-	2	2	1	-	-	3	1	1	-	-	2	1	-	-	-	1
Apoplexy - - - - -	-	-	1	2	3	-	-	3	2	5	-	-	1	-	1	-	-	1	2	3
Softening of Brain - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Hemiplegia, Brain Paralysis -	-	-	1	1	2	-	-	2	3	5	-	-	-	-	-	-	-	-	-	-
Paralysis Agitans - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Convulsions - - - - -	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Other Diseases of Nervous System	-	1	-	-	1	1	-	-	1	2	-	-	-	1	1	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Epistaxis and Dis. of Nose - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of NOVEMBER 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	190	5	4	38	35	82	-	1	13	15	29	-	-	17	8	25	-	1	8	10	19
Pericarditis -	3	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1
Hypertrophy of Heart -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Angina Pectoris -	4	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Syncope -	10	1	-	-	2	3	-	-	-	3	3	1	-	2	-	3	-	-	-	-	-
Aneurism -	4	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senile Gangrene -	5	-	-	-	2	2	-	-	-	1	1	-	-	-	2	2	-	-	-	-	-
Embolism, Thrombosis -	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Phlebitis -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	4	3	-	-	-	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Croup -	15	4	1	-	-	5	3	-	-	-	3	1	-	-	-	1	1	-	-	-	1
Other Dis. of Larynx & Trachea	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	9	1	-	1	2	4	-	-	-	1	1	-	-	-	-	-	-	-	-	2	2
Bronchitis -	319	62	2	38	37	139	22	1	4	17	44	31	-	9	13	53	22	-	4	13	39
Pneumonia -	290	105	8	42	17	172	18	1	12	12	43	19	1	7	3	30	9	-	4	-	13
Pleurisy -	12	-	1	4	-	5	-	-	-	2	2	-	2	1	-	3	-	-	-	-	-
Other Diseases of Resp. System	54	38	1	8	1	48	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	17	8	-	-	-	8	2	-	-	-	2	1	-	-	-	1	1	-	-	-	1
Sore-throat, Quinsy -	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	26	6	1	6	2	15	-	-	2	-	2	-	-	-	2	2	1	-	-	-	1
Enteritis -	33	14	-	1	2	17	2	-	-	-	2	2	-	1	1	3	5	-	-	-	5
Ulceration of Intestine -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Ileus, Obstruction of Intestine	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Stricture or Strang. of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	4	1	-	-	-	1	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
Hernia -	7	-	-	3	3	6	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Fistula -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	23	1	3	5	1	10	1	1	3	-	5	-	-	3	-	3	-	-	2	-	2
Ascites -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	6	-	-	1	3	4	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Other Diseases of Liver -	16	4	-	3	-	7	-	-	1	3	4	1	-	1	-	2	-	-	1	-	1
Other Dis. of Digestive System	8	1	-	5	1	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Diseases of Thyroid Body -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Suprarenal Capsules -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	28	2	2	9	5	18	-	-	1	1	2	1	-	1	1	3	-	-	-	1	1
Bright's Disease -	25	1	-	5	4	10	-	1	9	1	11	-	-	2	-	2	-	-	2	-	2
Uræmia -	3	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	2	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	7	-	-	3	1	4	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Urinary System	9	1	-	3	1	5	-	-	-	1	1	-	-	2	-	2	-	-	1	-	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of NOVEMBER 1896.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																				
Myocarditis, Valvular Disease	-	-	2	5	7	-	-	8	3	11	1	-	7	4	12	-	-	1	4	5
Myocarditis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia Pectoris -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Aneurysm -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congestive Gangrene -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sclerose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup -	2	2	-	-	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumophyema, Asthma -	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Bronchitis -	3	-	1	4	8	9	-	1	7	17	5	-	2	4	11	6	-	1	1	8
Pneumonia -	6	2	2	-	10	2	-	3	-	5	4	1	5	-	10	4	3	-	-	7
Empysemata -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	1	1
Other Diseases of Respiratory System	-	-	-	-	-	2	-	-	1	3	-	-	-	-	-	-	-	1	1	1
DISEASES OF DIGESTIVE SYSTEM.																				
Gastritis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis -	-	-	-	-	-	3	-	-	-	3	1	-	-	-	1	1	-	-	-	1
Oesophagitis, Quinsy -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Dyspepsia -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-
Ematemesis -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1
Melæna -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Diseases of Stomach -	-	-	-	3	3	-	-	1	1	2	-	-	1	-	1	-	-	-	-	-
Enteritis -	2	-	-	1	3	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-
Irritation of Intestine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour, Obstruction of Intestine	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Rupture or Strangulation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Inflammation of Intestine -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Hæmorrhoids -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Proctitis -	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	1	-	-	1
Polyps -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhoids of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Suprarenal Capsules -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis -	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	1	1	2
Bright's Disease -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gravida -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1
Other Diseases of Urinary System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of NOVEMBER 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina - - -	7	-	-	3	1	4	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Disorders of Menstruation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c. - -	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - -	4	-	1	3	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - - -	4	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	4	-	2	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthritis, Ostitis, Periostitis - - -	2	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locomotion - -	3	-	1	1	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	3	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	5	-	-	1	2	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Eczema - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Other Dis. of Integ. System - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses { Railways - - -	4	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Veh. oth. than R'wys. - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, Scalds { Conflagrations - - -	3	-	-	-	2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns & Scalds - - -	18	5	2	1	-	8	2	-	1	-	3	1	2	-	-	3	1	-	-	1	2
Scalds { Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours - - -	5	-	-	4	-	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Drowning - - -	12	-	-	7	-	7	-	-	-	-	-	-	-	1	-	1	-	-	2	-	2
Suffocation { In Bed - - -	8	2	-	-	-	2	2	-	-	-	2	4	-	-	-	4	-	-	-	-	-
Suffocation { Otherwise - - -	3	-	-	1	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Falls - - -	6	1	1	2	-	4	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - -	29	2	-	8	3	13	-	1	3	1	5	-	-	2	1	3	-	-	-	-	-
Otherwise, or Not Stated - - -	5	-	-	2	1	3	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Suicide - - -	4	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	4	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition - - -	79	34	-	2	-	36	12	-	2	-	14	9	-	-	-	9	7	-	-	-	7
Mortification - - -	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Hæmorrhage - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) - - -	4	1	1	1	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-def. & not spec. Causes - -	14	3	2	5	1	11	-	-	1	-	1	-	-	-	-	1	-	-	-	-	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

173

Registered during the Month of NOVEMBER 1896.

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—NOVEMBER 1896.

DISTRICTS.	Estimated Population at Middle of 1896.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	23,542	48	11	39	0	0	0	0	2	0	0	0	2	13	4
Ayr,	28,373	46	24	51	0	0	0	1	4	1	0	0	0	9	9
Eanff, with Macduff,	8,726	20	4	10	0	0	0	0	0	0	0	0	0	0	1
Blairgowrie,	4,329	5	2	10	0	0	0	0	0	0	0	0	0	0	3
Callander,	2,340	1	1	2	0	0	0	0	0	1	0	0	0	0	0
Campbeltown,	10,535	18	2	13	0	0	0	0	0	0	0	0	0	2	1
Cathcart (Landward),	5,557	12	2	8	0	0	0	0	0	0	0	0	0	1	1
Coatbridge,	36,540	104	19	42	0	0	0	4	0	0	0	1	0	8	3
Grieff,	5,650	7	2	6	0	0	0	0	0	0	0	0	0	1	0
Dumbarton,	20,001	45	11	19	0	0	0	0	0	2	0	0	1	7	0
Dumfries, with Troqueer,	24,535	65	14	47	0	0	2	1	1	0	0	1	0	14	6
Dunfermline,	29,960	63	16	34	0	0	1	0	1	0	0	2	1	5	8
Dunoon,	7,544	9	3	8	0	0	0	0	0	0	0	1	0	1	0
Eastwood (Landward),	14,269	30	14	18	0	0	2	0	0	0	0	1	0	3	4
Elgin,	10,805	28	6	19	0	0	0	0	0	0	0	0	0	3	3
Falkirk,	29,079	103	11	41	0	0	0	2	2	0	0	1	1	11	1
Forfar,	13,260	37	9	22	0	0	0	0	2	0	0	0	0	2	3
Galashiels,	18,927	38	5	23	0	0	0	0	0	0	0	0	0	3	2
Govan—(1) Plantation (Land- ward),	25,215	65	9	41	0	0	0	1	0	0	0	2	1	19	4
(2) Govan (Landward),	45,789	135	23	79	0	1	0	4	0	2	0	1	1	27	7
(3) Partick (Landward),	42,490	127	22	59	0	0	0	2	0	0	0	0	0	17	8
Haddington,	4,997	11	0	6	0	0	0	0	0	0	0	0	0	0	0
Hawick, with Wilton,	22,342	31	10	22	0	0	0	0	0	0	0	0	1	2	1
Inverness,	25,377	67	13	39	0	0	1	0	0	0	0	1	0	5	5
Kilmarnock, with Riccarton,	32,726	98	18	42	0	0	0	0	0	0	0	1	0	14	4
Kilmore and Kilbride (Oban),	6,064	13	7	5	0	0	0	0	0	0	0	0	0	0	0
Kinning Park (Landward),	14,948	45	10	21	0	0	0	0	0	0	0	0	0	6	2
Kirkcaldy and Abbotshall,	19,209	51	9	31	0	0	0	0	1	0	0	0	2	7	2
Kirkcudbright,	3,476	12	0	4	0	0	0	0	0	0	0	0	0	0	0
Largs,	5,412	7	0	8	0	0	0	0	0	0	0	0	0	0	0
Logie (Bridge of Allan),	4,384	10	1	5	0	0	0	0	0	0	0	0	0	0	1
Moffat,	3,002	4	2	4	0	0	0	0	0	0	0	0	0	1	0
Montrose,	13,532	30	5	24	0	0	0	0	0	0	0	1	2	4	4
Moulin (Pitlochry),	2,230	2	2	3	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,178	15	2	11	0	1	0	0	1	0	0	0	0	2	1
New Monkland (Airdrie),	37,403	90	10	43	0	1	0	0	0	0	0	0	1	11	1
North Berwick,	3,239	7	1	4	0	0	0	0	0	0	0	0	0	0	1
Peterhead, with Boddam,	16,724	49	10	20	0	0	0	0	0	1	0	1	1	3	2
Rothsay,	9,546	14	6	4	0	0	0	0	0	0	0	0	0	0	1
St Andrews and St Leonards,	8,835	22	1	13	0	0	0	0	0	0	0	0	0	5	2
Shettleston (Landward),	14,781	45	5	22	0	0	0	1	0	2	0	1	0	5	0
Stirling,	15,508	45	14	23	0	0	2	0	0	0	0	1	1	0	1
Stranraer,	6,079	22	4	13	0	0	0	0	0	1	0	0	0	3	0
Wick,	12,243	33	1	19	0	0	0	0	0	0	0	0	0	3	0

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 139 feet above the sea-level,

For the month of NOVEMBER 1896.

Mean barometric pressure, 30.119 inches; greater than the average for the same month of 1856-95 by 0.282 inch.

Barometric monthly range, 1.520 inch; less by 0.034 inch.

Mean temperature, $42^{\circ}3$; greater by $1^{\circ}0$.

Mean daily range of temperature, $9^{\circ}0$; less by $1^{\circ}0$.

Mean humidity, 84; less by 1.6.

Rain, number of days, 13; less by 3 days.

Rain, depth in inches, 1.12; less by 2.30 inches.

Wind, pressure on square foot, 1.34 lb.; less by 0.33 lb.

Wind, direction of, E. to W. as 5 to 13, and N. to S. as 4 to 7; the average being E. to W. as 6 to 11, and N. to S. as 4 to 6.

Thus, the weather of November 1896 was characterised by a high mean barometric pressure, being higher than during any November since 1879, with a monthly range slightly under the average; a mean temperature a degree above the average, with a mean daily range a degree under it; a rather low humidity; a mean rainfall only a third part of the average; falling on 13 days, or 3 days fewer than the average; and a slight predominance of westerly winds.

The mean barometric pressure was 30.119 inches, which has only been exceeded by the Novembers of 1857, 1867, and 1879. This excess of pressure was very equally distributed over all parts of the country.

The mean temperature was $42^{\circ}3$, or $1^{\circ}0$ above than the average, the days being $0^{\circ}5$ and the nights $1^{\circ}5$ above the average. The excess of temperature was pretty evenly distributed over the eight towns. The absolutely highest temperature was $56^{\circ}0$ at Aberdeen, on the 12th and 23rd, and the lowest $22^{\circ}0$ at Glasgow on the 4th.

The mean rainfall was 1.12 inches, or 67 per cent. under the average. The greatest deficiency from the average was 78 per cent. at Paisley, and the least 60 per cent. at Glasgow and Aberdeen. The largest monthly amount was 2.15 inches at Greenock, and the least, 0.63 inch, at Leith. The largest daily fall at any of the towns was 0.42 inch at Perth on the 17th. Little or no rain was recorded from the 1st to the 5th, the 7th, the 12th, and from the 21st to the end of the month. The only November showing a lower mean rainfall during the past 40 years was that of November 1867 which amounted only to 1.00 inch.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH,

During the Month of NOVEMBER 1896.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.					RAIN.		WINDS.								Mean Pres- sure on Sq. ft.		
		Mean at Station and 32°.	Mean at Sea-level and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Ft. of Air.	Wt. of Va- pour in Cub.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.										
																				N	NE	E	SE	S	SW	W	NW		Calm or Variable.	lbs.
GLASGOW, J. B. RUSSELL, M.D., Medical Officer of Health, Glasgow.	54	30.070	30.131	1.526	53.0	22.0	42.4	31.0	10.4	23.9	42.0	40.2	33.0	.229	2.64	86	13	1.35			0	0	2	2	2	3	6	5	10	0.36
EDINBURGH, R. C. MOSSMAN, F.R.S.E.	276	29.824	30.131	1.503	53.7	26.3	42.0	27.7	7.9	14.9	41.6	39.8	37.6	.226	2.60	86	12	0.65			2	0	4	2	1	3	15	2	1	0.88
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	184	29.932	30.115	1.500	54.0	26.4	41.5	27.6	8.8	18.8	41.8	40.0	37.7	.227	2.62	86	10	0.79			1	7	1	2	0	6	9	4	0	1.04
ABERDEEN, JAMES DALE, Gordon's Hospital.	66	30.013	30.087	1.470	56.0	27.0	41.6	29.0	9.1	15.0	40.5	39.3	37.8	.226	2.64	90	19	1.28			1	2	0	1	4	7	9	6	0	1.66
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	70	30.041	30.119	1.519	53.7	27.1	43.0	26.6	6.8	14.3	42.7	40.6	38.1	.230	2.65	84	11	0.63			3	1	2	2	2	1	16	1	2	1.96
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	30.010	30.128	1.554	51.9	24.5	42.0	27.4	9.0	20.3	42.4	40.2	37.6	.225	2.60	83	13	1.00			3	2	2	1	7	4	5	1	5	0.72
GREENOCK, JAMES WILSON, Greenock Water Works.	233	29.875	30.128	1.524	51.4	28.8	43.0	22.6	8.9	15.7	43.1	40.8	35.7	.209	2.65	73	13	2.15			0	3	0	6	0	9	12	0	0	2.76
PERTH, A. GAEBECKE, Gardener to James F. Pullar, F.R.S.E.	140	29.954	30.110	1.480	53.0	22.2	41.6	30.8	10.7	18.5	41.6	39.9	37.8	.228	2.62	87	9	1.07			3	1	9	0	7	10	0	0	0	...
Means,	139	29.965	30.119	1.520	(56.0)	(42.0)	42.3	27.8	9.0	17.7	42.0	40.1	37.5	.225	2.63	84	13	1.12			2	2	3	2	3	5	9	2	2	1.34

North L. titude.—Glasgow, 55° 53'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute highest. † Absolute lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

DECEMBER 1896.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of December 1896, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 4055 children, of whom 2072 were males, and 1983 females. Of these, 3764 were legitimate, and 291 illegitimate, being in the proportion of one illegitimate in every 13·9 Births, or the illegitimate births constituted 7·2 per cent. of the whole. In Leith, 3·3 per cent. of the Births were illegitimate; in Paisley, 3·8; in Greenock, 4·1; in Perth, 6·3; in Glasgow, 7·3; in Dundee, 7·8; in Edinburgh, 8·8; and in Aberdeen, 8·9 per cent.

1426 Marriages were registered in these Towns during December, being 163 above the average number for the month during the last ten years, increase of the population being allowed for.

The Deaths of 2786 persons were registered in these Towns during December, of whom 1395 were males, and 1391 females. Allowing for increase of the population this number is 130 below the average for the month during the last ten years.

A comparison of the Deaths registered shows that during December the mortality was at the annual rate of 16·1 Deaths per thousand persons in Greenock; 18·5 in Leith; 19·8 in Edinburgh; 20·2 in Paisley; 20·6 in Aberdeen; 21·3 in Dundee; 23·3 in Perth; and 23·6 in Glasgow.

Of the 1408 Deaths registered in Glasgow, 309 were of children under one year of age, and 225 of persons over 60 years; of the 464 in Edinburgh, 107 were of children under one year, and 126 of persons over 60 years; of the 292 in Dundee, 67 were

under one, and 64 over 60 years; of the 237 in Aberdeen, 61 were under one, and 71 over 60; of the 116 in Leith, 42 were under one, and 25 over 60; of the 125 in Paisley, 14 were under one, and 29 over 60; of the 84 in Greenock, 22 were under one, and 18 over 60; and of the 60 in Perth, 11 were under one, and 17 over 60 years.

Of the whole 2786 Deaths, 1133, or 40·7 per cent. were of children under five years of age. In Perth, 30·0 per cent. of the persons who died were under five years of age; in Edinburgh, 30·8; in Paisley, 33·6; in Dundee, 35·6; in Greenock, 36·9; in Aberdeen, 37·1; in Glasgow, 46·2; and in Leith, 49·1 per cent.

Miasmatic Diseases caused 352 Deaths, or 12·6 per cent. of the whole. This rate was exceeded in Glasgow, and in Paisley, from the prevalence of Measles in each of these Towns.

Fevers caused 18 Deaths, of which 17 were attributed to Enteric, and one to Simple-continued Fever.

Measles was the most fatal epidemic, having caused 209 Deaths, or 7·5 per cent. of the whole. In Glasgow, 169 Deaths resulted from Measles, being at the rate of 12·0 per cent. of the Deaths there; in Aberdeen, 16, or 6·8 per cent.; and in Paisley, 16, or 12·8 per cent.

Scarlatina caused 29 Deaths, or 1·0 per cent. of the whole; and Hooping-Cough, 64 Deaths, or 2·3 per cent.

Diarrhoea caused 34 Deaths; Diphtheria, 18; Cholera, 2; and Puerperal Fever, 7.

Intemperance was the cause of 7 Deaths, 5 being from Chronic Alcoholism, and 2 from Delirium Tremens.

Apoplexy caused 93 Deaths; Paralysis, 64; Heart Diseases, 244; and Premature Birth Debility, 70.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 670, or 24·0 per cent. Those from Consumption alone numbered 235, or 8·4 per cent. 12 Deaths were caused by Croup.

101 Deaths resulted from Violent Causes, of which 2 were Suicidal (one by Cut-throat, and one by Drowning).

Two males and eight females were aged 90 years and upwards, the eldest of whom was the widow of a Handloom Weaver, and was aged 99 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, DECEMBER 1896.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1896.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, . .	576,847	658,198	705,052	1034	970	2004	1858	146	596	698	710	1408
EDINBURGH, . .	234,402	261,225	276,514	336	291	627	572	55	322	243	221	464
DUNDEE, . .	140,794	154,118	161,620	195	213	408	376	32	122	124	168	292
ABERDEEN, . .	106,306	124,943	135,941	174	187	361	329	32	171	121	116	237
LEITH, . .	69,485	68,707	74,110	112	98	210	203	7	66	70	46	116
PAISLEY, . .	55,638	66,425	72,902	106	107	213	205	8	60	63	62	125
GREENOCK, . .	66,704	63,423	61,781	83	86	169	162	7	49	44	40	84
PERTH, . .	28,980	29,919	30,427	32	31	63	59	4	40	32	28	60
TOTAL, . .	1,298,601	1,426,148	1,500,435	2072	1983	4055	3764	291	1426	1395	1391	2786

DECEMBER 1895, . .	Mean Temp. 38° 0	1793	1722	3515	3281	234	1464	1285	1244	2529
DECEMBER 1894, . .	Mean Temp. 40° 8	1989	1826	3815	3549	266	1411	1423	1357	2780
DECEMBER 1893, . .	Mean Temp. 41° 5	1908	1801	3709	3428	281	1107	1415	1412	2827
DECEMBER 1892, . .	Mean Temp. 34° 7	1927	1822	3749	3467	282	1277	1501	1601	3102
DECEMBER 1891, . .	Mean Temp. 39° 1	1828	1758	3586	3307	279	1210	1560	1674	3234
DECEMBER 1890, . .	Mean Temp. 35° 8	1947	1803	3750	3469	281	1178	1278	1442	2720
DECEMBER 1889, . .	Mean Temp. 39° 5	1769	1825	3594	3300	294	1201	1396	1437	2833
DECEMBER 1888, . .	Mean Temp. 41° 3	1746	1659	3405	3113	292	1179	1091	1149	2240
DECEMBER 1887, . .	Mean Temp. 36° 6	1825	1654	3479	3201	278	950	1267	1290	2557
DECEMBER 1886, . .	Mean Temp. 33° 6	1811	1746	3557	3264	293	891	1308	1337	2645

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of DECEMBER 1896.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton, . .	0	31	4	10	3	7	0	1. St Peter, . .	0	0	1	3	0	1	3
2. Camlachie, . .	0	27	1	3	0	1	2	2. St Mary, . .	0	0	0	0	0	0	2
3. Dennistoun, . .	0	36	0	2	3	0	0	3. St Clement, . .	0	0	0	0	0	4	1
4. Calton, . .	0	26	0	5	0	0	2	4. St Andrew, . .	0	2	3	0	0	1	1
5. Blackfriars, . .	0	11	0	1	1	0	0	5. Lochee, . .	0	1	0	0	0	0	1
6. St Rollox, . .	0	14	7	7	0	0	1	Mains, . .	0	0	0	0	0	0	0
7. Blythswood, . .	0	1	0	0	0	0	0								
8. Milton, . .	0	8	0	2	0	0	4	ABERDEEN—							
9. Kelvin, . .	0	0	0	3	0	0	0	1. St Nicholas, . .	0	11	3	0	1	0	1
10. Anderston, . .	0	3	1	2	0	0	1	2. Aberdeen, . .	0	5	1	0	0	0	2
11. Hutchesontown, . .	0	6	0	6	0	0	1	3. Woodside, . .	0	0	0	0	0	0	0
12. Gorbals, . .	0	4	1	1	0	0	3	4. Old Aberdeen, . .	0	0	0	0	0	0	0
13. Tradeston, . .	0	0	0	1	0	0	0	E. Peterculter, . .	0	0	0	0	0	0	0
14. Kinning Park, . .	0	1	0	1	0	0	0	Nigg, . .	0	0	0	0	0	0	0
Cathcart, . .	0	0	0	0	1	0	0								
Eastwood, . .	0	0	0	0	0	0	0	LEITH—							
Maryhill, . .	0	1	1	2	0	0	1	1. North, . .	0	0	0	0	1	0	0
Shettleston, . .	0	0	0	0	0	0	0	2. South, . .	0	0	1	2	1	0	0
Plantation, . .	0	0	0	0	0	0	0								
Govan, . .	0	0	0	0	0	0	0	PAISLEY, . .	0	16	0	2	0	0	1
Partick, . .	0	0	0	1	0	1	0								
EDINBURGH—								GREENOCK—							
1. St George, . .	0	1	0	6	0	0	0	1. East, . .	0	0	0	0	1	0	0
2. St Andrew, . .	0	2	0	0	1	0	0	2. West, . .	0	1	0	0	2	0	1
3. Canongate, . .	0	0	3	1	2	1	2								
4. St Giles, . .	0	1	0	2	0	0	0	PERTH, . .	0	0	1	1	1	2	2
5. Newington, . .	0	0	1	0	0	0	1								

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of DECEMBER 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	2786	650	114	419	225	1408	143	23	172	126	464	104	18	106	64	292	88	19	59	71	237
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	420	243	26	16	5	290	21	4	5	5	35	19	3	7	1	30	20	3	2	2	27
II. PARASITIC DISEASE	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC „	9	1	-	4	-	5	1	-	3	-	4	-	-	-	-	-	-	-	-	-	-
IV. CONSTITUTIONAL „	491	41	26	121	15	203	16	7	58	17	98	7	8	33	11	59	7	10	21	10	48
V. DEVELOPMENTAL „	173	37	-	-	32	69	14	-	-	15	29	9	-	-	7	16	10	-	-	14	24
VI. LOCAL „	1491	285	54	241	165	745	75	12	97	85	269	57	7	56	43	163	37	6	30	43	116
VII. VIOLENCE - -	101	11	8	26	5	50	3	-	7	2	12	3	-	9	2	14	3	-	6	-	9
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	100	31	-	11	3	45	13	-	2	2	17	9	-	1	-	10	11	-	-	2	13
I.																					
1. MIASMATIC DISEASES -	352	221	23	9	2	255	17	4	3	2	26	9	3	4	-	16	18	3	2	-	23
2. DIARRHEAL „ -	36	14	1	1	1	17	3	-	-	-	3	7	-	1	1	9	2	-	-	1	3
3. MALARIAL „ -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. ZOOGENOUS „ -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. VENEREAL „ -	15	5	1	1	1	8	1	-	1	1	3	3	-	1	-	4	-	-	-	-	-
6. SEPTIC „ -	17	3	1	5	1	10	-	-	1	2	3	-	-	1	-	1	-	-	-	1	-
II.																					
PARASITIC DISEASES -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES - -	9	1	-	4	-	5	1	-	3	-	4	-	-	-	-	-	-	-	-	-	-
IV.																					
CONSTITUTIONAL DISEASES	491	41	26	121	15	203	16	7	58	17	98	7	8	33	11	59	7	10	21	10	48
V.																					
DEVELOPMENTAL DISEASES	173	37	-	-	32	69	14	-	-	15	29	9	-	-	7	16	10	-	-	14	24
VI.																					
1. DIS. OF NERVOUS SYSTEM -	290	50	10	35	40	135	10	2	18	25	55	9	1	12	11	33	7	2	10	12	31
2. „ ORGANS OF SPECIAL SENSE - -	11	4	3	1	-	8	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
3. „ CIRCULATORY SYSTEM	244	6	3	61	34	104	1	3	32	21	57	-	-	16	13	29	-	2	6	9	-
4. „ RESPIRATORY SYSTEM	670	189	18	81	67	355	56	1	27	25	99	38	1	22	10	71	26	1	6	14	-
5. „ DIGESTIVE SYSTEM -	149	31	6	26	12	75	5	1	5	7	18	7	4	2	4	17	4	1	4	4	-
6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS - -	3	-	-	1	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
7. „ URINARY SYSTEM -	75	4	6	24	7	41	1	1	7	7	16	-	-	2	4	6	-	-	2	4	-
8. „ REPRODUCTIVE SYSTEM:—																					
(a) DISEASES OF ORGANS OF GENERATION -	13	-	-	6	2	8	-	-	2	-	2	-	-	-	-	-	-	-	2	-	-
(b) DISEASES OF PARTURITION - -	12	-	1	4	-	5	-	1	3	-	4	-	-	1	-	1	-	-	-	-	-
9. „ ORGANS OF LOCOMOTION - -	20	-	7	1	1	9	1	2	1	-	4	3	1	1	1	6	-	-	-	-	-
10. „ INTEGUMENTARY SYSTEM - -	4	1	-	1	1	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

181

Registered during the Month of DECEMBER 1896.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
L CAUSES - - - -	57	9	25	25	116	42	13	41	29	125	31	7	28	18	84	18	4	21	17	60
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	5	-	-	-	5	16	3	2	-	21	5	-	-	-	5	4	2	1	-	7
I. PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II. DIETETIC " -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V. CONSTITUTIONAL,, -	6	3	8	10	27	6	3	14	6	29	1	5	7	2	15	6	1	5	-	12
V. DEVELOPMENTAL,, -	7	-	-	4	11	-	-	-	11	11	3	-	-	3	6	1	-	-	6	7
I. LOCAL " -	34	6	14	11	65	16	5	25	12	58	13	2	20	10	45	6	1	13	10	30
I. VIOLENCE - - -	2	-	3	-	5	1	2	-	-	3	2	-	1	2	5	-	-	2	1	3
I. ILL-DEFINED AND NOT SPECIFIED CAUSES -	3	-	-	-	3	3	-	-	-	3	7	-	1	-	8	1	-	-	-	1
I.																				
MIASMATIC DISEASES - -	5	-	-	-	5	15	3	-	-	18	4	-	-	-	4	2	2	1	-	5
DIARRHOEAL " - -	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	2	-	-	-	2
MALARIAL " - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS " - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL " - -	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
SEPTIC " - -	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
II.																				
PARASITIC DISEASES - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																				
DIETETIC DISEASES - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.																				
CONSTITUTIONAL DISEASES--	6	3	8	10	27	6	3	14	6	29	1	5	7	2	15	6	1	5	-	12
V.																				
DEVELOPMENTAL DISEASES--	7	-	-	4	11	-	-	-	11	11	3	-	-	3	6	1	-	-	6	7
VI.																				
DISEASES OF NERVOUS SYSTEM -	5	1	3	4	13	2	1	5	3	11	3	-	3	1	7	-	-	3	2	5
" ORGANS OF SPECIAL SENSE - -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
" CIRCULATORY SYSTEM	1	1	4	3	9	-	-	5	3	8	1	2	5	4	12	-	-	5	3	8
" RESPIRATORY SYSTEM	25	3	2	3	33	10	1	11	3	25	5	-	9	5	19	5	1	1	4	11
" DIGESTIVE SYSTEM -	3	1	2	1	7	4	1	2	3	10	3	-	2	-	5	1	-	2	1	4
" LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" URINARY SYSTEM -	-	-	1	-	1	-	1	1	-	2	1	-	1	-	2	-	-	1	-	1
" REPRODUCTIVE SYSTEM :--																				
(a) DISEASES OF ORGANS OF GENERATION -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) DISEASES OF PARTURITION -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
" ORGANS OF LOCOMOTION - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" INTEGUMENTARY SYSTEM -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of DECEMBER 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	98	11	8	26	5	50	3	-	6	2	11	3	-	8	2	13	3	-	5	-	8
2. VIOLENCE OTHER THAN ACCIDENTAL - - -	3	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES	100	31	-	11	3	45	13	-	2	2	17	9	-	1	-	10	11	-	-	2	13
MIASMATIC DISEASES.																					
Small-pox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Measles - - - -	209	158	11	-	-	169	3	1	-	-	4	3	-	-	-	3	15	1	-	-	16
Epidemic Rose Rash - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	29	11	4	-	-	15	2	1	1	-	4	3	-	1	-	4	1	2	1	-	4
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - -	12	-	-	4	2	6	1	1	1	2	5	-	-	-	-	-	-	-	1	-	1
Hooping-Cough - - -	64	43	4	-	-	47	8	1	-	-	9	3	-	-	-	3	-	-	-	-	-
Mumps - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - - -	18	7	1	-	-	8	3	-	-	-	3	-	-	-	-	-	1	-	-	-	1
Cerebro-spinal Fever - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - - -	17	-	3	5	-	8	-	-	1	-	1	-	3	3	-	6	-	-	-	-	-
Other Miasmatic Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																					
Simple Cholera - - - -	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery - -	34	13	1	-	1	15	3	-	-	-	3	7	-	1	1	9	2	-	-	1	3
MALARIAL DISEASES.																					
Remittent Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																					
Hydrophobia - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																					
Syphilis - - - - -	12	5	1	1	-	7	1	-	-	-	1	3	-	1	-	4	-	-	-	-	-
Gonorrhoea Stricture of Urethra	3	-	-	-	1	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																					
Phagedæna - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	8	3	1	-	1	5	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1
Pyæmia, Septicæmia - -	2	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Puerperal Fever - - - -	7	-	-	5	-	5	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1896.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

185

Registered during the Month of DECEMBER 1896.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Rheumatism - - - - -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	-	-	2	6	8	-	-	2	5	7	-	-	2	2	4	-	-	-	-	-
Tabes Mesenterica - - - - -	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	3	-	-	-	3
Tubercular Meningitis (Acute Hydrocephalus) - - - - -	2	1	-	-	3	5	-	1	-	6	1	-	1	-	2	2	-	1	-	3
Phthisis - - - - -	1	1	4	4	10	-	2	11	-	13	-	4	3	-	7	-	4	-	-	4
Other forms of Tuberculosis, Scrophula	-	1	2	-	3	-	1	-	-	1	-	1	-	-	1	1	1	-	-	2
Purpura, Hæmorrhagic Diathesis -	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth - - - - -	6	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atelectasis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Spina Bifida - - - - -	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Old Age - - - - -	-	-	-	4	4	-	-	-	11	11	-	-	-	3	3	-	-	-	6	6
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes - - - - -	-	-	-	-	-	-	1	-	-	1	2	-	1	-	3	-	-	-	-	-
Apoplexy - - - - -	1	1	3	2	7	-	-	3	1	4	-	-	1	-	1	-	-	2	2	4
Softening of Brain - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemiplegia, Brain Paralysis - - - - -	-	-	-	2	2	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
Paralysis Agitans - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Convulsions - - - - -	3	-	-	-	3	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Laryngismus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-
Other Diseases of Nervous System	1	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa - - - - -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	197	4	1	48	27	80	1	2	25	18	46	-	-	14	12	26	-	2	5	7	14
Pericarditis -	4	-	2	1	-	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	4	-	-	1	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Syncope -	20	2	-	7	3	12	-	-	2	1	3	-	-	1	1	2	-	-	-	1	1
Aneurism -	5	-	-	2	-	2	-	-	-	1	1	-	-	1	-	1	-	-	1	-	1
Senile Gangrene -	5	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Embolism, Thrombosis -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis -	4	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	4	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup -	12	7	-	-	-	7	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Other Dis. of Larynx & Trachea	3	2	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	5	-	-	2	1	3	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Bronchitis -	307	49	3	37	47	136	28	-	10	15	53	22	-	13	7	42	15	1	3	12	31
Pneumonia -	273	91	15	35	13	154	26	1	11	6	44	13	1	7	3	24	10	-	3	1	14
Pleurisy -	6	-	-	-	1	1	-	-	3	-	3	-	-	2	-	2	-	-	-	-	-
Other Diseases of Resp. System	60	36	-	6	5	47	2	-	3	2	7	2	-	-	-	2	1	-	-	1	2
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	14	8	-	-	-	8	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
Sore-throat, Quinsy -	2	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Dyspepsia -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Hæmatemesis -	3	1	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna -	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Diseases of Stomach -	28	3	-	4	4	11	1	-	-	-	1	2	2	1	1	6	-	-	2	2	4
Enteritis -	26	10	-	3	2	15	3	-	-	-	3	2	1	-	-	3	2	-	-	-	2
Ulceration of Intestine -	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	11	2	1	1	-	4	-	1	-	1	2	-	-	-	1	1	-	-	-	-	-
Stricture or Strang. of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Hernia -	8	-	-	2	1	3	-	-	2	1	3	-	-	-	1	1	-	-	-	-	-
Fistula -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	22	2	5	8	-	15	-	-	-	1	1	1	1	-	-	2	-	-	1	-	1
Ascites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	1
Cirrhosis of Liver -	3	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Other Diseases of Liver	13	2	-	2	1	5	-	-	1	2	3	-	-	-	-	-	-	-	1	1	2
Other Dis. of Digestive System	9	2	-	2	2	6	-	-	1	1	2	-	-	-	1	1	-	-	-	-	-
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics -	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Suprarenal Capsules -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	22	3	3	7	3	16	-	1	-	1	2	-	-	-	1	1	-	-	-	-	-
Bright's Disease -	33	-	3	13	3	19	1	-	4	3	8	-	-	1	-	1	-	-	-	2	2
Uræmia -	4	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	1	2
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	5	-	-	-	1	1	-	-	-	1	1	-	-	-	2	2	-	-	1	-	1
Other Dis. of Urinary System	11	-	-	4	-	4	-	-	2	2	4	-	-	1	1	2	-	-	-	1	1

151

151

[illegible]

188

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of DECEMBER 1896.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	4	-	-	1	1	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina	7	-	-	3	1	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - -	5	-	-	1	-	1	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding -	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth	5	-	1	2	-	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	10	-	2	1	1	4	-	-	1	-	1	3	-	-	1	4	-	-	-	-	-
Arthritis, Ostitis, Periostitis -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Other Dis. of Organs of Locom.	9	-	5	-	-	5	1	2	-	-	3	-	-	1	-	1	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - -	2	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Other Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles { Railways - -	6	-	-	3	1	4	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
and { Veh. oth. than R'wys. - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.)	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Building Operations - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, { Conflagrations - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns & Scalds - -	15	6	2	2	-	10	-	-	-	-	-	-	-	-	1	1	3	-	-	-	3
Explosions - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours -	3	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - -	14	-	1	4	2	7	-	-	-	-	-	-	-	3	-	3	-	-	2	-	2
Suffocation { In Bed - -	14	5	-	-	-	5	3	-	-	-	3	2	-	-	-	2	-	-	-	-	-
{ Otherwise - -	3	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Falls - - -	4	-	1	1	-	2	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - -	25	-	2	6	1	9	-	-	4	2	6	-	-	2	1	3	-	-	-	-	-
Otherwise, or Not Stated -	11	-	1	5	1	7	-	-	1	-	1	1	-	-	-	1	-	-	1	-	1
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Suicide - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition	72	29	-	4	-	33	10	-	1	-	11	6	-	-	-	6	9	-	-	-	9
Mortification - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Tumour - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained)	5	-	-	-	-	-	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-
Other Ill-def. & not spec. Causes	19	2	-	6	3	11	-	-	-	2	2	2	-	-	-	2	2	-	-	2	4

189

189

[illegible]

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 139 feet above the sea-level,

For the month of DECEMBER 1896.

Mean barometric pressure, 29.687 inches; less than the average for the same month of 1856-95 by 0.121 inch.

Barometric monthly range, 1.578 inch; less by 0.008 inch.

Mean temperature, $38^{\circ}5$; being the average.

Mean daily range of temperature, $8^{\circ}6$; less by $0^{\circ}5$.

Mean humidity, 89; greater by 2.2.

Rain, number of days, 23; greater by 6 days.

Rain, depth in inches, 5.57; greater by 1.85 inch.

Wind, pressure on square foot, 1.67 lb.; less by 0.20 lb.

Wind, direction of, E. to W. as 8 to 10, and N. to S. as 5 to 7; the average being E. to W. as 4 to 14, and N. to S. as 4 to 7.

Hence, the weather of December 1896 was characterised by a rather low mean pressure, with an average monthly range; the average mean temperature, with a mean daily range half a degree less than the average; a very high humidity; an unusually large rainfall, falling on 23 days, being a larger number of rainy days than has been recorded on any previous December; and a great excess of easterly winds, S.E. winds being three days, E. one day, and N.E. one day above the averages.

The mean barometric pressure was 29.687 inches, or 0.121 inch under the average. It will be seen from the sea-level pressures of the table, that the mean atmospheric pressure was singularly uniform at all the large towns.

The mean temperature was $38^{\circ}5$, being the average of the month, the means of the days and nights respectively being also the average. Mean temperature was about half a degree above the average at Aberdeen, Dundee, Leith, and Edinburgh; but it was a degree under the average at Glasgow, Paisley, and Greenock, and half a degree at Perth. The absolutely highest temperature was $57^{\circ}0$ at Leith on the 26th; and the lowest $19^{\circ}9$ at Glasgow on the 20th.

The mean rainfall was 5.57 inches, or 50 per cent. above the average. It was very unequally distributed among the stations. The largest amount, 8.76 inches, fell at Greenock, and the smallest at Edinburgh and Leith, these being 3.35 inches and 3.37 inches. But as regards per cents. above the normal rainfall of the month, the excess was 112 at Aberdeen, 97 at Dundee, and 91 at Perth; whereas at Greenock and Paisley the excess was only 23 per cent. From the 15th to the 20th the precipitation was either light or *nil*, falling chiefly as snow showers. During the rest of the month heavy rains were of frequent occurrence, particularly during the last week when on the 29th 1.59 inch fell at Glasgow, and on the following day 1.52 inch fell at Greenock and 1.46 inch at Paisley.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS
Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH,
During the Month of DECEMBER 1896.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.					RAIN.		WINDS.								Mean Pres- sure on Sq. ft.	
		Mean at Station and 32°.	Mean at Sea-level and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.										
																			N	NE	E	SE	S	SW	W	NW	Calm or Variable.		lbs.
GLASGOW, J. B. RUSSELL, M.D., Medical Officer of Health, Glasgow.	54	29.625	29.686	1.567	55.0	19.9	38.6	35.3	9.9	18.5	°	39.2	38.0	36.4	.216	2.48	90	21	5.57	1	1	7	1	0	1	4	3	13	0.23
EDINBURGH, R. C. MOSSMAN, F.R.S.E.	276	29.377	29.683	1.633	56.2	23.8	39.0	32.4	7.5	15.3	°	39.2	37.8	36.0	.212	2.44	89	23	3.35	2	3	6	2	1	7	5	4	1	1.44
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.503	29.687	1.580	52.9	23.8	37.8	29.1	7.5	16.4	°	38.2	37.1	35.6	.208	2.40	91	18	5.25	1	2	0	10	1	6	4	7	0	1.49
ABERDEEN,	66	29.617	29.691	1.480	49.0	28.0	38.5	21.0	7.7	19.0	°	39.3	37.2	34.5	.200	2.31	84	26	6.87	3	0	3	6	4	7	4	3	1	2.99
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	70	29.602	29.680	1.629	57.0	24.0	40.0	33.0	6.3	19.1	°	40.2	38.8	37.0	.220	2.54	89	23	3.37	2	2	2	5	3	5	7	3	2	2.12
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29.566	29.684	1.651	51.3	22.0	38.8	29.3	9.2	15.0	°	39.0	37.6	35.8	.210	2.42	89	25	5.66	3	2	6	3	4	2	9	1	1	1.06
GREENOCK, ROBERT GILMOUR, Greenock Water Works.	233	29.443	29.697	1.500	52.4	27.3	38.2	25.1	9.1	17.0	°	39.6	38.0	35.9	.211	2.44	87	22	8.76	0	2	2	12	0	5	10	0	0	2.34
PERTH, A. GAEDDOKE, Gardener to James F. Pullar, F.R.S.E.	140	29.532	29.689	1.550	55.0	20.5	37.4	34.5	11.2	23.5	°	37.8	36.8	35.5	.208	2.44	92	22	5.73	1	7	7	4	2	5	5	0	0	...
Means,	139	29.533	29.687	1.578	(57.0)	(419.9)	38.5	30.0	8.6	18.0	°	39.1	37.7	35.9	.211	2.43	89	23	5.57	2	2	4	5	2	5	6	3	2	1.67

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 56° 23'; Perth, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute highest. † Absolute lowest.